

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 675.00/720.00 (93.75%)

Max Score: 675.00

Rank: 1

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 100.00

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 675.00/720.00 (93.75%)

Max Score: 675.00

Rank: 1

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 100.00

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 675.00/720.00 (93.75%)

Max Score: 675.00

Rank: 1

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 100.00

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 169 **Incorrect:** 9) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 675.00

Total Positive Marks: 684.00 **Total Negative Marks:** 9.00

PHY	CHEM	BIO	Total
150.00	175.00	350.00	675.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 665.00/720.00 (92.36%)

Max Score: 675.00

Rank: 2

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 98.52

Avq Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 665.00/720.00 (92.36%)

Max Score: 675.00

Rank: 2

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 98.52

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	CD	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 665.00/720.00 (92.36%)

Max Score: 675.00

Rank: 2

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 98.52

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 167 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 665.00

Total Positive Marks: 676.00 **Total Negative Marks:** 11.00

PHY	CHEM	BIO	Total
170.00	145.00	350.00	665.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 625.00/720.00 (86.81%)

Max Score: 675.00

Rank: 3

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 92.59

Avq Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 625.00/720.00 (86.81%)

Max Score: 675.00

Rank: 3

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 92.59

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 625.00/720.00 (86.81%)

Max Score: 675.00

Rank: 3

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 92.59

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 159 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 625.00

Total Positive Marks: 644.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
155.00	135.00	335.00	625.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 622.00/720.00 (86.39%)

Max Score: 675.00

Rank: 4

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 92.15

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 622.00/720.00 (86.39%)

Max Score: 675.00

Rank: 4

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 92.15

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 622.00/720.00 (86.39%)

Max Score: 675.00

Rank: 4

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 92.15

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 176 (**Correct:** 158 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 622.00

Total Positive Marks: 640.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
146.00	141.00	335.00	622.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 621.00/720.00 (86.25%)

Max Score: 675.00

Rank: 5

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 92.00

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		C	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 621.00/720.00 (86.25%)

Max Score: 675.00

Rank: 5

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 92.00

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 621.00/720.00 (86.25%)

Max Score: 675.00

Rank: 5

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 92.00

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 177 (**Correct:** 158 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 621.00

Total Positive Marks: 640.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
155.00	136.00	330.00	621.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 605.00/720.00 (84.03%)

Max Score: 675.00

Rank: 6

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 89.63

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 605.00/720.00 (84.03%)

Max Score: 675.00

Rank: 6

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 89.63

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 605.00/720.00 (84.03%)

Max Score: 675.00

Rank: 6

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 89.63

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 155 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 605.00

Total Positive Marks: 628.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
140.00	140.00	325.00	605.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 588.00/720.00 (81.67%)

Max Score: 675.00

Rank: 7

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 87.11

Avq Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 588.00/720.00 (81.67%)

Max Score: 675.00

Rank: 7

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 87.11

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C		L	0.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 588.00/720.00 (81.67%)

Max Score: 675.00

Rank: 7

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 87.11

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B		L	0.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 175 (**Correct:** 151 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 588.00

Total Positive Marks: 612.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
145.00	135.00	308.00	588.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 575.00/720.00 (79.86%)

Max Score: 675.00

Rank: 8

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 85.19

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 575.00/720.00 (79.86%)

Max Score: 675.00

Rank: 8

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 85.19

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	AB	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 575.00/720.00 (79.86%)

Max Score: 675.00

Rank: 8

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 85.19

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 149 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 575.00

Total Positive Marks: 604.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
145.00	115.00	315.00	575.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 531.00/720.00 (73.75%)

Max Score: 675.00

Rank: 9

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 78.67

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 531.00/720.00 (73.75%)

Max Score: 675.00

Rank: 9

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 78.67

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	AB	W	-1.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 531.00/720.00 (73.75%)

Max Score: 675.00

Rank: 9

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 78.67

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C		L	0.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 172 (**Correct:** 139 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 531.00

Total Positive Marks: 564.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
117.00	117.00	297.00	531.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 509.00/720.00 (70.69%)

Max Score: 675.00

Rank: 10

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 75.41

Avq Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C		L	0.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D		L	0.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D		L	0.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 509.00/720.00 (70.69%)

Max Score: 675.00

Rank: 10

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 75.41

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 509.00/720.00 (70.69%)

Max Score: 675.00

Rank: 10

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 75.41

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 149 (**Correct:** 130 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 509.00

Total Positive Marks: 528.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
89.00	104.00	316.00	509.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 499.00/720.00 (69.31%)

Max Score: 675.00

Rank: 11

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 73.93

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D		L	0.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 499.00/720.00 (69.31%)

Max Score: 675.00

Rank: 11

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 73.93

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 499.00/720.00 (69.31%)

Max Score: 675.00

Rank: 11

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 73.93

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 164 (**Correct:** 131 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 499.00

Total Positive Marks: 532.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
87.00	112.00	300.00	499.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 483.00/720.00 (67.08%)

Max Score: 675.00

Rank: 12

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 71.56

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 483.00/720.00 (67.08%)

Max Score: 675.00

Rank: 12

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 71.56

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 483.00/720.00 (67.08%)

Max Score: 675.00

Rank: 12

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 71.56

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 170 (**Correct:** 129 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 483.00

Total Positive Marks: 524.00 **Total Negative Marks:** 41.00

PHY	CHEM	BIO	Total
94.00	94.00	295.00	483.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 479.00/720.00 (66.53%)

Max Score: 675.00

Rank: 13

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 70.96

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		C	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 479.00/720.00 (66.53%)

Max Score: 675.00

Rank: 13

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 70.96

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	AC	W	-1.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 479.00/720.00 (66.53%)

Max Score: 675.00

Rank: 13

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 70.96

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 169 (**Correct:** 128 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 479.00

Total Positive Marks: 520.00 **Total Negative Marks:** 41.00

PHY	CHEM	BIO	Total
109.00	99.00	271.00	479.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 464.00/720.00 (64.44%)

Max Score: 675.00

Rank: 14

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 68.74

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B		L	0.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		C	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 464.00/720.00 (64.44%)

Max Score: 675.00

Rank: 14

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 68.74

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 464.00/720.00 (64.44%)

Max Score: 675.00

Rank: 14

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 68.74

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 169 (**Correct:** 125 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 464.00

Total Positive Marks: 508.00 **Total Negative Marks:** 44.00

PHY	CHEM	BIO	Total
105.00	107.00	252.00	464.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 455.00/720.00 (63.19%)

Max Score: 675.00

Rank: 15

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 67.41

Avq Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 455.00/720.00 (63.19%)

Max Score: 675.00

Rank: 15

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 67.41

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 455.00/720.00 (63.19%)

Max Score: 675.00

Rank: 15

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 67.41

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 163 (**Correct:** 122 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 455.00

Total Positive Marks: 496.00 **Total Negative Marks:** 41.00

PHY	CHEM	BIO	Total
64.00	66.00	325.00	455.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 455.00/720.00 (63.19%)

Max Score: 675.00

Rank: 15

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 67.41

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	CD	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 455.00/720.00 (63.19%)

Max Score: 675.00

Rank: 15

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 67.41

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A		L	0.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	BD	W	-1.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 455.00/720.00 (63.19%)

Max Score: 675.00

Rank: 15

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 67.41

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 168 (**Correct:** 123 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 455.00

Total Positive Marks: 500.00 **Total Negative Marks:** 45.00

PHY	CHEM	BIO	Total
84.00	84.00	287.00	455.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 440.00/720.00 (61.11%)

Max Score: 675.00

Rank: 16

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 65.19

Avq Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D		L	0.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 440.00/720.00 (61.11%)

Max Score: 675.00

Rank: 16

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 65.19

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 440.00/720.00 (61.11%)

Max Score: 675.00

Rank: 16

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 65.19

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	AC	W	-1.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	BD	W	-1.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 173 (**Correct:** 121 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 440.00

Total Positive Marks: 492.00 **Total Negative Marks:** 52.00

PHY	CHEM	BIO	Total
123.00	112.00	205.00	440.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 437.00/720.00 (60.69%)

Max Score: 675.00

Rank: 17

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 64.74

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	AB	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 437.00/720.00 (60.69%)

Max Score: 675.00

Rank: 17

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 64.74

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 437.00/720.00 (60.69%)

Max Score: 675.00

Rank: 17

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 64.74

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 166 (**Correct:** 119 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 437.00

Total Positive Marks: 484.00 **Total Negative Marks:** 47.00

PHY	CHEM	BIO	Total
73.00	97.00	267.00	437.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 415.00/720.00 (57.64%)

Max Score: 675.00

Rank: 18

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 61.48

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C		L	0.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A		L	0.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 415.00/720.00 (57.64%)

Max Score: 675.00

Rank: 18

Min Score: 103.00

TEST: LT-10 (NEET) (ID : 12 DT : 26-Dec-2023)

Percentile: 61.48

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 415.00/720.00 (57.64%)

Max Score: 675.00

Rank: 18

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 61.48

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A		L	0.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D		L	0.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B		L	0.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 143 (**Correct:** 110 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 415.00

Total Positive Marks: 448.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
86.00	75.00	254.00	415.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 384.00/720.00 (53.33%)

Max Score: 675.00

Rank: 19

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 56.89

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B		L	0.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D		L	0.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A		L	0.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D		L	0.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 384.00/720.00 (53.33%)

Max Score: 675.00

Rank: 19

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 56.89

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 384.00/720.00 (53.33%)

Max Score: 675.00

Rank: 19

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 56.89

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B		L	0.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D		L	0.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 134 (**Correct:** 102 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 384.00

Total Positive Marks: 416.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
44.00	68.00	272.00	384.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 367.00/720.00 (50.97%)

Max Score: 675.00

Rank: 20

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 54.37

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B		L	0.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 367.00/720.00 (50.97%)

Max Score: 675.00

Rank: 20

Min Score: 103.00

TEST: LT-10 (NEET) (ID : 12 DT: 26-Dec-2023)

Percentile: 54.37

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B		L	0.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B		L	0.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D		L	0.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 367.00/720.00 (50.97%)

Max Score: 675.00

Rank: 20

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 54.37

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B		L	0.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D		L	0.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C		L	0.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D		L	0.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C		L	0.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D		L	0.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 136 (**Correct:** 99 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 367.00

Total Positive Marks: 404.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
97.00	83.00	187.00	367.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 353.00/720.00 (49.03%)

Max Score: 675.00

Rank: 21

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 52.30

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D		L	0.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B		L	0.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C		L	0.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 353.00/720.00 (49.03%)

Max Score: 675.00

Rank: 21

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 52.30

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 353.00/720.00 (49.03%)

Max Score: 675.00

Rank: 21

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 52.30

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D		L	0.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B		L	0.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C		L	0.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B		L	0.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

Total Question: 180 **Attempted:** 140 (**Correct:** 97 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 353.00

Total Positive Marks: 396.00 **Total Negative Marks:** 43.00

PHY	CHEM	BIO	Total
49.00	62.00	242.00	353.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 350.00/720.00 (48.61%)

Max Score: 675.00

Rank: 22

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 51.85

Avq Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B		L	0.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C		L	0.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B		L	0.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D		L	0.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 350.00/720.00 (48.61%)

Max Score: 675.00

Rank: 22

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 51.85

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B		L	0.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D		L	0.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 350.00/720.00 (48.61%)

Max Score: 675.00

Rank: 22

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 51.85

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 143 (**Correct:** 97 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 350.00

Total Positive Marks: 396.00 **Total Negative Marks:** 46.00

PHY	CHEM	BIO	Total
47.00	82.00	221.00	350.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 341.00/720.00 (47.36%)

Max Score: 675.00

Rank: 23

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 50.52

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D		L	0.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B		L	0.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C		L	0.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B		L	0.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B		L	0.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A		L	0.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D		L	0.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C		L	0.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 341.00/720.00 (47.36%)

Max Score: 675.00

Rank: 23

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 50.52

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 341.00/720.00 (47.36%)

Max Score: 675.00

Rank: 23

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 50.52

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 102 (**Correct:** 87 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 341.00

Total Positive Marks: 356.00 **Total Negative Marks:** 15.00

PHY	CHEM	BIO	Total
39.00	12.00	290.00	341.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 337.00/720.00 (46.81%)

Max Score: 675.00

Rank: 24

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 49.93

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 337.00/720.00 (46.81%)

Max Score: 675.00

Rank: 24

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 49.93

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D		L	0.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 337.00/720.00 (46.81%)

Max Score: 675.00

Rank: 24

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 49.93

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A		L	0.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 156 (**Correct:** 97 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 337.00

Total Positive Marks: 396.00 **Total Negative Marks:** 59.00

PHY	CHEM	BIO	Total
60.00	32.00	245.00	337.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 336.00/720.00 (46.67%)

Max Score: 675.00

Rank: 25

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 49.78

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C		L	0.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D		L	0.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B		L	0.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B		L	0.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 336.00/720.00 (46.67%)

Max Score: 675.00

Rank: 25

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 49.78

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C		L	0.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 336.00/720.00 (46.67%)

Max Score: 675.00

Rank: 25

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 49.78

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 137 (**Correct:** 93 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 336.00

Total Positive Marks: 380.00 **Total Negative Marks:** 44.00

PHY	CHEM	BIO	Total
35.00	42.00	259.00	336.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 306.00/720.00 (42.50%)

Max Score: 675.00

Rank: 26

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 45.33

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C		L	0.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B		L	0.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B		L	0.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 306.00/720.00 (42.50%)

Max Score: 675.00

Rank: 26

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 45.33

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 306.00/720.00 (42.50%)

Max Score: 675.00

Rank: 26

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 45.33

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C		L	0.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 107 (**Correct:** 81 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 306.00

Total Positive Marks: 332.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
23.00	25.00	258.00	306.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 292.00/720.00 (40.56%)

Max Score: 675.00

Rank: 27

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 43.26

Avq Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 292.00/720.00 (40.56%)

Max Score: 675.00

Rank: 27

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 43.26

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C		L	0.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C		L	0.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 292.00/720.00 (40.56%)

Max Score: 675.00

Rank: 27

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 43.26

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C		L	0.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A		L	0.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 116 (**Correct:** 80 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 292.00

Total Positive Marks: 328.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
70.00	60.00	162.00	292.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 285.00/720.00 (39.58%)

Max Score: 675.00

Rank: 28

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 42.22

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C		L	0.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 285.00/720.00 (39.58%)

Max Score: 675.00

Rank: 28

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 42.22

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 285.00/720.00 (39.58%)

Max Score: 675.00

Rank: 28

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 42.22

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	CD	W	-1.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 148 (**Correct:** 85 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 285.00

Total Positive Marks: 348.00 **Total Negative Marks:** 63.00

PHY	CHEM	BIO	Total
47.00	81.00	157.00	285.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 284.00/720.00 (39.44%)

Max Score: 675.00

Rank: 29

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 42.07

Avq Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D		L	0.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A		L	0.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D		L	0.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 284.00/720.00 (39.44%)

Max Score: 675.00

Rank: 29

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 42.07

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 284.00/720.00 (39.44%)

Max Score: 675.00

Rank: 29

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 42.07

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B		L	0.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A		L	0.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 134 (**Correct:** 82 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 284.00

Total Positive Marks: 336.00 **Total Negative Marks:** 52.00

PHY	CHEM	BIO	Total
47.00	63.00	174.00	284.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 275.00/720.00 (38.19%)

Max Score: 675.00

Rank: 30

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 40.74

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C		L	0.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 275.00/720.00 (38.19%)

Max Score: 675.00

Rank: 30

Min Score: 103.00

TEST: LT-10 (NEET) (ID : 12 DT: 26-Dec-2023)

Percentile: 40.74

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C		L	0.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C		L	0.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C		L	0.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 275.00/720.00 (38.19%)

Max Score: 675.00

Rank: 30

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 40.74

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C		L	0.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A		L	0.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 108 (**Correct:** 75 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 275.00

Total Positive Marks: 308.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
64.00	60.00	151.00	275.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 270.00/720.00 (37.50%)

Max Score: 675.00

Rank: 31

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 40.00

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		C	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 270.00/720.00 (37.50%)

Max Score: 675.00

Rank: 31

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 40.00

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B		L	0.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 270.00/720.00 (37.50%)

Max Score: 675.00

Rank: 31

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 40.00

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D		L	0.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C		L	0.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 148 (**Correct:** 82 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 270.00

Total Positive Marks: 336.00 **Total Negative Marks:** 66.00

PHY	CHEM	BIO	Total
45.00	25.00	200.00	270.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 262.00/720.00 (36.39%)

Max Score: 675.00

Rank: 32

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 38.81

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	AD	W	-1.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B		L	0.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B		L	0.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C		L	0.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 262.00/720.00 (36.39%)

Max Score: 675.00

Rank: 32

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 38.81

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C		L	0.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 262.00/720.00 (36.39%)

Max Score: 675.00

Rank: 32

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 38.81

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B		L	0.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A		L	0.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C		L	0.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 106 (**Correct:** 72 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 262.00

Total Positive Marks: 296.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
58.00	0.00	204.00	262.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 238.00/720.00 (33.06%)

Max Score: 675.00

Rank: 33

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 35.26

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B		L	0.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B		L	0.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C		L	0.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B		L	0.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A		L	0.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C		L	0.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 238.00/720.00 (33.06%)

Max Score: 675.00

Rank: 33

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 35.26

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B		L	0.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A		L	0.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B		L	0.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C		L	0.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B		L	0.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C		L	0.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C		L	0.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B		L	0.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D		L	0.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 238.00/720.00 (33.06%)

Max Score: 675.00

Rank: 33

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 35.26

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A		L	0.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D		L	0.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C		L	0.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C		L	0.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B		L	0.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B		L	0.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 80 (**Correct:** 62 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 238.00

Total Positive Marks: 256.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
44.00	24.00	170.00	238.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 224.00/720.00 (31.11%)

Max Score: 675.00

Rank: 34

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 33.19

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		C	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 224.00/720.00 (31.11%)

Max Score: 675.00

Rank: 34

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 33.19

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D		L	0.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B		L	0.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A		L	0.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B		L	0.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B		L	0.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C		L	0.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B		L	0.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C		L	0.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B		L	0.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B		L	0.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A		L	0.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B		L	0.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C		L	0.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C		L	0.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B		L	0.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C		L	0.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B		L	0.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A		L	0.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D		L	0.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 224.00/720.00 (31.11%)

Max Score: 675.00

Rank: 34

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 33.19

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B		L	0.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B		L	0.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B		L	0.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A		L	0.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D		L	0.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A		L	0.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C		L	0.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D		L	0.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D		L	0.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C		L	0.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A		L	0.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C		L	0.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B		L	0.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C		L	0.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B		L	0.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A		L	0.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C		L	0.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A		L	0.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B		L	0.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D		L	0.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C		L	0.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A		L	0.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D		L	0.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B		L	0.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 84 (**Correct:** 60 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 224.00

Total Positive Marks: 248.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
119.00	105.00	0.00	224.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 173.00/720.00 (24.03%)

Max Score: 675.00

Rank: 35

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 25.63

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C		L	0.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B		L	0.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C		L	0.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B		L	0.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B		L	0.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A		L	0.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D		L	0.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 173.00/720.00 (24.03%)

Max Score: 675.00

Rank: 35

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 25.63

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B		L	0.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B		L	0.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B		L	0.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B		L	0.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B		L	0.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B		L	0.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D		L	0.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 173.00/720.00 (24.03%)

Max Score: 675.00

Rank: 35

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 25.63

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B		L	0.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B		L	0.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A		L	0.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A		L	0.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C		L	0.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D		L	0.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D		L	0.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B		L	0.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C		L	0.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A		L	0.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A		L	0.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B		L	0.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D		L	0.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C		L	0.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A		L	0.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 55 (**Correct:** 44 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 173.00

Total Positive Marks: 184.00 **Total Negative Marks:** 11.00

PHY	CHEM	BIO	Total
42.00	32.00	99.00	173.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 103.00/720.00 (14.31%)

Max Score: 675.00

Rank: 36

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 15.26

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	78.38	59.46	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
2	89.19	62.16	27.03	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
3	54.05	43.24	10.81	PHY	NTA REG	4.00	1.00	C		L	0.00
4	83.78	75.68	8.11	PHY	NTA REG	4.00	1.00	C		L	0.00
5	54.05	24.32	29.73	PHY	NTA REG	4.00	1.00	D		L	0.00
6	70.27	29.73	40.54	PHY	NTA REG	4.00	1.00	A		L	0.00
7	94.59	56.76	37.84	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	97.30	86.49	10.81	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
9	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
10	56.76	45.95	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
11	89.19	54.05	35.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
12	78.38	72.97	5.41	PHY	NTA REG	4.00	1.00	C		L	0.00
13	72.97	29.73	43.24	PHY	NTA REG	4.00	1.00	D		L	0.00
14	51.35	51.35	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
15	81.08	16.22	64.86	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
16	67.57	40.54	27.03	PHY	NTA REG	4.00	1.00	D		L	0.00
17	70.27	51.35	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
18	81.08	67.57	13.51	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
19	70.27	70.27	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	62.16	56.76	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.08	56.76	24.32	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.68	56.76	18.92	PHY	NTA REG	4.00	1.00	B		L	0.00
23	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	D		L	0.00
24	75.68	59.46	16.22	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	89.19	83.78	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
26	43.24	32.43	10.81	PHY	NTA REG	4.00	1.00	A		L	0.00
27	29.73	27.03	2.70	PHY	NTA REG	4.00	1.00	A		L	0.00
28	62.16	45.95	16.22	PHY	NTA REG	4.00	1.00	A		L	0.00
29	83.78	21.62	62.16	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	48.65	24.32	24.32	PHY	NTA REG	4.00	1.00	D		L	0.00
31	91.89	67.57	24.32	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
32	67.57	48.65	18.92	PHY	NTA REG	4.00	1.00	D		L	0.00
33	67.57	32.43	35.14	PHY	NTA REG	4.00	1.00	B		L	0.00
34	83.78	78.38	5.41	PHY	NTA REG	4.00	1.00	A		L	0.00
35	86.49	32.43	54.05	PHY	NTA REG	4.00	1.00	B		L	0.00
36	62.16	54.05	8.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.68	67.57	8.11	PHY	NTA REG	4.00	1.00	B		L	0.00
38	56.76	54.05	2.70	PHY	NTA REG	4.00	1.00	B		L	0.00
39	70.27	56.76	13.51	PHY	NTA REG	4.00	1.00	C		L	0.00
40	56.76	51.35	5.41	PHY	NTA REG	4.00	1.00	D		L	0.00
41	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
42	81.08	29.73	51.35	PHY	NTA REG	4.00	1.00	A		L	0.00
43	83.78	13.51	70.27	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
44	64.86	64.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
45	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
46	89.19	59.46	29.73	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
47	89.19	32.43	56.76	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	83.78	45.95	37.84	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
49	81.08	64.86	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	91.89	75.68	16.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	86.49	51.35	35.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	81.08	62.16	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.27	45.95	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	75.68	64.86	10.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	67.57	29.73	37.84	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	62.16	16.22	45.95	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	75.68	62.16	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	54.05	29.73	24.32	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
61	72.97	48.65	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	81.08	72.97	8.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	72.97	54.05	18.92	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 103.00/720.00 (14.31%)

Max Score: 675.00

Rank: 36

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 15.26

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	59.46	32.43	27.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
65	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
67	86.49	72.97	13.51	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	70.27	67.57	2.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
69	86.49	75.68	10.81	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
70	70.27	32.43	37.84	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	67.57	32.43	35.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	48.65	16.22	32.43	CHEM	NTA REG	4.00	1.00	D		L	0.00
73	64.86	43.24	21.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	70.27	48.65	21.62	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	72.97	70.27	2.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
76	67.57	27.03	40.54	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.46	35.14	24.32	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	67.57	56.76	10.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	89.19	72.97	16.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	83.78	78.38	5.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	72.97	59.46	13.51	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	72.97	64.86	8.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	86.49	70.27	16.22	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	67.57	59.46	8.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	81.08	70.27	10.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
87	75.68	56.76	18.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	64.86	45.95	18.92	CHEM	NTA REG	4.00	1.00	A		L	0.00
89	70.27	10.81	59.46	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	75.68	16.22	59.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
93	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	78.38	64.86	13.51	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
95	91.89	56.76	35.14	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
96	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	81.08	75.68	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.89	91.89	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	89.19	86.49	2.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
108	89.19	51.35	37.84	BIO	NTA REG	4.00	1.00	B		L	0.00
109	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	A		L	0.00
110	94.59	94.59	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
111	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
112	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
113	97.30	94.59	2.70	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
114	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	C		L	0.00
115	81.08	64.86	16.22	BIO	NTA REG	4.00	1.00	C		L	0.00
116	91.89	81.08	10.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
118	86.49	86.49	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
119	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
120	97.30	72.97	24.32	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
121	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B		L	0.00
122	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	A		L	0.00
123	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
124	64.86	37.84	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
125	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00
126	72.97	67.57	5.41	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 103.00/720.00 (14.31%)

Max Score: 675.00

Rank: 36

Min Score: 103.00

TEST: LT-10 (NEET) (ID: 12 DT: 26-Dec-2023)

Percentile: 15.26

Avg Score: 414.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.59	91.89	2.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
129	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	B		L	0.00
130	83.78	29.73	54.05	BIO	NTA REG	4.00	1.00	B		L	0.00
131	89.19	72.97	16.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.89	72.97	18.92	BIO	NTA REG	4.00	1.00	D		L	0.00
133	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	A		L	0.00
134	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	C		L	0.00
135	89.19	70.27	18.92	BIO	NTA REG	4.00	1.00	C		L	0.00
136	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00
137	83.78	56.76	27.03	BIO	NTA REG	4.00	1.00	B		L	0.00
138	86.49	83.78	2.70	BIO	NTA REG	4.00	1.00	D		L	0.00
139	81.08	51.35	29.73	BIO	NTA REG	4.00	1.00	D		L	0.00
140	81.08	59.46	21.62	BIO	NTA REG	4.00	1.00	C		L	0.00
141	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	83.78	40.54	43.24	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
144	91.89	83.78	8.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.59	83.78	10.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
146	94.59	78.38	16.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
147	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
148	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
150	78.38	67.57	10.81	BIO	NTA REG	4.00	1.00	D		L	0.00
151	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	86.49	8.11	78.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	89.19	59.46	29.73	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	81.08	54.05	27.03	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.59	89.19	5.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	86.49	43.24	43.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	94.59	81.08	13.51	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	89.19	78.38	10.81	BIO	NTA REG	4.00	1.00	C		L	0.00
161	89.19	56.76	32.43	BIO	NTA REG	4.00	1.00	B		L	0.00
162	83.78	75.68	8.11	BIO	NTA REG	4.00	1.00	D		L	0.00
163	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	A		L	0.00
164	86.49	81.08	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
165	91.89	70.27	21.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	A		L	0.00
167	67.57	40.54	27.03	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.89	86.49	5.41	BIO	NTA REG	4.00	1.00	B		L	0.00
169	91.89	67.57	24.32	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	89.19	83.78	5.41	BIO	NTA REG	4.00	1.00	D		L	0.00
171	89.19	81.08	8.11	BIO	NTA REG	4.00	1.00	A		L	0.00
172	89.19	89.19	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
173	75.68	43.24	32.43	BIO	NTA REG	4.00	1.00	D		L	0.00
174	59.46	37.84	21.62	BIO	NTA REG	4.00	1.00	D		L	0.00
175	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	C		L	0.00
176	86.49	51.35	35.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	91.89	59.46	32.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	97.30	83.78	13.51	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	91.89	89.19	2.70	BIO	NTA REG	4.00	1.00	B		L	0.00
180	91.89	78.38	13.51	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 70 (**Correct:** 33 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 103.00

Total Positive Marks: 140.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
2.00	8.00	93.00	103.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%