

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 100.00

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 100.00

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 100.00

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 179 (**Correct:** 167 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 660.00

Total Positive Marks: 672.00 **Total Negative Marks:** 12.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|---------------|
| 160.00 | 160.00 | 340.00 | 660.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 648.00/720.00 (90.00%)

Max Score: 660.00

Rank: 2

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 98.18

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 648.00/720.00 (90.00%)

Max Score: 660.00

Rank: 2

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 98.18

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 648.00/720.00 (90.00%)

Max Score: 660.00

Rank: 2

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 98.18

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 176 (**Correct:** 164 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 648.00

Total Positive Marks: 660.00 **Total Negative Marks:** 12.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|--------|
| 156.00 | 151.00 | 341.00 | 648.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 640.00/720.00 (88.89%)

Max Score: 660.00

Rank: 3

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 96.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 640.00/720.00 (88.89%)

Max Score: 660.00

Rank: 3

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 96.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 640.00/720.00 (88.89%)

Max Score: 660.00

Rank: 3

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 96.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 179 (**Correct:** 163 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 640.00

Total Positive Marks: 656.00 **Total Negative Marks:** 16.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|---------------|
| 150.00 | 145.00 | 345.00 | 640.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 615.00/720.00 (85.42%)

Max Score: 660.00

Rank: 4

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 93.18

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 615.00/720.00 (85.42%)

Max Score: 660.00

Rank: 4

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 93.18

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 615.00/720.00 (85.42%)

Max Score: 660.00

Rank: 4

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 93.18

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 174 (**Correct:** 157 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 615.00

Total Positive Marks: 632.00 **Total Negative Marks:** 17.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|---------------|
| 132.00 | 148.00 | 335.00 | 615.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 606.00/720.00 (84.17%)

Max Score: 660.00

Rank: 5

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 91.82

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 606.00/720.00 (84.17%)

Max Score: 660.00

Rank: 5

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 91.82

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 606.00/720.00 (84.17%)

Max Score: 660.00

Rank: 5

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 91.82

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 178 (**Correct:** 156 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 606.00

Total Positive Marks: 628.00 **Total Negative Marks:** 22.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|--------|
| 115.00 | 151.00 | 340.00 | 606.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 594.00/720.00 (82.50%)

Max Score: 660.00

Rank: 6

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 90.00

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 594.00/720.00 (82.50%)

Max Score: 660.00

Rank: 6

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 90.00

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 594.00/720.00 (82.50%)

Max Score: 660.00

Rank: 6

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 90.00

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 165 (**Correct:** 151 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 594.00

Total Positive Marks: 608.00 **Total Negative Marks:** 14.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|--------|
| 129.00 | 124.00 | 341.00 | 594.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 582.00/720.00 (80.83%)

Max Score: 660.00

Rank: 7

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 88.18

Avq Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 582.00/720.00 (80.83%)

Max Score: 660.00

Rank: 7

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 88.18

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 582.00/720.00 (80.83%)

Max Score: 660.00

Rank: 7

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 88.18

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 177 (**Correct:** 151 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 582.00

Total Positive Marks: 608.00 **Total Negative Marks:** 26.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|--------|
| 112.00 | 170.00 | 300.00 | 582.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 581.00/720.00 (80.69%)

Max Score: 660.00

Rank: 8

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 88.03

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 581.00/720.00 (80.69%)

Max Score: 660.00

Rank: 8

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 88.03

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 581.00/720.00 (80.69%)

Max Score: 660.00

Rank: 8

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 88.03

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 178 (**Correct:** 151 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 581.00

Total Positive Marks: 608.00 **Total Negative Marks:** 27.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|--------|
| 126.00 | 125.00 | 330.00 | 581.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 568.00/720.00 (78.89%)

Max Score: 660.00

Rank: 9

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 86.06

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 568.00/720.00 (78.89%)

Max Score: 660.00

Rank: 9

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 86.06

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 568.00/720.00 (78.89%)

Max Score: 660.00

Rank: 9

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 86.06

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 171 (**Correct:** 147 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 568.00

Total Positive Marks: 592.00 **Total Negative Marks:** 24.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|--------|
| 102.00 | 151.00 | 315.00 | 568.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 552.00/720.00 (76.67%)

Max Score: 660.00

Rank: 10

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 83.64

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 552.00/720.00 (76.67%)

Max Score: 660.00

Rank: 10

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 83.64

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 552.00/720.00 (76.67%)

Max Score: 660.00

Rank: 10

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 83.64

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 177 (**Correct:** 145 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 552.00

Total Positive Marks: 584.00 **Total Negative Marks:** 32.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|--------|
| 117.00 | 135.00 | 300.00 | 552.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 527.00/720.00 (73.19%)

Max Score: 660.00

Rank: 11

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 79.85

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 527.00/720.00 (73.19%)

Max Score: 660.00

Rank: 11

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 79.85

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 527.00/720.00 (73.19%)

Max Score: 660.00

Rank: 11

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 79.85

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |

Total Question: 180 **Attempted:** 152 (**Correct:** 135 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 527.00

Total Positive Marks: 544.00 **Total Negative Marks:** 17.00

| PHY | CHEM | BIO | Total |
|--------|-------|--------|--------|
| 116.00 | 65.00 | 346.00 | 527.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 520.00/720.00 (72.22%)

Max Score: 660.00

Rank: 12

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 78.79

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 520.00/720.00 (72.22%)

Max Score: 660.00

Rank: 12

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 78.79

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 520.00/720.00 (72.22%)

Max Score: 660.00

Rank: 12

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 78.79

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 164 (**Correct:** 136 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 520.00

Total Positive Marks: 548.00 **Total Negative Marks:** 28.00

| PHY | CHEM | BIO | Total |
|-------|--------|--------|---------------|
| 97.00 | 137.00 | 286.00 | 520.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 469.00/720.00 (65.14%)

Max Score: 660.00

Rank: 13

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 71.06

Avq Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 469.00/720.00 (65.14%)

Max Score: 660.00

Rank: 13

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 71.06

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | D | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 469.00/720.00 (65.14%)

Max Score: 660.00

Rank: 13

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 71.06

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 170 (**Correct:** 127 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 469.00

Total Positive Marks: 512.00 **Total Negative Marks:** 43.00

| PHY | CHEM | BIO | Total |
|-------|--------|--------|--------|
| 74.00 | 100.00 | 295.00 | 469.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 462.00/720.00 (64.17%)

Max Score: 660.00

Rank: 14

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 70.00

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 462.00/720.00 (64.17%)

Max Score: 660.00

Rank: 14

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 70.00

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 462.00/720.00 (64.17%)

Max Score: 660.00

Rank: 14

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 70.00

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |

Total Question: 180 **Attempted:** 142 (**Correct:** 120 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 462.00

Total Positive Marks: 484.00 **Total Negative Marks:** 22.00

| PHY | CHEM | BIO | Total |
|--------|--------|--------|--------|
| 101.00 | 127.00 | 234.00 | 462.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 461.00/720.00 (64.03%)

Max Score: 660.00

Rank: 15

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 69.85

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 461.00/720.00 (64.03%)

Max Score: 660.00

Rank: 15

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 69.85

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 461.00/720.00 (64.03%)

Max Score: 660.00

Rank: 15

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 69.85

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 158 (**Correct:** 123 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 461.00

Total Positive Marks: 496.00 **Total Negative Marks:** 35.00

| PHY | CHEM | BIO | Total |
|-------|--------|--------|--------|
| 55.00 | 105.00 | 301.00 | 461.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 439.00/720.00 (60.97%)

Max Score: 660.00

Rank: 16

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 66.52

AvG Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 439.00/720.00 (60.97%)

Max Score: 660.00

Rank: 16

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 66.52

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 439.00/720.00 (60.97%)

Max Score: 660.00

Rank: 16

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 66.52

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 170 (**Correct:** 121 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 439.00

Total Positive Marks: 488.00 **Total Negative Marks:** 49.00

| PHY | CHEM | BIO | Total |
|-------|--------|--------|--------|
| 63.00 | 111.00 | 265.00 | 439.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 66.21

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 66.21

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | D | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 66.21

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | AB | W | -1.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |

Total Question: 180 **Attempted:** 167 (**Correct:** 120 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 437.00

Total Positive Marks: 484.00 **Total Negative Marks:** 47.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 96.00 | 83.00 | 258.00 | 437.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 419.00/720.00 (58.19%)

Max Score: 660.00

Rank: 18

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 63.48

Avq Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 419.00/720.00 (58.19%)

Max Score: 660.00

Rank: 18

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 63.48

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 419.00/720.00 (58.19%)

Max Score: 660.00

Rank: 18

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 63.48

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |

Total Question: 180 **Attempted:** 155 (**Correct:** 114 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 419.00

Total Positive Marks: 460.00 **Total Negative Marks:** 41.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 75.00 | 78.00 | 266.00 | 419.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 397.00/720.00 (55.14%)

Max Score: 660.00

Rank: 19

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 60.15

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 397.00/720.00 (55.14%)

Max Score: 660.00

Rank: 19

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 60.15

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 397.00/720.00 (55.14%)

Max Score: 660.00

Rank: 19

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 60.15

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |

Total Question: 180 **Attempted:** 157 (**Correct:** 110 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 397.00

Total Positive Marks: 444.00 **Total Negative Marks:** 47.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 45.00 | 94.00 | 258.00 | 397.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 392.00/720.00 (54.44%)

Max Score: 660.00

Rank: 20

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 59.39

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 392.00/720.00 (54.44%)

Max Score: 660.00

Rank: 20

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 59.39

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 392.00/720.00 (54.44%)

Max Score: 660.00

Rank: 20

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 59.39

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |

Total Question: 180 **Attempted:** 152 (**Correct:** 108 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 392.00

Total Positive Marks: 436.00 **Total Negative Marks:** 44.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 57.00 | 74.00 | 261.00 | 392.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 383.00/720.00 (53.19%)

Max Score: 660.00

Rank: 21

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 58.03

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 383.00/720.00 (53.19%)

Max Score: 660.00

Rank: 21

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 58.03

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | A | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 383.00/720.00 (53.19%)

Max Score: 660.00

Rank: 21

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 58.03

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |

Total Question: 180 **Attempted:** 161 (**Correct:** 108 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 383.00

Total Positive Marks: 436.00 **Total Negative Marks:** 53.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 46.00 | 85.00 | 252.00 | 383.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 376.00/720.00 (52.22%)

Max Score: 660.00

Rank: 22

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 56.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 376.00/720.00 (52.22%)

Max Score: 660.00

Rank: 22

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 56.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 376.00/720.00 (52.22%)

Max Score: 660.00

Rank: 22

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 56.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |

Total Question: 180 **Attempted:** 138 (**Correct:** 102 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 376.00

Total Positive Marks: 412.00 **Total Negative Marks:** 36.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 34.00 | 90.00 | 252.00 | 376.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 376.00/720.00 (52.22%)

Max Score: 660.00

Rank: 22

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 56.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 376.00/720.00 (52.22%)

Max Score: 660.00

Rank: 22

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 56.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 376.00/720.00 (52.22%)

Max Score: 660.00

Rank: 22

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 56.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 148 (**Correct:** 104 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 376.00

Total Positive Marks: 420.00 **Total Negative Marks:** 44.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 31.00 | 96.00 | 249.00 | 376.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 357.00/720.00 (49.58%)

Max Score: 660.00

Rank: 23

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 54.09

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 357.00/720.00 (49.58%)

Max Score: 660.00

Rank: 23

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 54.09

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 357.00/720.00 (49.58%)

Max Score: 660.00

Rank: 23

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 54.09

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |

Total Question: 180 **Attempted:** 157 (**Correct:** 102 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 357.00

Total Positive Marks: 412.00 **Total Negative Marks:** 55.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 25.00 | 87.00 | 245.00 | 357.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 352.00/720.00 (48.89%)

Max Score: 660.00

Rank: 24

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 53.33

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 352.00/720.00 (48.89%)

Max Score: 660.00

Rank: 24

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 53.33

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 352.00/720.00 (48.89%)

Max Score: 660.00

Rank: 24

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 53.33

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 157 (**Correct:** 101 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 352.00

Total Positive Marks: 408.00 **Total Negative Marks:** 56.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 30.00 | 87.00 | 235.00 | 352.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 350.00/720.00 (48.61%)

Max Score: 660.00

Rank: 25

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 53.03

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 350.00/720.00 (48.61%)

Max Score: 660.00

Rank: 25

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 53.03

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 350.00/720.00 (48.61%)

Max Score: 660.00

Rank: 25

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 53.03

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 129 (**Correct:** 95 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 350.00

Total Positive Marks: 384.00 **Total Negative Marks:** 34.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 33.00 | 57.00 | 260.00 | 350.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 348.00/720.00 (48.33%)

Max Score: 660.00

Rank: 26

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 52.73

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 348.00/720.00 (48.33%)

Max Score: 660.00

Rank: 26

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 52.73

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 348.00/720.00 (48.33%)

Max Score: 660.00

Rank: 26

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 52.73

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |

Total Question: 180 **Attempted:** 131 (**Correct:** 95 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 348.00

Total Positive Marks: 384.00 **Total Negative Marks:** 36.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 52.00 | 33.00 | 263.00 | 348.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 328.00/720.00 (45.56%)

Max Score: 660.00

Rank: 27

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 49.70

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 328.00/720.00 (45.56%)

Max Score: 660.00

Rank: 27

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 49.70

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | CD | W | -1.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 328.00/720.00 (45.56%)

Max Score: 660.00

Rank: 27

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 49.70

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |

Total Question: 180 **Attempted:** 146 (**Correct:** 94 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 328.00

Total Positive Marks: 380.00 **Total Negative Marks:** 52.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 14.00 | 95.00 | 219.00 | 328.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 325.00/720.00 (45.14%)

Max Score: 660.00

Rank: 28

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 49.24

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 325.00/720.00 (45.14%)

Max Score: 660.00

Rank: 28

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 49.24

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | C | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 325.00/720.00 (45.14%)

Max Score: 660.00

Rank: 28

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 49.24

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 144 (**Correct:** 93 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 325.00

Total Positive Marks: 376.00 **Total Negative Marks:** 51.00

| PHY | CHEM | BIO | Total |
|-------|-------|--------|--------|
| 36.00 | 90.00 | 199.00 | 325.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 289.00/720.00 (40.14%)

Max Score: 660.00

Rank: 29

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 43.79

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | W | -1.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 289.00/720.00 (40.14%)

Max Score: 660.00

Rank: 29

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 43.79

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | D | W | -1.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 289.00/720.00 (40.14%)

Max Score: 660.00

Rank: 29

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 43.79

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 90 (**Correct:** 75 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 289.00

Total Positive Marks: 304.00 **Total Negative Marks:** 15.00

| PHY | CHEM | BIO | Total |
|-------|------|--------|---------------|
| 66.00 | 8.00 | 215.00 | 289.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 211.00/720.00 (29.31%)

Max Score: 660.00

Rank: 30

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 31.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|-------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 2 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 3 | 87.10 | 38.71 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 4 | 87.10 | 19.35 | 67.74 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 5 | 74.19 | 35.48 | 38.71 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 6 | 100.00 | 54.84 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 7 | 96.77 | 48.39 | 48.39 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 8 | 61.29 | 58.06 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 9 | 64.52 | 58.06 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 10 | 58.06 | 35.48 | 22.58 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 11 | 96.77 | 45.16 | 51.61 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 12 | 93.55 | 83.87 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 13 | 70.97 | 54.84 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 14 | 93.55 | 61.29 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 15 | 90.32 | 90.32 | 0.00 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 16 | 61.29 | 54.84 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 17 | 70.97 | 45.16 | 25.81 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 18 | 77.42 | 61.29 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 19 | 54.84 | 51.61 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 20 | 64.52 | 29.03 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 21 | 38.71 | 32.26 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 22 | 61.29 | 41.94 | 19.35 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 23 | 35.48 | 22.58 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 24 | 96.77 | 41.94 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 25 | 64.52 | 35.48 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 26 | 35.48 | 3.23 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 27 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 28 | 90.32 | 87.10 | 3.23 | PHY | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 29 | 77.42 | 22.58 | 54.84 | PHY | NTA REG | 4.00 | 1.00 | D | B | W | -1.00 |
| 30 | 74.19 | 58.06 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 31 | 90.32 | 74.19 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 32 | 96.77 | 90.32 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 33 | 61.29 | 25.81 | 35.48 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 34 | 74.19 | 32.26 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 35 | 74.19 | 45.16 | 29.03 | PHY | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 36 | 74.19 | 64.52 | 9.68 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 37 | 87.10 | 74.19 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 38 | 90.32 | 48.39 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 39 | 90.32 | 77.42 | 12.90 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 40 | 80.65 | 48.39 | 32.26 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 41 | 35.48 | 29.03 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 42 | 80.65 | 38.71 | 41.94 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 43 | 58.06 | 12.90 | 45.16 | PHY | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 44 | 51.61 | 35.48 | 16.13 | PHY | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 45 | 74.19 | 67.74 | 6.45 | PHY | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 46 | 87.10 | 83.87 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 47 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 48 | 90.32 | 45.16 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 49 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 50 | 83.87 | 83.87 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 51 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 52 | 67.74 | 16.13 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 53 | 90.32 | 83.87 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 54 | 83.87 | 38.71 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 55 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 56 | 90.32 | 74.19 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 57 | 67.74 | 51.61 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 58 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 59 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 60 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 61 | 67.74 | 45.16 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 62 | 93.55 | 93.55 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 63 | 90.32 | 67.74 | 22.58 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 211.00/720.00 (29.31%)

Max Score: 660.00

Rank: 30

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 31.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 64 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 65 | 93.55 | 54.84 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 66 | 83.87 | 54.84 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 67 | 83.87 | 77.42 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 68 | 96.77 | 83.87 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 69 | 87.10 | 80.65 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 70 | 77.42 | 64.52 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 71 | 90.32 | 77.42 | 12.90 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 72 | 96.77 | 32.26 | 64.52 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 73 | 87.10 | 58.06 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 74 | 90.32 | 64.52 | 25.81 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 75 | 64.52 | 25.81 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 76 | 74.19 | 54.84 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 77 | 90.32 | 87.10 | 3.23 | CHEM | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 78 | 87.10 | 35.48 | 51.61 | CHEM | NTA REG | 4.00 | 1.00 | B | C | W | -1.00 |
| 79 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 80 | 70.97 | 9.68 | 61.29 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 81 | 83.87 | 45.16 | 38.71 | CHEM | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 82 | 90.32 | 90.32 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 83 | 51.61 | 6.45 | 45.16 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 84 | 77.42 | 61.29 | 16.13 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 85 | 77.42 | 67.74 | 9.68 | CHEM | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 86 | 93.55 | 87.10 | 6.45 | CHEM | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 87 | 90.32 | 70.97 | 19.35 | CHEM | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 88 | 74.19 | 45.16 | 29.03 | CHEM | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 89 | 77.42 | 41.94 | 35.48 | CHEM | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 90 | 100.00 | 100.00 | 0.00 | CHEM | NTA REG | 4.00 | 1.00 | | A | C | 4.00 |
| 91 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 92 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 93 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 94 | 100.00 | 61.29 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 95 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 96 | 96.77 | 80.65 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 97 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 98 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 99 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 100 | 87.10 | 48.39 | 38.71 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 101 | 83.87 | 54.84 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 102 | 87.10 | 35.48 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 103 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 104 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 105 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 106 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 107 | 93.55 | 35.48 | 58.06 | BIO | NTA REG | 4.00 | 1.00 | B | A | W | -1.00 |
| 108 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 109 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 110 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 111 | 90.32 | 74.19 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 112 | 83.87 | 70.97 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 113 | 83.87 | 35.48 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 114 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 115 | 90.32 | 90.32 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 116 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 117 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 118 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 119 | 93.55 | 93.55 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 120 | 77.42 | 67.74 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 121 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 122 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 123 | 100.00 | 70.97 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | D | A | W | -1.00 |
| 124 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 125 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 126 | 96.77 | 48.39 | 48.39 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 211.00/720.00 (29.31%)

Max Score: 660.00

Rank: 30

Min Score: 211.00

TEST: LT-11 (NEET) (ID: 15 DT: 29-Dec-2023)

Percentile: 31.97

Avg Score: 460.13

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 127 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 128 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 129 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 130 | 96.77 | 45.16 | 51.61 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 131 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 132 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 133 | 93.55 | 80.65 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 134 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 135 | 100.00 | 77.42 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | C | B | W | -1.00 |
| 136 | 93.55 | 61.29 | 32.26 | BIO | NTA REG | 4.00 | 1.00 | D | C | W | -1.00 |
| 137 | 96.77 | 87.10 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 138 | 87.10 | 87.10 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 139 | 96.77 | 70.97 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 140 | 93.55 | 67.74 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 141 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 142 | 100.00 | 83.87 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 143 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 144 | 87.10 | 61.29 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 145 | 83.87 | 74.19 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | D | W | -1.00 |
| 146 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 147 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 148 | 87.10 | 80.65 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 149 | 100.00 | 96.77 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 150 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 151 | 100.00 | 87.10 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 152 | 87.10 | 70.97 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 153 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | B | W | -1.00 |
| 154 | 96.77 | 93.55 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 155 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 156 | 93.55 | 87.10 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 157 | 87.10 | 58.06 | 29.03 | BIO | NTA REG | 4.00 | 1.00 | C | | L | 0.00 |
| 158 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 159 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 160 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 161 | 100.00 | 74.19 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 162 | 100.00 | 93.55 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 163 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 164 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | A | | L | 0.00 |
| 165 | 90.32 | 80.65 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | D | D | R | 4.00 |
| 166 | 90.32 | 64.52 | 25.81 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 167 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 168 | 96.77 | 90.32 | 6.45 | BIO | NTA REG | 4.00 | 1.00 | D | | L | 0.00 |
| 169 | 93.55 | 83.87 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 170 | 100.00 | 58.06 | 41.94 | BIO | NTA REG | 4.00 | 1.00 | B | D | W | -1.00 |
| 171 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |
| 172 | 100.00 | 80.65 | 19.35 | BIO | NTA REG | 4.00 | 1.00 | C | A | W | -1.00 |
| 173 | 96.77 | 96.77 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | B | | L | 0.00 |
| 174 | 80.65 | 77.42 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | A | C | W | -1.00 |
| 175 | 100.00 | 100.00 | 0.00 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 176 | 83.87 | 80.65 | 3.23 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 177 | 93.55 | 77.42 | 16.13 | BIO | NTA REG | 4.00 | 1.00 | B | B | R | 4.00 |
| 178 | 96.77 | 83.87 | 12.90 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 179 | 100.00 | 90.32 | 9.68 | BIO | NTA REG | 4.00 | 1.00 | C | C | R | 4.00 |
| 180 | 87.10 | 64.52 | 22.58 | BIO | NTA REG | 4.00 | 1.00 | A | A | R | 4.00 |

Total Question: 180 **Attempted:** 88 (**Correct:** 59 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 211.00

Total Positive Marks: 240.00 **Total Negative Marks:** 29.00

| PHY | CHEM | BIO | Total |
|------|-------|--------|---------------|
| 0.00 | 38.00 | 173.00 | 211.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%