

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 680.00/720.00 (94.44%)

**Max Score:** 680.00

**Rank:** 1

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 680.00/720.00 (94.44%)

**Max Score:** 680.00

**Rank:** 1

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 680.00/720.00 (94.44%)

**Max Score:** 680.00

**Rank:** 1

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 180 (**Correct:** 172 **Incorrect:** 8) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 680.00

**Total Positive Marks:** 688.00 **Total Negative Marks:** 8.00

PHY	CHEM	BIO	Total
170.00	155.00	355.00	680.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 647.00/720.00 (89.86%)

**Max Score:** 680.00

**Rank:** 2

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 95.15

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 647.00/720.00 (89.86%)

**Max Score:** 680.00

**Rank:** 2

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 95.15

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 647.00/720.00 (89.86%)

**Max Score:** 680.00

**Rank:** 2

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 95.15

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 178 (**Correct:** 165 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 647.00

**Total Positive Marks:** 660.00 **Total Negative Marks:** 13.00

PHY	CHEM	BIO	Total
146.00	146.00	355.00	<b>647.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 635.00/720.00 (88.19%)

**Max Score:** 680.00

**Rank:** 3

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 93.38

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 635.00/720.00 (88.19%)

**Max Score:** 680.00

**Rank:** 3

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 93.38

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 635.00/720.00 (88.19%)

**Max Score:** 680.00

**Rank:** 3

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 93.38

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

**Total Question:** 180 **Attempted:** 180 (**Correct:** 163 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 635.00

**Total Positive Marks:** 652.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
150.00	155.00	330.00	635.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 597.00/720.00 (82.92%)

**Max Score:** 680.00

**Rank:** 4

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 87.79

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 597.00/720.00 (82.92%)

**Max Score:** 680.00

**Rank:** 4

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 87.79

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 597.00/720.00 (82.92%)

**Max Score:** 680.00

**Rank:** 4

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 87.79

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

**Total Question:** 180 **Attempted:** 178 (**Correct:** 155 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 597.00

**Total Positive Marks:** 620.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
132.00	140.00	325.00	597.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 595.00/720.00 (82.64%)

**Max Score:** 680.00

**Rank:** 5

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 87.50

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D		L	0.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 595.00/720.00 (82.64%)

**Max Score:** 680.00

**Rank:** 5

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 87.50

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 595.00/720.00 (82.64%)

**Max Score:** 680.00

**Rank:** 5

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 87.50

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 170 (**Correct:** 153 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 595.00

**Total Positive Marks:** 612.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
148.00	102.00	345.00	595.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 584.00/720.00 (81.11%)

**Max Score:** 680.00

**Rank:** 6

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 85.88

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 584.00/720.00 (81.11%)

**Max Score:** 680.00

**Rank:** 6

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 85.88

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 584.00/720.00 (81.11%)

**Max Score:** 680.00

**Rank:** 6

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 85.88

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 176 (**Correct:** 152 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 584.00

**Total Positive Marks:** 608.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
126.00	118.00	340.00	584.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 574.00/720.00 (79.72%)

**Max Score:** 680.00

**Rank:** 7

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 84.41

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D		L	0.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 574.00/720.00 (79.72%)

**Max Score:** 680.00

**Rank:** 7

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 84.41

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 574.00/720.00 (79.72%)

**Max Score:** 680.00

**Rank:** 7

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 84.41

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 176 (**Correct:** 150 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 574.00

**Total Positive Marks:** 600.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
112.00	107.00	355.00	574.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 570.00/720.00 (79.17%)

**Max Score:** 680.00

**Rank:** 8

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 83.82

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C		L	0.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B		L	0.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 570.00/720.00 (79.17%)

**Max Score:** 680.00

**Rank:** 8

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 83.82

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 570.00/720.00 (79.17%)

**Max Score:** 680.00

**Rank:** 8

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 83.82

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 165 (**Correct:** 147 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 570.00

**Total Positive Marks:** 588.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
131.00	109.00	330.00	570.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 536.00/720.00 (74.44%)

**Max Score:** 680.00

**Rank:** 9

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 78.82

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	AB	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT%/ R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 536.00/720.00 (74.44%)

**Max Score:** 680.00

**Rank:** 9

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 78.82

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	BD	W	-1.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 536.00/720.00 (74.44%)

**Max Score:** 680.00

**Rank:** 9

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 78.82

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 179 (**Correct:** 143 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 536.00

**Total Positive Marks:** 572.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
115.00	86.00	335.00	536.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 680.00

**Rank:** 10

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 76.62

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D		L	0.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 680.00

**Rank:** 10

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 76.62

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 680.00

**Rank:** 10

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 76.62

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	C	W	-1.00

**Total Question:** 180 **Attempted:** 174 (**Correct:** 139 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 521.00

**Total Positive Marks:** 556.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
134.00	87.00	300.00	521.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 509.00/720.00 (70.69%)

**Max Score:** 680.00

**Rank:** 11

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 74.85

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C		L	0.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A		W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D		L	0.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D		L	0.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 509.00/720.00 (70.69%)

**Max Score:** 680.00

**Rank:** 11

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 74.85

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D		L	0.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B		L	0.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 509.00/720.00 (70.69%)

**Max Score:** 680.00

**Rank:** 11

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 74.85

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C		L	0.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D		L	0.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A		L	0.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	C	W	-1.00

**Total Question:** 180 **Attempted:** 146 (**Correct:** 131 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 509.00

**Total Positive Marks:** 524.00 **Total Negative Marks:** 15.00

PHY	CHEM	BIO	Total
98.00	86.00	325.00	509.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 491.00/720.00 (68.19%)

**Max Score:** 680.00

**Rank:** 12

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 72.21

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 491.00/720.00 (68.19%)

**Max Score:** 680.00

**Rank:** 12

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 72.21

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 491.00/720.00 (68.19%)

**Max Score:** 680.00

**Rank:** 12

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 72.21

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

**Total Question:** 180 **Attempted:** 174 (**Correct:** 133 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 491.00

**Total Positive Marks:** 532.00 **Total Negative Marks:** 41.00

PHY	CHEM	BIO	Total
98.00	83.00	310.00	491.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 482.00/720.00 (66.94%)

**Max Score:** 680.00

**Rank:** 13

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 70.88

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C		L	0.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D		L	0.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	CD	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 482.00/720.00 (66.94%)

**Max Score:** 680.00

**Rank:** 13

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 70.88

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B		L	0.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

Your Score: 482.00/720.00 (66.94%)

Max Score: 680.00

Rank: 13

Min Score: 64.00

TEST: LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

Percentile: 70.88

Avg Score: 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00

Total Question: 180 Attempted: 163 (Correct: 129 Incorrect: 34) Score Rate: 0.00 Strike Rate: 0.00

Total: 482.00

Total Positive Marks: 516.00 Total Negative Marks: 34.00

PHY	CHEM	BIO	Total
87.00	74.00	321.00	482.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 464.00/720.00 (64.44%)

**Max Score:** 680.00

**Rank:** 14

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 68.24

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B		L	0.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 464.00/720.00 (64.44%)

**Max Score:** 680.00

**Rank:** 14

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 68.24

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 464.00/720.00 (64.44%)

**Max Score:** 680.00

**Rank:** 14

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 68.24

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C		L	0.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

**Total Question:** 180 **Attempted:** 171 (**Correct:** 127 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 464.00

**Total Positive Marks:** 508.00 **Total Negative Marks:** 44.00

PHY	CHEM	BIO	Total
137.00	71.00	256.00	464.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 463.00/720.00 (64.31%)

**Max Score:** 680.00

**Rank:** 15

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 68.09

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A		L	0.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D		L	0.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D		L	0.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C		L	0.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D		L	0.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 463.00/720.00 (64.31%)

**Max Score:** 680.00

**Rank:** 15

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 68.09

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 463.00/720.00 (64.31%)

**Max Score:** 680.00

**Rank:** 15

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 68.09

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A		L	0.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 157 (**Correct:** 124 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 463.00

**Total Positive Marks:** 496.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
76.00	86.00	301.00	463.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 455.00/720.00 (63.19%)

**Max Score:** 680.00

**Rank:** 16

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 66.91

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C		L	0.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B		L	0.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 455.00/720.00 (63.19%)

**Max Score:** 680.00

**Rank:** 16

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 66.91

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B		L	0.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 455.00/720.00 (63.19%)

**Max Score:** 680.00

**Rank:** 16

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 66.91

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 165 (**Correct:** 124 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 455.00

**Total Positive Marks:** 496.00 **Total Negative Marks:** 41.00

PHY	CHEM	BIO	Total
79.00	80.00	296.00	455.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 680.00

**Rank:** 17

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 63.97

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 680.00

**Rank:** 17

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 63.97

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B		L	0.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 680.00

**Rank:** 17

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 63.97

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 155 (**Correct:** 118 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 435.00

**Total Positive Marks:** 472.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
94.00	40.00	301.00	435.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 433.00/720.00 (60.14%)

**Max Score:** 680.00

**Rank:** 18

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 63.68

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A		L	0.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B		L	0.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D		L	0.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 433.00/720.00 (60.14%)

**Max Score:** 680.00

**Rank:** 18

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 63.68

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B		L	0.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C		L	0.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 433.00/720.00 (60.14%)

**Max Score:** 680.00

**Rank:** 18

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 63.68

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A		L	0.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C		L	0.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C		L	0.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 147 (**Correct:** 116 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 433.00

**Total Positive Marks:** 464.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
76.00	57.00	300.00	433.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 403.00/720.00 (55.97%)

**Max Score:** 680.00

**Rank:** 19

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 59.26

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C		L	0.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C		L	0.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A		L	0.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D		L	0.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B		L	0.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C		L	0.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D		L	0.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 403.00/720.00 (55.97%)

**Max Score:** 680.00

**Rank:** 19

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 59.26

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D		L	0.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B		L	0.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 403.00/720.00 (55.97%)

**Max Score:** 680.00

**Rank:** 19

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 59.26

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B		L	0.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C		L	0.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 142 (**Correct:** 109 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 403.00

**Total Positive Marks:** 436.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
33.00	80.00	290.00	403.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 398.00/720.00 (55.28%)

**Max Score:** 680.00

**Rank:** 20

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 58.53

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A		L	0.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C		L	0.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D		L	0.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D		L	0.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B		L	0.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C		L	0.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 398.00/720.00 (55.28%)

**Max Score:** 680.00

**Rank:** 20

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 58.53

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A		L	0.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C		L	0.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C		L	0.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 398.00/720.00 (55.28%)

**Max Score:** 680.00

**Rank:** 20

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 58.53

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B		L	0.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 157 (**Correct:** 111 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 398.00

**Total Positive Marks:** 444.00 **Total Negative Marks:** 46.00

PHY	CHEM	BIO	Total
81.00	83.00	234.00	398.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 397.00/720.00 (55.14%)

**Max Score:** 680.00

**Rank:** 21

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 58.38

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 397.00/720.00 (55.14%)

**Max Score:** 680.00

**Rank:** 21

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 58.38

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C		L	0.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 397.00/720.00 (55.14%)

**Max Score:** 680.00

**Rank:** 21

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 58.38

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B		L	0.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B		L	0.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 168 (**Correct:** 113 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 397.00

**Total Positive Marks:** 452.00 **Total Negative Marks:** 55.00

PHY	CHEM	BIO	Total
54.00	55.00	288.00	397.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 354.00/720.00 (49.17%)

**Max Score:** 680.00

**Rank:** 22

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 52.06

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C		L	0.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D		L	0.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B		L	0.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 354.00/720.00 (49.17%)

**Max Score:** 680.00

**Rank:** 22

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 52.06

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 354.00/720.00 (49.17%)

**Max Score:** 680.00

**Rank:** 22

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 52.06

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 151 (**Correct:** 101 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 354.00

**Total Positive Marks:** 404.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
56.00	8.00	290.00	354.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

**SAFE HANDS**  
**QUESTION RESPONSE ANALYSIS**

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 337.00/720.00 (46.81%)

**Max Score:** 680.00

**Rank:** 23

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 49.56

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A		L	0.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B		L	0.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D		L	0.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C		L	0.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D		L	0.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B		L	0.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 337.00/720.00 (46.81%)

**Max Score:** 680.00

**Rank:** 23

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 49.56

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C		L	0.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C		L	0.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D		L	0.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 337.00/720.00 (46.81%)

**Max Score:** 680.00

**Rank:** 23

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 49.56

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B		L	0.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A		L	0.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C		L	0.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C		L	0.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 143 **(Correct:** 96 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 337.00

**Total Positive Marks:** 384.00 **Total Negative Marks:** 47.00

PHY	CHEM	BIO	Total
42.00	33.00	262.00	<b>337.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 334.00/720.00 (46.39%)

**Max Score:** 680.00

**Rank:** 24

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 49.12

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A		L	0.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D		L	0.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT%/R%/W%** : Percent candidates attempted / solved correct / solved incorrect. **POS/NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK ( ID No. 47449 )

Your Score: 334.00/720.00 (46.39%)

Max Score: 680.00

Rank: 24

Min Score: 64.00

TEST: LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

Percentile: 49.12

Avg Score: 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D		L	0.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D		L	0.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 334.00/720.00 (46.39%)

**Max Score:** 680.00

**Rank:** 24

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 49.12

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C		L	0.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	C	W	-1.00

**Total Question:** 180 **Attempted:** 151 (**Correct:** 97 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 334.00

**Total Positive Marks:** 388.00 **Total Negative Marks:** 54.00

PHY	CHEM	BIO	Total
40.00	36.00	258.00	334.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 315.00/720.00 (43.75%)

**Max Score:** 680.00

**Rank:** 25

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 46.32

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C		L	0.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C		L	0.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A		L	0.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A		L	0.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B		L	0.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D		L	0.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A		L	0.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C		L	0.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B		L	0.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B		L	0.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D		L	0.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C		L	0.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D		L	0.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 315.00/720.00 (43.75%)

**Max Score:** 680.00

**Rank:** 25

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 46.32

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D		L	0.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C		L	0.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B		L	0.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 315.00/720.00 (43.75%)

**Max Score:** 680.00

**Rank:** 25

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 46.32

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D		L	0.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C		L	0.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C		L	0.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C		L	0.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 100 (**Correct:** 83 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 315.00

**Total Positive Marks:** 332.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
42.00	0.00	273.00	315.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 294.00/720.00 (40.83%)

**Max Score:** 680.00

**Rank:** 26

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 43.24

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A		L	0.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B		L	0.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A		L	0.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B		L	0.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B		L	0.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C		L	0.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		R	4.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D		L	0.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D		L	0.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

**SAFE HANDS**  
**QUESTION RESPONSE ANALYSIS**

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 294.00/720.00 (40.83%)

**Max Score:** 680.00

**Rank:** 26

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 43.24

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D		L	0.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 294.00/720.00 (40.83%)

**Max Score:** 680.00

**Rank:** 26

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 43.24

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A		L	0.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C		L	0.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C		L	0.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C		L	0.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D		L	0.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A		L	0.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 111 (**Correct:** 81 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 294.00

**Total Positive Marks:** 324.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
46.00	6.00	242.00	294.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 252.00/720.00 (35.00%)

**Max Score:** 680.00

**Rank:** 27

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 37.06

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C		L	0.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A		L	0.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A		L	0.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B		L	0.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B		L	0.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D		L	0.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D		L	0.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C	C	R	4.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D		L	0.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 252.00/720.00 (35.00%)

**Max Score:** 680.00

**Rank:** 27

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 37.06

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B		L	0.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D		L	0.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 252.00/720.00 (35.00%)

**Max Score:** 680.00

**Rank:** 27

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 37.06

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C		L	0.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C		L	0.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C		L	0.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A		L	0.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 103 (**Correct:** 71 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 252.00

**Total Positive Marks:** 284.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
57.00	0.00	195.00	252.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 187.00/720.00 (25.97%)

**Max Score:** 680.00

**Rank:** 28

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 27.50

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B		L	0.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

**SAFE HANDS**  
**QUESTION RESPONSE ANALYSIS**

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 187.00/720.00 (25.97%)

**Max Score:** 680.00

**Rank:** 28

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 27.50

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D		L	0.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 187.00/720.00 (25.97%)

**Max Score:** 680.00

**Rank:** 28

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 27.50

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 158 (**Correct:** 69 **Incorrect:** 89) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 187.00

**Total Positive Marks:** 276.00 **Total Negative Marks:** 89.00

PHY	CHEM	BIO	Total
18.00	58.00	111.00	<b>187.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 169.00/720.00 (23.47%)

**Max Score:** 680.00

**Rank:** 29

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 24.85

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D		L	0.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	C	R	4.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 169.00/720.00 (23.47%)

**Max Score:** 680.00

**Rank:** 29

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 24.85

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A		L	0.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C		L	0.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D		L	0.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B		L	0.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D		L	0.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B		L	0.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 169.00/720.00 (23.47%)

**Max Score:** 680.00

**Rank:** 29

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 24.85

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C		L	0.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 156 (**Correct:** 65 **Incorrect:** 91) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 169.00

**Total Positive Marks:** 260.00 **Total Negative Marks:** 91.00

PHY	CHEM	BIO	Total
16.00	31.00	122.00	<b>169.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 166.00/720.00 (23.06%)

**Max Score:** 680.00

**Rank:** 30

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 24.41

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B		L	0.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 166.00/720.00 (23.06%)

**Max Score:** 680.00

**Rank:** 30

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 24.41

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	AB	W	-1.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C		L	0.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D		L	0.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 166.00/720.00 (23.06%)

**Max Score:** 680.00

**Rank:** 30

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 24.41

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

**Total Question:** 180 **Attempted:** 169 (**Correct:** 67 **Incorrect:** 102) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 166.00

**Total Positive Marks:** 268.00 **Total Negative Marks:** 102.00

PHY	CHEM	BIO	Total
18.00	26.00	122.00	166.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 107.00/720.00 (14.86%)

**Max Score:** 680.00

**Rank:** 31

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 15.74

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B		L	0.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C		L	0.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B		L	0.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 107.00/720.00 (14.86%)

**Max Score:** 680.00

**Rank:** 31

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 15.74

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D		L	0.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C		L	0.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D		L	0.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D		L	0.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B		L	0.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C		L	0.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C		L	0.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B		L	0.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D		L	0.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B		L	0.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 107.00/720.00 (14.86%)

**Max Score:** 680.00

**Rank:** 31

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 15.74

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D		L	0.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B		L	0.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B		L	0.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C		L	0.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A		L	0.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A		L	0.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C		L	0.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C		L	0.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D		L	0.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A		L	0.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A		L	0.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C		L	0.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B		L	0.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C		L	0.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C		L	0.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C		L	0.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D		L	0.00

**Total Question:** 180 **Attempted:** 118 (**Correct:** 45 **Incorrect:** 73) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 107.00

**Total Positive Marks:** 180.00 **Total Negative Marks:** 73.00

PHY	CHEM	BIO	Total
15.00	4.00	88.00	107.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRERNA SANDIP BHUTKAR ( ID No. 50779 )

**Your Score:** 64.00/720.00 (8.89%)

**Max Score:** 680.00

**Rank:** 32

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 9.41

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	93.75	34.38	59.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	81.25	40.63	40.63	PHY	NTA REG	4.00	1.00	C		L	0.00
3	90.63	56.25	34.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	96.88	59.38	37.50	PHY	NTA REG	4.00	1.00	C		L	0.00
5	75.00	28.13	46.88	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	87.50	46.88	40.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	84.38	75.00	9.38	PHY	NTA REG	4.00	1.00	D		L	0.00
8	50.00	31.25	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
9	68.75	59.38	9.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	93.75	53.13	40.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	81.25	53.13	28.13	PHY	NTA REG	4.00	1.00	C		L	0.00
13	84.38	68.75	15.63	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
14	96.88	84.38	12.50	PHY	NTA REG	4.00	1.00	A		L	0.00
15	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
16	100.00	81.25	18.75	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	84.38	56.25	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
18	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
19	78.13	50.00	28.13	PHY	NTA REG	4.00	1.00	D		L	0.00
20	93.75	65.63	28.13	PHY	NTA REG	4.00	1.00	D		L	0.00
21	90.63	46.88	43.75	PHY	NTA REG	4.00	1.00	A		L	0.00
22	75.00	43.75	31.25	PHY	NTA REG	4.00	1.00	B		L	0.00
23	90.63	71.88	18.75	PHY	NTA REG	4.00	1.00	D		L	0.00
24	68.75	37.50	31.25	PHY	NTA REG	4.00	1.00	D		L	0.00
25	68.75	46.88	21.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	71.88	43.75	28.13	PHY	NTA REG	4.00	1.00	B		L	0.00
27	84.38	78.13	6.25	PHY	NTA REG	4.00	1.00	C		L	0.00
28	90.63	68.75	21.88	PHY	NTA REG	4.00	1.00	D		L	0.00
29	90.63	75.00	15.63	PHY	NTA REG	4.00	1.00	B		L	0.00
30	71.88	50.00	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
31	87.50	62.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
32	68.75	25.00	43.75	PHY	NTA REG	4.00	1.00	B		L	0.00
33	87.50	65.63	21.88	PHY	NTA REG	4.00	1.00	C		L	0.00
34	65.63	56.25	9.38	PHY	NTA REG	4.00	1.00	C		L	0.00
35	75.00	31.25	43.75	PHY	NTA REG	4.00	1.00	D		L	0.00
36	31.25	21.88	9.38	PHY	NTA REG	4.00	1.00	A		L	0.00
37	46.88	28.13	18.75	PHY	NTA REG	4.00	1.00	C		L	0.00
38	75.00	40.63	34.38	PHY	NTA REG	4.00	1.00	D		L	0.00
39	68.75	40.63	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
40	78.13	62.50	15.63	PHY	NTA REG	4.00	1.00	A		L	0.00
41	46.88	25.00	21.88	PHY	NTA REG	4.00	1.00	A		L	0.00
42	87.50	75.00	12.50	PHY	NTA REG	4.00	1.00	C		L	0.00
43	75.00	46.88	28.13	PHY	NTA REG	4.00	1.00	A		L	0.00
44	75.00	34.38	40.63	PHY	NTA REG	4.00	1.00	D		L	0.00
45	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
46	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	84.38	46.88	37.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	81.25	43.75	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	62.50	50.00	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	84.38	68.75	15.63	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	87.50	65.63	21.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
54	81.25	71.88	9.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	78.13	65.63	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	75.00	43.75	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	71.88	40.63	31.25	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	75.00	50.00	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	84.38	65.63	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	50.00	28.13	21.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	46.88	6.25	40.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	68.75	25.00	43.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	78.13	59.38	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRERNA SANDIP BHUTKAR ( ID No. 50779 )

**Your Score:** 64.00/720.00 (8.89%)

**Max Score:** 680.00

**Rank:** 32

**Min Score:** 64.00

**TEST:** LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

**Percentile:** 9.41

**Avg Score:** 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	78.13	71.88	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	84.38	50.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	71.88	12.50	59.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	84.38	59.38	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	50.00	37.50	12.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	68.75	31.25	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	65.63	50.00	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	75.00	59.38	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	78.13	53.13	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	71.88	53.13	18.75	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	75.00	46.88	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	71.88	46.88	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	81.25	15.63	65.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	59.38	25.00	34.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	50.00	31.25	18.75	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	62.50	59.38	3.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	71.88	43.75	28.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	65.63	18.75	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	71.88	50.00	21.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	75.00	68.75	6.25	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	84.38	12.50	71.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	65.63	37.50	28.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	81.25	34.38	46.88	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	71.88	62.50	9.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	62.50	34.38	28.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	68.75	53.13	15.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	50.00	3.13	46.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
92	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
93	96.88	96.88	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	90.63	50.00	40.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
96	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
98	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
99	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
100	93.75	84.38	9.38	BIO	NTA REG	4.00	1.00	B		L	0.00
101	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
102	90.63	81.25	9.38	BIO	NTA REG	4.00	1.00	D		L	0.00
103	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	90.63	71.88	18.75	BIO	NTA REG	4.00	1.00	C		L	0.00
105	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
106	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
107	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
108	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A		L	0.00
109	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	90.63	56.25	34.38	BIO	NTA REG	4.00	1.00	B		L	0.00
111	93.75	68.75	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
112	100.00	71.88	28.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
113	87.50	68.75	18.75	BIO	NTA REG	4.00	1.00	C		L	0.00
114	90.63	78.13	12.50	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
115	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	C		L	0.00
117	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
118	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
120	81.25	59.38	21.88	BIO	NTA REG	4.00	1.00	D		L	0.00
121	93.75	43.75	50.00	BIO	NTA REG	4.00	1.00	C		L	0.00
122	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	90.63	62.50	28.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
126	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR ( ID No. 50779 )

Your Score: 64.00/720.00 (8.89%)

Max Score: 680.00

Rank: 32

Min Score: 64.00

TEST: LT-12 (NEET) ( ID: 17 DT: 01-Jan-2024 )

Percentile: 9.41

Avg Score: 420.25

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	93.75	87.50	6.25	BIO	NTA REG	4.00	1.00	B		L	0.00
128	93.75	59.38	34.38	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
129	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
130	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
132	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
133	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	D		L	0.00
134	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	84.38	75.00	9.38	BIO	NTA REG	4.00	1.00	B		L	0.00
136	100.00	78.13	21.88	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
137	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B		L	0.00
138	96.88	81.25	15.63	BIO	NTA REG	4.00	1.00	A		L	0.00
139	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
140	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
141	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	A		L	0.00
145	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.88	93.75	3.13	BIO	NTA REG	4.00	1.00	B		L	0.00
148	100.00	93.75	6.25	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.88	50.00	46.88	BIO	NTA REG	4.00	1.00	C		L	0.00
151	90.63	68.75	21.88	BIO	NTA REG	4.00	1.00	C		L	0.00
152	93.75	78.13	15.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	93.75	71.88	21.88	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
154	96.88	75.00	21.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	84.38	56.25	28.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
156	100.00	90.63	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	96.88	84.38	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	87.50	56.25	31.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	90.63	75.00	15.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	84.38	68.75	15.63	BIO	NTA REG	4.00	1.00	C		L	0.00
162	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
163	93.75	65.63	28.13	BIO	NTA REG	4.00	1.00	C		L	0.00
164	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
166	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
167	100.00	84.38	15.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	90.63	46.88	43.75	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
169	84.38	65.63	18.75	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
170	93.75	81.25	12.50	BIO	NTA REG	4.00	1.00	A		L	0.00
171	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
172	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	96.88	87.50	9.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	100.00	96.88	3.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.88	78.13	18.75	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	81.25	18.75	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.88	68.75	28.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	93.75	93.75	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
179	96.88	90.63	6.25	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
180	96.88	71.88	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00

Total Question: 180 Attempted: 76 (Correct: 28 Incorrect: 48) Score Rate: 0.00 Strike Rate: 0.00

Total: 64.00

Total Positive Marks: 112.00 Total Negative Marks: 48.00

PHY	CHEM	BIO	Total
1.00	0.00	63.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%