

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 680.00/720.00 (94.44%)

Max Score: 680.00

Rank: 1

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 100.00

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 680.00/720.00 (94.44%)

Max Score: 680.00

Rank: 1

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 100.00

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 680.00/720.00 (94.44%)

Max Score: 680.00

Rank: 1

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 100.00

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 171 **Incorrect:** 8) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 680.00

Total Positive Marks: 688.00 **Total Negative Marks:** 8.00

PHY	CHEM	BIO	Total
165.00	160.00	355.00	680.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 670.00/720.00 (93.06%)

Max Score: 680.00

Rank: 2

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 98.53

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		C	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 670.00/720.00 (93.06%)

Max Score: 680.00

Rank: 2

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 98.53

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	B	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 670.00/720.00 (93.06%)

Max Score: 680.00

Rank: 2

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 98.53

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 169 **Incorrect:** 10) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 670.00

Total Positive Marks: 680.00 **Total Negative Marks:** 10.00

PHY	CHEM	BIO	Total
165.00	160.00	345.00	670.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 642.00/720.00 (89.17%)

Max Score: 680.00

Rank: 3

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 94.41

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 642.00/720.00 (89.17%)

Max Score: 680.00

Rank: 3

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 94.41

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 642.00/720.00 (89.17%)

Max Score: 680.00

Rank: 3

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 94.41

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 177 (**Correct:** 163 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 642.00

Total Positive Marks: 656.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
155.00	152.00	335.00	642.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 636.00/720.00 (88.33%)

Max Score: 680.00

Rank: 4

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 93.53

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B		L	0.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		C	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 636.00/720.00 (88.33%)

Max Score: 680.00

Rank: 4

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 93.53

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 636.00/720.00 (88.33%)

Max Score: 680.00

Rank: 4

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 93.53

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 162 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 636.00

Total Positive Marks: 652.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
151.00	145.00	340.00	636.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 610.00/720.00 (84.72%)

Max Score: 680.00

Rank: 5

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 89.71

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 610.00/720.00 (84.72%)

Max Score: 680.00

Rank: 5

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 89.71

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 610.00/720.00 (84.72%)

Max Score: 680.00

Rank: 5

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 89.71

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 174 (**Correct:** 156 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 610.00

Total Positive Marks: 628.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
115.00	155.00	340.00	610.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 609.00/720.00 (84.58%)

Max Score: 680.00

Rank: 6

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 89.56

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	AB	W	-1.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 609.00/720.00 (84.58%)

Max Score: 680.00

Rank: 6

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 89.56

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	B	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 609.00/720.00 (84.58%)

Max Score: 680.00

Rank: 6

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 89.56

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 175 (**Correct:** 156 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 609.00

Total Positive Marks: 628.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
132.00	152.00	325.00	609.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 598.00/720.00 (83.06%)

Max Score: 680.00

Rank: 7

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 87.94

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 598.00/720.00 (83.06%)

Max Score: 680.00

Rank: 7

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 87.94

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 598.00/720.00 (83.06%)

Max Score: 680.00

Rank: 7

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 87.94

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 176 (**Correct:** 154 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 598.00

Total Positive Marks: 620.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
126.00	157.00	315.00	598.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 566.00/720.00 (78.61%)

Max Score: 680.00

Rank: 8

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 83.24

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 566.00/720.00 (78.61%)

Max Score: 680.00

Rank: 8

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 83.24

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	B	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A		L	0.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 566.00/720.00 (78.61%)

Max Score: 680.00

Rank: 8

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 83.24

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 173 (**Correct:** 147 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 566.00

Total Positive Marks: 592.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
124.00	111.00	331.00	566.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 554.00/720.00 (76.94%)

Max Score: 680.00

Rank: 9

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 81.47

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		C	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 554.00/720.00 (76.94%)

Max Score: 680.00

Rank: 9

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 81.47

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	B	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 554.00/720.00 (76.94%)

Max Score: 680.00

Rank: 9

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 81.47

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 170 (**Correct:** 144 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 554.00

Total Positive Marks: 580.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
116.00	113.00	325.00	554.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 548.00/720.00 (76.11%)

Max Score: 680.00

Rank: 10

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 80.59

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C		L	0.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00			C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 548.00/720.00 (76.11%)

Max Score: 680.00

Rank: 10

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 80.59

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A		L	0.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 548.00/720.00 (76.11%)

Max Score: 680.00

Rank: 10

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 80.59

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 161 (**Correct:** 141 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 548.00

Total Positive Marks: 568.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
95.00	152.00	301.00	548.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 523.00/720.00 (72.64%)

Max Score: 680.00

Rank: 11

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 76.91

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D		L	0.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00			C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 523.00/720.00 (72.64%)

Max Score: 680.00

Rank: 11

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 76.91

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B		L	0.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C		L	0.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A		L	0.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C		L	0.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 523.00/720.00 (72.64%)

Max Score: 680.00

Rank: 11

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 76.91

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C		L	0.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 146 (**Correct:** 133 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 523.00

Total Positive Marks: 536.00 **Total Negative Marks:** 13.00

PHY	CHEM	BIO	Total
79.00	136.00	308.00	523.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 506.00/720.00 (70.28%)

Max Score: 680.00

Rank: 12

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 74.41

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C		L	0.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 506.00/720.00 (70.28%)

Max Score: 680.00

Rank: 12

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 74.41

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	D	W	-1.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 506.00/720.00 (70.28%)

Max Score: 680.00

Rank: 12

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 74.41

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 163 (**Correct:** 133 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 506.00

Total Positive Marks: 536.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
73.00	137.00	296.00	506.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 505.00/720.00 (70.14%)

Max Score: 680.00

Rank: 13

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 74.26

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		C	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 505.00/720.00 (70.14%)

Max Score: 680.00

Rank: 13

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 74.26

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B		L	0.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A		L	0.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 505.00/720.00 (70.14%)

Max Score: 680.00

Rank: 13

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 74.26

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C		L	0.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 164 (**Correct:** 133 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 505.00

Total Positive Marks: 536.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
92.00	129.00	284.00	505.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 504.00/720.00 (70.00%)

Max Score: 680.00

Rank: 14

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 74.12

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 504.00/720.00 (70.00%)

Max Score: 680.00

Rank: 14

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 74.12

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	AB	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	B	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C		L	0.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 504.00/720.00 (70.00%)

Max Score: 680.00

Rank: 14

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 74.12

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 170 (**Correct:** 134 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 504.00

Total Positive Marks: 540.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
103.00	99.00	302.00	504.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 503.00/720.00 (69.86%)

Max Score: 680.00

Rank: 15

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 73.97

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00			C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 503.00/720.00 (69.86%)

Max Score: 680.00

Rank: 15

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 73.97

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A		L	0.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A		L	0.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 503.00/720.00 (69.86%)

Max Score: 680.00

Rank: 15

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 73.97

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 166 (**Correct:** 133 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 503.00

Total Positive Marks: 536.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
99.00	122.00	282.00	503.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 489.00/720.00 (67.92%)

Max Score: 680.00

Rank: 16

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 71.91

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B		L	0.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 489.00/720.00 (67.92%)

Max Score: 680.00

Rank: 16

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 71.91

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 489.00/720.00 (67.92%)

Max Score: 680.00

Rank: 16

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 71.91

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 150 (**Correct:** 127 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 489.00

Total Positive Marks: 512.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
77.00	102.00	310.00	489.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 486.00/720.00 (67.50%)

Max Score: 680.00

Rank: 17

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 71.47

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C		L	0.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 486.00/720.00 (67.50%)

Max Score: 680.00

Rank: 17

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 71.47

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 486.00/720.00 (67.50%)

Max Score: 680.00

Rank: 17

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 71.47

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B		L	0.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B		L	0.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A		L	0.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A		L	0.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C		L	0.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A		L	0.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 138 (**Correct:** 124 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 486.00

Total Positive Marks: 500.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
99.00	123.00	264.00	486.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 475.00/720.00 (65.97%)

Max Score: 680.00

Rank: 18

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 69.85

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 475.00/720.00 (65.97%)

Max Score: 680.00

Rank: 18

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 69.85

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 475.00/720.00 (65.97%)

Max Score: 680.00

Rank: 18

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 69.85

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 159 (**Correct:** 126 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 475.00

Total Positive Marks: 508.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
101.00	128.00	246.00	475.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 457.00/720.00 (63.47%)

Max Score: 680.00

Rank: 19

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 67.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 457.00/720.00 (63.47%)

Max Score: 680.00

Rank: 19

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 67.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	B	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 457.00/720.00 (63.47%)

Max Score: 680.00

Rank: 19

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 67.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 177 (**Correct:** 126 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 457.00

Total Positive Marks: 508.00 **Total Negative Marks:** 51.00

PHY	CHEM	BIO	Total
81.00	91.00	285.00	457.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 454.00/720.00 (63.06%)

Max Score: 680.00

Rank: 20

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 66.76

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 454.00/720.00 (63.06%)

Max Score: 680.00

Rank: 20

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 66.76

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	B	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D		L	0.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C		L	0.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 454.00/720.00 (63.06%)

Max Score: 680.00

Rank: 20

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 66.76

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A		L	0.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A		L	0.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 150 (**Correct:** 120 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 454.00

Total Positive Marks: 484.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
86.00	84.00	284.00	454.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 444.00/720.00 (61.67%)

Max Score: 680.00

Rank: 21

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 65.29

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D		L	0.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00			C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 444.00/720.00 (61.67%)

Max Score: 680.00

Rank: 21

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 65.29

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B		L	0.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A		L	0.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A		L	0.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 444.00/720.00 (61.67%)

Max Score: 680.00

Rank: 21

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 65.29

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A		L	0.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 135 (**Correct:** 115 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 444.00

Total Positive Marks: 464.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
59.00	64.00	321.00	444.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 415.00/720.00 (57.64%)

Max Score: 680.00

Rank: 22

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 61.03

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 415.00/720.00 (57.64%)

Max Score: 680.00

Rank: 22

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 61.03

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A		L	0.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A		L	0.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 415.00/720.00 (57.64%)

Max Score: 680.00

Rank: 22

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 61.03

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B		L	0.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C		L	0.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A		L	0.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00

Total Question: 180 **Attempted:** 144 (**Correct:** 111 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 415.00

Total Positive Marks: 448.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
74.00	86.00	255.00	415.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 391.00/720.00 (54.31%)

Max Score: 680.00

Rank: 23

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 57.50

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C		L	0.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 391.00/720.00 (54.31%)

Max Score: 680.00

Rank: 23

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 57.50

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 391.00/720.00 (54.31%)

Max Score: 680.00

Rank: 23

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 57.50

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A		L	0.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A		L	0.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 133 (**Correct:** 104 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 391.00

Total Positive Marks: 420.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
90.00	31.00	270.00	391.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 389.00/720.00 (54.03%)

Max Score: 680.00

Rank: 24

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 57.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C		L	0.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 389.00/720.00 (54.03%)

Max Score: 680.00

Rank: 24

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 57.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 389.00/720.00 (54.03%)

Max Score: 680.00

Rank: 24

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 57.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 Attempted: 165 (Correct: 110 Incorrect: 55) Score Rate: 0.00 Strike Rate: 0.00

Total: 389.00

Total Positive Marks: 444.00 Total Negative Marks: 55.00

PHY	CHEM	BIO	Total
29.00	84.00	276.00	389.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 384.00/720.00 (53.33%)

Max Score: 680.00

Rank: 25

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 56.47

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C		L	0.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 384.00/720.00 (53.33%)

Max Score: 680.00

Rank: 25

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 56.47

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	B	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A		L	0.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C		L	0.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C		L	0.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A		L	0.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 384.00/720.00 (53.33%)

Max Score: 680.00

Rank: 25

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 56.47

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D		L	0.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D		L	0.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C		L	0.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 125 (**Correct:** 101 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 384.00

Total Positive Marks: 408.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
32.00	81.00	271.00	384.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 378.00/720.00 (52.50%)

Max Score: 680.00

Rank: 26

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 55.59

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C		L	0.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B		L	0.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	AC	W	-1.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	CD	W	-1.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 378.00/720.00 (52.50%)

Max Score: 680.00

Rank: 26

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 55.59

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B		L	0.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D		L	0.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 378.00/720.00 (52.50%)

Max Score: 680.00

Rank: 26

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 55.59

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D		L	0.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B		L	0.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D		L	0.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D		L	0.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A		L	0.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D		L	0.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A		L	0.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 121 (**Correct:** 99 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 378.00

Total Positive Marks: 400.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
57.00	76.00	245.00	378.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 356.00/720.00 (49.44%)

Max Score: 680.00

Rank: 27

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 52.35

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C		L	0.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		C	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 356.00/720.00 (49.44%)

Max Score: 680.00

Rank: 27

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 52.35

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D		L	0.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 356.00/720.00 (49.44%)

Max Score: 680.00

Rank: 27

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 52.35

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D		L	0.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B		L	0.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C		L	0.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 143 (**Correct:** 99 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 356.00

Total Positive Marks: 400.00 **Total Negative Marks:** 44.00

PHY	CHEM	BIO	Total
39.00	85.00	232.00	356.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 355.00/720.00 (49.31%)

Max Score: 680.00

Rank: 28

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 52.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C		L	0.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 355.00/720.00 (49.31%)

Max Score: 680.00

Rank: 28

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 52.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B		L	0.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A		L	0.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C		L	0.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C		L	0.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A		L	0.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D		L	0.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C		L	0.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A		L	0.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A		L	0.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 355.00/720.00 (49.31%)

Max Score: 680.00

Rank: 28

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 52.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B		L	0.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C		L	0.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A		L	0.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A		L	0.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 109 (**Correct:** 92 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 355.00

Total Positive Marks: 372.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
54.00	62.00	239.00	355.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 352.00/720.00 (48.89%)

Max Score: 680.00

Rank: 29

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 51.76

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C		L	0.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D		L	0.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B		L	0.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C		L	0.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 352.00/720.00 (48.89%)

Max Score: 680.00

Rank: 29

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 51.76

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B		L	0.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A		L	0.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 352.00/720.00 (48.89%)

Max Score: 680.00

Rank: 29

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 51.76

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C		L	0.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D		L	0.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D		L	0.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C		L	0.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A		L	0.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A		L	0.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	C	W	-1.00

Total Question: 180 **Attempted:** 127 (**Correct:** 95 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 352.00

Total Positive Marks: 384.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
5.00	101.00	246.00	352.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 305.00/720.00 (42.36%)

Max Score: 680.00

Rank: 30

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 44.85

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A		L	0.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C		L	0.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D		L	0.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B		L	0.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 305.00/720.00 (42.36%)

Max Score: 680.00

Rank: 30

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 44.85

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	A	R	4.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B		L	0.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B		L	0.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D		L	0.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C		L	0.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C		L	0.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C		L	0.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D		L	0.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A		L	0.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C		L	0.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A		L	0.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B		L	0.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A		L	0.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 305.00/720.00 (42.36%)

Max Score: 680.00

Rank: 30

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 44.85

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 119 (**Correct:** 84 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 305.00

Total Positive Marks: 340.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
5.00	75.00	225.00	305.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 297.00/720.00 (41.25%)

Max Score: 680.00

Rank: 31

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 43.68

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D		L	0.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 297.00/720.00 (41.25%)

Max Score: 680.00

Rank: 31

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 43.68

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A		L	0.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D		L	0.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 297.00/720.00 (41.25%)

Max Score: 680.00

Rank: 31

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 43.68

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B		L	0.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D		L	0.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C		L	0.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A		L	0.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 Attempted: 147 (Correct: 88 Incorrect: 59) Score Rate: 0.00 Strike Rate: 0.00

Total: 297.00

Total Positive Marks: 356.00 Total Negative Marks: 59.00

PHY	CHEM	BIO	Total
24.00	52.00	221.00	297.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 290.00/720.00 (40.28%)

Max Score: 680.00

Rank: 32

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 42.65

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C		L	0.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C		L	0.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		C	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 290.00/720.00 (40.28%)

Max Score: 680.00

Rank: 32

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 42.65

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B		L	0.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 290.00/720.00 (40.28%)

Max Score: 680.00

Rank: 32

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 42.65

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D		L	0.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A		L	0.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 129 (**Correct:** 83 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 290.00

Total Positive Marks: 336.00 **Total Negative Marks:** 46.00

PHY	CHEM	BIO	Total
33.00	64.00	193.00	290.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 284.00/720.00 (39.44%)

Max Score: 680.00

Rank: 33

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 41.76

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		A	C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 284.00/720.00 (39.44%)

Max Score: 680.00

Rank: 33

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 41.76

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB	D	W	-1.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 284.00/720.00 (39.44%)

Max Score: 680.00

Rank: 33

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 41.76

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	AD	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 160 (**Correct:** 88 **Incorrect:** 72) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 284.00

Total Positive Marks: 356.00 **Total Negative Marks:** 72.00

PHY	CHEM	BIO	Total
32.00	61.00	191.00	284.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 275.00/720.00 (38.19%)

Max Score: 680.00

Rank: 34

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 40.44

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A		L	0.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C		L	0.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D		L	0.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B		L	0.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C		L	0.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C		L	0.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00			C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 275.00/720.00 (38.19%)

Max Score: 680.00

Rank: 34

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 40.44

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B		L	0.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 275.00/720.00 (38.19%)

Max Score: 680.00

Rank: 34

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 40.44

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	CD	W	-1.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 89 (**Correct:** 72 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 275.00

Total Positive Marks: 292.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
0.00	4.00	271.00	275.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 219.00/720.00 (30.42%)

Max Score: 680.00

Rank: 35

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 32.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C		L	0.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00			C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 219.00/720.00 (30.42%)

Max Score: 680.00

Rank: 35

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 32.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C		L	0.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C		L	0.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B		L	0.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D		L	0.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A		L	0.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D		L	0.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C		L	0.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A		L	0.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C		L	0.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B		L	0.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C		L	0.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D		L	0.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D		L	0.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B		L	0.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A		L	0.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A		L	0.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 219.00/720.00 (30.42%)

Max Score: 680.00

Rank: 35

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 32.21

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 95 (**Correct:** 62 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 219.00

Total Positive Marks: 252.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
50.00	4.00	165.00	219.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 203.00/720.00 (28.19%)

Max Score: 680.00

Rank: 36

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 29.85

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	80.56	30.56	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
2	91.67	11.11	80.56	PHY	NTA REG	4.00	1.00	A		L	0.00
3	58.33	38.89	19.44	PHY	NTA REG	4.00	1.00	B		L	0.00
4	47.22	30.56	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
5	63.89	61.11	2.78	PHY	NTA REG	4.00	1.00	D		L	0.00
6	80.56	61.11	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	72.22	63.89	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
8	41.67	27.78	13.89	PHY	NTA REG	4.00	1.00	D		L	0.00
9	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A		L	0.00
10	72.22	69.44	2.78	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
12	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	52.78	25.00	27.78	PHY	NTA REG	4.00	1.00	D		L	0.00
14	75.00	66.67	8.33	PHY	NTA REG	4.00	1.00	A		L	0.00
15	72.22	55.56	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
16	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
17	69.44	55.56	13.89	PHY	NTA REG	4.00	1.00	B		L	0.00
18	69.44	58.33	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
19	77.78	25.00	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
20	77.78	72.22	5.56	PHY	NTA REG	4.00	1.00	C		L	0.00
21	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	C		L	0.00
22	75.00	52.78	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
23	80.56	63.89	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
24	80.56	75.00	5.56	PHY	NTA REG	4.00	1.00	D		L	0.00
25	86.11	83.33	2.78	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
27	80.56	72.22	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	83.33	22.22	61.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	61.11	44.44	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
30	61.11	38.89	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
31	86.11	66.67	19.44	PHY	NTA REG	4.00	1.00	A		L	0.00
32	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
33	58.33	22.22	36.11	PHY	NTA REG	4.00	1.00	A		L	0.00
34	75.00	36.11	38.89	PHY	NTA REG	4.00	1.00	C		L	0.00
35	27.78	16.67	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
36	63.89	50.00	13.89	PHY	NTA REG	4.00	1.00	C		L	0.00
37	41.67	25.00	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
38	66.67	50.00	16.67	PHY	NTA REG	4.00	1.00	A		L	0.00
39	66.67	61.11	5.56	PHY	NTA REG	4.00	1.00	A		L	0.00
40	72.22	61.11	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
41	66.67	13.89	52.78	PHY	NTA REG	4.00	1.00	B		L	0.00
42	72.22	50.00	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
43	66.67	44.44	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
44	47.22	5.56	41.67	PHY	NTA REG	4.00	1.00	D		L	0.00
45	75.00	55.56	19.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	80.56	63.89	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
49	83.33	69.44	13.89	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	91.67	36.11	55.56	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	69.44	58.33	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	83.33	36.11	47.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	77.78	72.22	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
57	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00			C	4.00
58	80.56	52.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
59	55.56	27.78	27.78	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	72.22	38.89	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
62	88.89	83.33	5.56	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 203.00/720.00 (28.19%)

Max Score: 680.00

Rank: 36

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 29.85

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	69.44	61.11	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	80.56	47.22	33.33	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
66	91.67	86.11	5.56	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	88.89	80.56	8.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	69.44	55.56	13.89	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	83.33	77.78	5.56	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	63.89	52.78	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	83.33	83.33	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	72.22	36.11	36.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	52.78	27.78	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	77.78	55.56	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	66.67	58.33	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	69.44	41.67	27.78	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	77.78	69.44	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	86.11	75.00	11.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
80	52.78	38.89	13.89	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	61.11	16.67	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	61.11	13.89	CHEM	NTA REG	4.00	1.00	D		L	0.00
83	72.22	41.67	30.56	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	72.22	50.00	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	77.78	63.89	13.89	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
86	83.33	80.56	2.78	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	66.67	41.67	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	66.67	19.44	47.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	63.89	58.33	5.56	CHEM	NTA MULTI ANS	4.00	1.00	AB		L	0.00
90	47.22	44.44	2.78	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
92	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
94	77.78	63.89	13.89	BIO	NTA REG	4.00	1.00	B		L	0.00
95	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
96	88.89	80.56	8.33	BIO	NTA REG	4.00	1.00	D		L	0.00
97	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C		L	0.00
98	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
102	91.67	72.22	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
103	83.33	52.78	30.56	BIO	NTA REG	4.00	1.00	A		L	0.00
104	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C		L	0.00
105	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	94.44	83.33	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
110	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A		L	0.00
111	97.22	69.44	27.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	88.89	75.00	13.89	BIO	NTA REG	4.00	1.00	C		L	0.00
113	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	D		L	0.00
114	88.89	72.22	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
115	86.11	30.56	55.56	BIO	NTA REG	4.00	1.00	D		L	0.00
116	88.89	63.89	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
117	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	91.67	55.56	36.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
119	75.00	36.11	38.89	BIO	NTA REG	4.00	1.00	A		L	0.00
120	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	83.33	69.44	13.89	BIO	NTA REG	4.00	1.00	A		L	0.00
122	97.22	55.56	41.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
123	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	A		L	0.00
125	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
126	83.33	63.89	19.44	BIO	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 203.00/720.00 (28.19%)

Max Score: 680.00

Rank: 36

Min Score: 203.00

TEST: LT-13 (NEET) (ID: 18 DT: 04-Jan-2024)

Percentile: 29.85

Avg Score: 454.22

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	94.44	80.56	13.89	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
130	94.44	94.44	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	91.67	47.22	44.44	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	86.11	75.00	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
134	94.44	72.22	22.22	BIO	NTA REG	4.00	1.00	B		L	0.00
135	97.22	88.89	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
137	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	88.89	38.89	50.00	BIO	NTA REG	4.00	1.00	B		L	0.00
139	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.67	69.44	22.22	BIO	NTA REG	4.00	1.00	D		L	0.00
141	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	97.22	97.22	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
144	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	94.44	63.89	30.56	BIO	NTA REG	4.00	1.00	D		L	0.00
147	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
148	100.00	97.22	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	86.11	72.22	13.89	BIO	NTA REG	4.00	1.00	C		L	0.00
150	75.00	72.22	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
151	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	91.67	80.56	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
153	77.78	69.44	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
154	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	80.56	50.00	30.56	BIO	NTA REG	4.00	1.00	B		L	0.00
156	94.44	91.67	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	91.67	88.89	2.78	BIO	NTA REG	4.00	1.00	B		L	0.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	97.22	91.67	5.56	BIO	NTA REG	4.00	1.00	C		L	0.00
160	100.00	80.56	19.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
162	94.44	88.89	5.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	94.44	61.11	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	D		L	0.00
166	100.00	94.44	5.56	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
167	94.44	86.11	8.33	BIO	NTA REG	4.00	1.00	C		L	0.00
168	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
169	97.22	72.22	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
170	83.33	66.67	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	91.67	86.11	5.56	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	97.22	86.11	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	94.44	77.78	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
175	100.00	86.11	13.89	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
176	88.89	86.11	2.78	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
178	94.44	69.44	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	97.22	94.44	2.78	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 76 (**Correct:** 55 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 203.00

Total Positive Marks: 224.00 **Total Negative Marks:** 21.00

PHY	CHEM	BIO	Total
14.00	44.00	145.00	203.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%