

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 100.00

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 100.00

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 685.00/720.00 (95.14%)

Max Score: 685.00

Rank: 1

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 100.00

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 172 **Incorrect:** 7) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 685.00

Total Positive Marks: 692.00 **Total Negative Marks:** 7.00

PHY	CHEM	BIO	Total
165.00	170.00	350.00	685.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 645.00/720.00 (89.58%)

Max Score: 685.00

Rank: 2

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 94.16

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	A	W	-1.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 645.00/720.00 (89.58%)

Max Score: 685.00

Rank: 2

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 94.16

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 645.00/720.00 (89.58%)

Max Score: 685.00

Rank: 2

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 94.16

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A		L	0.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 174 (**Correct:** 163 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 645.00

Total Positive Marks: 656.00 **Total Negative Marks:** 11.00

PHY	CHEM	BIO	Total
150.00	157.00	338.00	645.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 640.00/720.00 (88.89%)

Max Score: 685.00

Rank: 3

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 93.43

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	D	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 640.00/720.00 (88.89%)

Max Score: 685.00

Rank: 3

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 93.43

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 640.00/720.00 (88.89%)

Max Score: 685.00

Rank: 3

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 93.43

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 163 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 640.00

Total Positive Marks: 656.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
150.00	145.00	345.00	640.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 583.00/720.00 (80.97%)

Max Score: 685.00

Rank: 4

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 85.11

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 583.00/720.00 (80.97%)

Max Score: 685.00

Rank: 4

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 85.11

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 583.00/720.00 (80.97%)

Max Score: 685.00

Rank: 4

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 85.11

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 176 (**Correct:** 151 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 583.00

Total Positive Marks: 608.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
122.00	141.00	320.00	583.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 569.00/720.00 (79.03%)

Max Score: 685.00

Rank: 5

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 83.07

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	A	W	-1.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 569.00/720.00 (79.03%)

Max Score: 685.00

Rank: 5

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 83.07

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 569.00/720.00 (79.03%)

Max Score: 685.00

Rank: 5

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 83.07

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 175 (**Correct:** 148 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 569.00

Total Positive Marks: 596.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
104.00	160.00	305.00	569.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 566.00/720.00 (78.61%)

Max Score: 685.00

Rank: 6

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 82.63

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	D	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 566.00/720.00 (78.61%)

Max Score: 685.00

Rank: 6

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 82.63

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C		L	0.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 566.00/720.00 (78.61%)

Max Score: 685.00

Rank: 6

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 82.63

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 163 (**Correct:** 145 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 566.00

Total Positive Marks: 584.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
114.00	125.00	327.00	566.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 561.00/720.00 (77.92%)

Max Score: 685.00

Rank: 7

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 81.90

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	D	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 561.00/720.00 (77.92%)

Max Score: 685.00

Rank: 7

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 81.90

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 561.00/720.00 (77.92%)

Max Score: 685.00

Rank: 7

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 81.90

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 147 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 561.00

Total Positive Marks: 592.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
130.00	136.00	295.00	561.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 537.00/720.00 (74.58%)

Max Score: 685.00

Rank: 8

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 78.39

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	D	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 537.00/720.00 (74.58%)

Max Score: 685.00

Rank: 8

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 78.39

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 537.00/720.00 (74.58%)

Max Score: 685.00

Rank: 8

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 78.39

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 167 (**Correct:** 140 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 537.00

Total Positive Marks: 564.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
88.00	123.00	326.00	537.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 522.00/720.00 (72.50%)

Max Score: 685.00

Rank: 9

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 76.20

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 522.00/720.00 (72.50%)

Max Score: 685.00

Rank: 9

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 76.20

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 522.00/720.00 (72.50%)

Max Score: 685.00

Rank: 9

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 76.20

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 172 (**Correct:** 138 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 522.00

Total Positive Marks: 556.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
101.00	131.00	290.00	522.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 517.00/720.00 (71.81%)

Max Score: 685.00

Rank: 10

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 75.47

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	AC	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 517.00/720.00 (71.81%)

Max Score: 685.00

Rank: 10

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 75.47

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 517.00/720.00 (71.81%)

Max Score: 685.00

Rank: 10

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 75.47

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	BC	W	-1.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 172 (**Correct:** 137 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 517.00

Total Positive Marks: 552.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
113.00	98.00	306.00	517.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 493.00/720.00 (68.47%)

Max Score: 685.00

Rank: 11

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 71.97

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	A	W	-1.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 493.00/720.00 (68.47%)

Max Score: 685.00

Rank: 11

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 71.97

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 493.00/720.00 (68.47%)

Max Score: 685.00

Rank: 11

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 71.97

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 176 (**Correct:** 133 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 493.00

Total Positive Marks: 536.00 **Total Negative Marks:** 43.00

PHY	CHEM	BIO	Total
98.00	105.00	290.00	493.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 489.00/720.00 (67.92%)

Max Score: 685.00

Rank: 12

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 71.39

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 489.00/720.00 (67.92%)

Max Score: 685.00

Rank: 12

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 71.39

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 489.00/720.00 (67.92%)

Max Score: 685.00

Rank: 12

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 71.39

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 Attempted: 155 (Correct: 128 Incorrect: 27) Score Rate: 0.00 Strike Rate: 0.00

Total: 489.00

Total Positive Marks: 516.00 Total Negative Marks: 27.00

PHY	CHEM	BIO	Total
89.00	105.00	295.00	489.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 464.00/720.00 (64.44%)

Max Score: 685.00

Rank: 13

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 67.74

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	D	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 464.00/720.00 (64.44%)

Max Score: 685.00

Rank: 13

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 67.74

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 464.00/720.00 (64.44%)

Max Score: 685.00

Rank: 13

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 67.74

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 170 (**Correct:** 126 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 464.00

Total Positive Marks: 508.00 **Total Negative Marks:** 44.00

PHY	CHEM	BIO	Total
67.00	127.00	270.00	464.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 462.00/720.00 (64.17%)

Max Score: 685.00

Rank: 14

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 67.45

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 462.00/720.00 (64.17%)

Max Score: 685.00

Rank: 14

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 67.45

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 462.00/720.00 (64.17%)

Max Score: 685.00

Rank: 14

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 67.45

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 152 (**Correct:** 122 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 462.00

Total Positive Marks: 492.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
63.00	68.00	331.00	462.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 462.00/720.00 (64.17%)

Max Score: 685.00

Rank: 14

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 67.45

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 462.00/720.00 (64.17%)

Max Score: 685.00

Rank: 14

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 67.45

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 462.00/720.00 (64.17%)

Max Score: 685.00

Rank: 14

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 67.45

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 162 (**Correct:** 124 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 462.00

Total Positive Marks: 500.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
100.00	72.00	290.00	462.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 433.00/720.00 (60.14%)

Max Score: 685.00

Rank: 15

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 63.21

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 433.00/720.00 (60.14%)

Max Score: 685.00

Rank: 15

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 63.21

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B		L	0.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 433.00/720.00 (60.14%)

Max Score: 685.00

Rank: 15

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 63.21

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A		L	0.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 146 (**Correct:** 115 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 433.00

Total Positive Marks: 464.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
65.00	84.00	284.00	433.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 421.00/720.00 (58.47%)

Max Score: 685.00

Rank: 16

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 61.46

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 421.00/720.00 (58.47%)

Max Score: 685.00

Rank: 16

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 61.46

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 421.00/720.00 (58.47%)

Max Score: 685.00

Rank: 16

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 61.46

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 138 (**Correct:** 111 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 421.00

Total Positive Marks: 448.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
70.00	96.00	255.00	421.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 392.00/720.00 (54.44%)

Max Score: 685.00

Rank: 17

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 57.23

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	A	W	-1.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 392.00/720.00 (54.44%)

Max Score: 685.00

Rank: 17

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 57.23

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 392.00/720.00 (54.44%)

Max Score: 685.00

Rank: 17

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 57.23

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A		L	0.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 162 (**Correct:** 110 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 392.00

Total Positive Marks: 444.00 **Total Negative Marks:** 52.00

PHY	CHEM	BIO	Total
49.00	99.00	244.00	392.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 361.00/720.00 (50.14%)

Max Score: 685.00

Rank: 18

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 52.70

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD		L	0.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D		L	0.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 361.00/720.00 (50.14%)

Max Score: 685.00

Rank: 18

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 52.70

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 361.00/720.00 (50.14%)

Max Score: 685.00

Rank: 18

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 52.70

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D		L	0.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A		L	0.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 113 (**Correct:** 94 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 361.00

Total Positive Marks: 380.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
58.00	24.00	279.00	361.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 337.00/720.00 (46.81%)

Max Score: 685.00

Rank: 19

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 49.20

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A		L	0.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C		L	0.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C		L	0.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C		L	0.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD		L	0.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 337.00/720.00 (46.81%)

Max Score: 685.00

Rank: 19

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 49.20

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 337.00/720.00 (46.81%)

Max Score: 685.00

Rank: 19

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 49.20

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 107 (**Correct:** 88 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 337.00

Total Positive Marks: 356.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
4.00	61.00	272.00	337.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 337.00/720.00 (46.81%)

Max Score: 685.00

Rank: 19

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 49.20

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	B	W	-1.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 337.00/720.00 (46.81%)

Max Score: 685.00

Rank: 19

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 49.20

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B		L	0.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 337.00/720.00 (46.81%)

Max Score: 685.00

Rank: 19

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 49.20

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 152 (**Correct:** 97 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 337.00

Total Positive Marks: 392.00 **Total Negative Marks:** 55.00

PHY	CHEM	BIO	Total
24.00	83.00	230.00	337.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 333.00/720.00 (46.25%)

Max Score: 685.00

Rank: 20

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 48.61

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	CD	W	-1.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	A	W	-1.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 333.00/720.00 (46.25%)

Max Score: 685.00

Rank: 20

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 48.61

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 333.00/720.00 (46.25%)

Max Score: 685.00

Rank: 20

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 48.61

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A		L	0.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 151 (**Correct:** 96 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 333.00

Total Positive Marks: 388.00 **Total Negative Marks:** 55.00

PHY	CHEM	BIO	Total
21.00	98.00	214.00	333.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 322.00/720.00 (44.72%)

Max Score: 685.00

Rank: 21

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 47.01

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	A	W	-1.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 322.00/720.00 (44.72%)

Max Score: 685.00

Rank: 21

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 47.01

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 322.00/720.00 (44.72%)

Max Score: 685.00

Rank: 21

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 47.01

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 147 (**Correct:** 93 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 322.00

Total Positive Marks: 376.00 **Total Negative Marks:** 54.00

PHY	CHEM	BIO	Total
29.00	43.00	250.00	322.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 299.00/720.00 (41.53%)

Max Score: 685.00

Rank: 22

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 43.65

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A		L	0.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD		L	0.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 299.00/720.00 (41.53%)

Max Score: 685.00

Rank: 22

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 43.65

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 299.00/720.00 (41.53%)

Max Score: 685.00

Rank: 22

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 43.65

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A		L	0.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D		L	0.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D		L	0.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 140 (**Correct:** 87 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 299.00

Total Positive Marks: 352.00 **Total Negative Marks:** 53.00

PHY	CHEM	BIO	Total
33.00	88.00	178.00	299.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 298.00/720.00 (41.39%)

Max Score: 685.00

Rank: 23

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 43.50

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C		L	0.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD		L	0.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 298.00/720.00 (41.39%)

Max Score: 685.00

Rank: 23

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 43.50

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 298.00/720.00 (41.39%)

Max Score: 685.00

Rank: 23

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 43.50

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 106 (**Correct:** 80 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 298.00

Total Positive Marks: 324.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
40.00	12.00	246.00	298.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 296.00/720.00 (41.11%)

Max Score: 685.00

Rank: 24

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 43.21

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		D	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	B	W	-1.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D		L	0.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 296.00/720.00 (41.11%)

Max Score: 685.00

Rank: 24

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 43.21

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A		L	0.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 296.00/720.00 (41.11%)

Max Score: 685.00

Rank: 24

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 43.21

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 113 (**Correct:** 81 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 296.00

Total Positive Marks: 328.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
48.00	48.00	200.00	296.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 272.00/720.00 (37.78%)

Max Score: 685.00

Rank: 25

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 39.71

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C		L	0.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	D	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D		L	0.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 272.00/720.00 (37.78%)

Max Score: 685.00

Rank: 25

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 39.71

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	CD	W	-1.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C		L	0.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 272.00/720.00 (37.78%)

Max Score: 685.00

Rank: 25

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 39.71

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D		L	0.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D		L	0.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D		L	0.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D		L	0.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 142 (**Correct:** 82 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 272.00

Total Positive Marks: 332.00 **Total Negative Marks:** 60.00

PHY	CHEM	BIO	Total
31.00	88.00	153.00	272.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UDAY KUKADE (ID No. 47440)

Your Score: 266.00/720.00 (36.94%)

Max Score: 685.00

Rank: 26

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 38.83

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	D	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D		L	0.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UDAY KUKADE (ID No. 47440)

Your Score: 266.00/720.00 (36.94%)

Max Score: 685.00

Rank: 26

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 38.83

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D		L	0.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UDAY KUKADE (ID No. 47440)

Your Score: 266.00/720.00 (36.94%)

Max Score: 685.00

Rank: 26

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 38.83

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A		L	0.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D		L	0.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B		L	0.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D		L	0.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D		L	0.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 88 (**Correct:** 70 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 266.00

Total Positive Marks: 284.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
57.00	15.00	194.00	266.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 205.00/720.00 (28.47%)

Max Score: 685.00

Rank: 27

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 29.93

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD		L	0.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 205.00/720.00 (28.47%)

Max Score: 685.00

Rank: 27

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 29.93

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 205.00/720.00 (28.47%)

Max Score: 685.00

Rank: 27

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 29.93

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 154 (**Correct:** 71 **Incorrect:** 83) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 205.00

Total Positive Marks: 288.00 **Total Negative Marks:** 83.00

PHY	CHEM	BIO	Total
18.00	32.00	155.00	205.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 175.00/720.00 (24.31%)

Max Score: 685.00

Rank: 28

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 25.55

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C		L	0.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	C	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 175.00/720.00 (24.31%)

Max Score: 685.00

Rank: 28

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 25.55

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A		L	0.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A		L	0.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B		L	0.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B		L	0.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A		L	0.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B		L	0.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A		L	0.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C		L	0.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B		L	0.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D		L	0.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B		L	0.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B		L	0.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C		L	0.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D		L	0.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 175.00/720.00 (24.31%)

Max Score: 685.00

Rank: 28

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 25.55

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A		L	0.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A		L	0.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A		L	0.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D		L	0.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D		L	0.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B		L	0.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D		L	0.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B		L	0.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D		L	0.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D		L	0.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D		L	0.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D		L	0.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A		L	0.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00

Total Question: 180 **Attempted:** 59 (**Correct:** 46 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 175.00

Total Positive Marks: 188.00 **Total Negative Marks:** 13.00

PHY	CHEM	BIO	Total
78.00	97.00	0.00	175.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 174.00/720.00 (24.17%)

Max Score: 685.00

Rank: 29

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 25.40

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A		L	0.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C		L	0.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	D	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 174.00/720.00 (24.17%)

Max Score: 685.00

Rank: 29

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 25.40

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D		L	0.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A		L	0.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B		L	0.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A		L	0.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B		L	0.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B		L	0.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C		L	0.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 174.00/720.00 (24.17%)

Max Score: 685.00

Rank: 29

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 25.40

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A		L	0.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D		L	0.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 85 (**Correct:** 51 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 174.00

Total Positive Marks: 208.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
11.00	3.00	160.00	174.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 159.00/720.00 (22.08%)

Max Score: 685.00

Rank: 30

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 23.21

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D		L	0.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A		L	0.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C		L	0.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B	B	R	4.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD	D	R	4.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D		L	0.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 159.00/720.00 (22.08%)

Max Score: 685.00

Rank: 30

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 23.21

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C		L	0.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 159.00/720.00 (22.08%)

Max Score: 685.00

Rank: 30

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 23.21

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	BD	W	-1.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D		L	0.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B		L	0.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D		L	0.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B		L	0.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D		L	0.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 85 (**Correct:** 48 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 159.00

Total Positive Marks: 196.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
53.00	5.00	101.00	159.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 139.00/720.00 (19.31%)

Max Score: 685.00

Rank: 31

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 20.29

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A		L	0.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C		L	0.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C		L	0.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C		L	0.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD		L	0.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D		L	0.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A		L	0.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 139.00/720.00 (19.31%)

Max Score: 685.00

Rank: 31

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 20.29

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D		L	0.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	B	R	4.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B		L	0.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A		L	0.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	B	R	4.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 139.00/720.00 (19.31%)

Max Score: 685.00

Rank: 31

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 20.29

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D		L	0.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D		L	0.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B		L	0.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D		L	0.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00

Total Question: 180 **Attempted:** 80 (**Correct:** 43 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 139.00

Total Positive Marks: 176.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
12.00	8.00	119.00	139.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 131.00/720.00 (18.19%)

Max Score: 685.00

Rank: 32

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 19.12

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	50.00	8.82	41.18	PHY	NTA REG	4.00	1.00	A		L	0.00
2	61.76	38.24	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
3	47.06	44.12	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	70.59	5.88	64.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
5	64.71	14.71	50.00	PHY	NTA REG	4.00	1.00	D		L	0.00
6	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	D		L	0.00
7	61.76	20.59	41.18	PHY	NTA REG	4.00	1.00	D		L	0.00
8	61.76	52.94	8.82	PHY	NTA REG	4.00	1.00	A		L	0.00
9	64.71	8.82	55.88	PHY	NTA REG	4.00	1.00	B		L	0.00
10	52.94	2.94	50.00	PHY	NTA REG	4.00	1.00	C		L	0.00
11	64.71	20.59	44.12	PHY	NTA REG	4.00	1.00	C		L	0.00
12	88.24	73.53	14.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
13	76.47	38.24	38.24	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	91.18	79.41	11.76	PHY	NTA REG	4.00	1.00	A		L	0.00
15	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
16	55.88	52.94	2.94	PHY	NTA REG	4.00	1.00	A		L	0.00
17	85.29	55.88	29.41	PHY	NTA REG	4.00	1.00	C		L	0.00
18	82.35	61.76	20.59	PHY	NTA REG	4.00	1.00	B		L	0.00
19	82.35	70.59	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
20	73.53	50.00	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
21	76.47	73.53	2.94	PHY	NTA REG	4.00	1.00	C		L	0.00
22	38.24	32.35	5.88	PHY	NTA REG	4.00	1.00	D		L	0.00
23	23.53	20.59	2.94	PHY	NTA REG	4.00	1.00	B		L	0.00
24	67.65	44.12	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
25	85.29	79.41	5.88	PHY	NTA REG	4.00	1.00	B		L	0.00
26	50.00	26.47	23.53	PHY	NTA REG	4.00	1.00	A		L	0.00
27	58.82	32.35	26.47	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D		L	0.00
29	91.18	61.76	29.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	C		L	0.00
31	64.71	52.94	11.76	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	47.06	38.24	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.59	44.12	26.47	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	88.24	23.53	64.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
35	50.00	41.18	8.82	PHY	NTA REG	4.00	1.00	C		L	0.00
36	26.47	17.65	8.82	PHY	NTA REG	4.00	1.00	D		L	0.00
37	70.59	50.00	20.59	PHY	NTA REG	4.00	1.00	D		L	0.00
38	38.24	29.41	8.82	PHY	NTA REG	4.00	1.00	B		L	0.00
39	52.94	41.18	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
40	38.24	35.29	2.94	PHY	NTA REG	4.00	1.00	D		L	0.00
41	50.00	38.24	11.76	PHY	NTA REG	4.00	1.00	B		L	0.00
42	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
43	76.47	52.94	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
44	79.41	55.88	23.53	PHY	NTA MULTI ANS	4.00	1.00	CD		L	0.00
45	70.59	47.06	23.53	PHY	NTA REG	4.00	1.00	C		L	0.00
46	79.41	61.76	17.65	CHEM	NTA REG	4.00	1.00	D		L	0.00
47	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	70.59	26.47	44.12	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	76.47	61.76	14.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	70.59	38.24	32.35	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	79.41	64.71	14.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	61.76	23.53	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	64.71	50.00	14.71	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	47.06	8.82	38.24	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	55.88	23.53	32.35	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
56	50.00	11.76	38.24	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	73.53	55.88	17.65	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	50.00	23.53	26.47	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	61.76	58.82	2.94	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	61.76	38.24	23.53	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	67.65	55.88	11.76	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	76.47	52.94	23.53	CHEM	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 131.00/720.00 (18.19%)

Max Score: 685.00

Rank: 32

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 19.12

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	70.59	41.18	29.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	64.71	20.59	44.12	CHEM	NTA REG	4.00	1.00	A		L	0.00
66	70.59	44.12	26.47	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	67.65	41.18	26.47	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	82.35	67.65	14.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	70.59	52.94	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	41.18	23.53	17.65	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	61.76	55.88	5.88	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	61.76	47.06	14.71	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	76.47	41.18	35.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	61.76	50.00	11.76	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.35	73.53	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	76.47	50.00	26.47	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
78	85.29	76.47	8.82	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
79	85.29	82.35	2.94	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	97.06	88.24	8.82	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	94.12	82.35	11.76	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	82.35	61.76	20.59	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	50.00	35.29	14.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	73.53	61.76	11.76	CHEM	NTA REG	4.00	1.00	D		L	0.00
85	79.41	73.53	5.88	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.18	88.24	2.94	CHEM	NTA REG	4.00	1.00	D		L	0.00
87	85.29	85.29	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
88	64.71	52.94	11.76	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
89	70.59	47.06	23.53	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
90	76.47	67.65	8.82	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
91	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	97.06	94.12	2.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
93	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	97.06	73.53	23.53	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
95	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	A		L	0.00
98	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	B		L	0.00
99	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
100	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	A		L	0.00
102	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
103	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
104	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A	BD	W	-1.00
106	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
108	82.35	61.76	20.59	BIO	NTA REG	4.00	1.00	B		L	0.00
109	88.24	20.59	67.65	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	79.41	47.06	32.35	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	64.71	35.29	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
112	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
113	91.18	82.35	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
114	97.06	82.35	14.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	85.29	76.47	8.82	BIO	NTA REG	4.00	1.00	B		L	0.00
116	91.18	73.53	17.65	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	94.12	55.88	38.24	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	97.06	91.18	5.88	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	85.29	73.53	11.76	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.29	61.76	23.53	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	88.24	70.59	17.65	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
126	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 131.00/720.00 (18.19%)

Max Score: 685.00

Rank: 32

Min Score: 131.00

TEST: LT-14 (NEET) (ID: 20 DT: 07-Jan-2024)

Percentile: 19.12

Avg Score: 398.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	94.12	88.24	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
128	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	A		L	0.00
129	85.29	70.59	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
130	85.29	47.06	38.24	BIO	NTA REG	4.00	1.00	A		L	0.00
131	67.65	32.35	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
132	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
133	85.29	44.12	41.18	BIO	NTA REG	4.00	1.00	A		L	0.00
134	88.24	67.65	20.59	BIO	NTA REG	4.00	1.00	D		L	0.00
135	82.35	76.47	5.88	BIO	NTA REG	4.00	1.00	D		L	0.00
136	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	C		L	0.00
137	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
138	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	B		L	0.00
139	73.53	38.24	35.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D		L	0.00
141	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
142	88.24	32.35	55.88	BIO	NTA REG	4.00	1.00	B		L	0.00
143	85.29	82.35	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
144	82.35	64.71	17.65	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	97.06	88.24	8.82	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	88.24	82.35	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
147	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	D		L	0.00
148	88.24	61.76	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
149	97.06	97.06	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	B		L	0.00
151	88.24	58.82	29.41	BIO	NTA REG	4.00	1.00	A		L	0.00
152	85.29	67.65	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
153	91.18	55.88	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
154	94.12	82.35	11.76	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
155	94.12	73.53	20.59	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C	C	R	4.00
157	91.18	79.41	11.76	BIO	NTA REG	4.00	1.00	C		L	0.00
158	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	A		L	0.00
159	85.29	41.18	44.12	BIO	NTA REG	4.00	1.00	D		L	0.00
160	91.18	41.18	50.00	BIO	NTA REG	4.00	1.00	C		L	0.00
161	91.18	91.18	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
162	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	D		L	0.00
163	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	D		L	0.00
164	94.12	91.18	2.94	BIO	NTA REG	4.00	1.00	C		L	0.00
165	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
166	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	D		L	0.00
167	91.18	88.24	2.94	BIO	NTA REG	4.00	1.00	B		L	0.00
168	82.35	73.53	8.82	BIO	NTA REG	4.00	1.00	A		L	0.00
169	79.41	61.76	17.65	BIO	NTA REG	4.00	1.00	C		L	0.00
170	85.29	85.29	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
171	76.47	55.88	20.59	BIO	NTA REG	4.00	1.00	C		L	0.00
172	94.12	76.47	17.65	BIO	NTA REG	4.00	1.00	B		L	0.00
173	91.18	85.29	5.88	BIO	NTA REG	4.00	1.00	B		L	0.00
174	88.24	64.71	23.53	BIO	NTA REG	4.00	1.00	D		L	0.00
175	88.24	73.53	14.71	BIO	NTA REG	4.00	1.00	A		L	0.00
176	85.29	58.82	26.47	BIO	NTA REG	4.00	1.00	B		L	0.00
177	79.41	44.12	35.29	BIO	NTA REG	4.00	1.00	C		L	0.00
178	91.18	52.94	38.24	BIO	NTA REG	4.00	1.00	A		L	0.00
179	88.24	79.41	8.82	BIO	NTA REG	4.00	1.00	C		L	0.00
180	94.12	94.12	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00

Total Question: 180 **Attempted:** 58 (**Correct:** 37 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 131.00

Total Positive Marks: 152.00 **Total Negative Marks:** 21.00

PHY	CHEM	BIO	Total
12.00	47.00	72.00	131.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%