

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 645.00/720.00 (89.58%)

Max Score: 645.00

Rank: 1

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 100.00

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 645.00/720.00 (89.58%)

Max Score: 645.00

Rank: 1

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 100.00

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 645.00/720.00 (89.58%)

Max Score: 645.00

Rank: 1

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 100.00

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 180 (**Correct:** 165 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 645.00

Total Positive Marks: 660.00 **Total Negative Marks:** 15.00

PHY	CHEM	BIO	Total
145.00	150.00	350.00	645.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 630.00/720.00 (87.50%)

Max Score: 645.00

Rank: 2

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 97.67

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 630.00/720.00 (87.50%)

Max Score: 645.00

Rank: 2

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 97.67

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 630.00/720.00 (87.50%)

Max Score: 645.00

Rank: 2

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 97.67

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 180 (**Correct:** 162 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 630.00

Total Positive Marks: 648.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
140.00	135.00	355.00	630.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 608.00/720.00 (84.44%)

Max Score: 645.00

Rank: 3

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 94.26

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 608.00/720.00 (84.44%)

Max Score: 645.00

Rank: 3

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 94.26

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 608.00/720.00 (84.44%)

Max Score: 645.00

Rank: 3

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 94.26

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 177 (**Correct:** 157 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 608.00

Total Positive Marks: 628.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
125.00	143.00	340.00	608.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 587.00/720.00 (81.53%)

Max Score: 645.00

Rank: 4

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 91.01

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 587.00/720.00 (81.53%)

Max Score: 645.00

Rank: 4

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 91.01

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 587.00/720.00 (81.53%)

Max Score: 645.00

Rank: 4

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 91.01

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 178 (**Correct:** 153 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 587.00

Total Positive Marks: 612.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
126.00	131.00	330.00	587.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 584.00/720.00 (81.11%)

Max Score: 645.00

Rank: 5

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 90.54

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 584.00/720.00 (81.11%)

Max Score: 645.00

Rank: 5

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 90.54

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 584.00/720.00 (81.11%)

Max Score: 645.00

Rank: 5

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 90.54

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 176 (**Correct:** 152 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 584.00

Total Positive Marks: 608.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
108.00	131.00	345.00	584.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 569.00/720.00 (79.03%)

Max Score: 645.00

Rank: 6

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 88.22

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B		L	0.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 569.00/720.00 (79.03%)

Max Score: 645.00

Rank: 6

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 88.22

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 569.00/720.00 (79.03%)

Max Score: 645.00

Rank: 6

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 88.22

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 166 (**Correct:** 147 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 569.00

Total Positive Marks: 588.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
99.00	125.00	345.00	569.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 548.00/720.00 (76.11%)

Max Score: 645.00

Rank: 7

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 84.96

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D		L	0.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 548.00/720.00 (76.11%)

Max Score: 645.00

Rank: 7

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 84.96

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D		L	0.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 548.00/720.00 (76.11%)

Max Score: 645.00

Rank: 7

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 84.96

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B		L	0.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C		L	0.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B		L	0.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 152 (**Correct:** 140 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 548.00

Total Positive Marks: 560.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
110.00	114.00	324.00	548.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 546.00/720.00 (75.83%)

Max Score: 645.00

Rank: 8

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 84.65

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B		L	0.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 546.00/720.00 (75.83%)

Max Score: 645.00

Rank: 8

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 84.65

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 546.00/720.00 (75.83%)

Max Score: 645.00

Rank: 8

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 84.65

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 169 (**Correct:** 143 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 546.00

Total Positive Marks: 572.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
66.00	135.00	345.00	546.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 516.00/720.00 (71.67%)

Max Score: 645.00

Rank: 9

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 80.00

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B		L	0.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 516.00/720.00 (71.67%)

Max Score: 645.00

Rank: 9

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 80.00

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B		L	0.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 516.00/720.00 (71.67%)

Max Score: 645.00

Rank: 9

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 80.00

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 169 (**Correct:** 137 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 516.00

Total Positive Marks: 548.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
61.00	129.00	326.00	516.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 514.00/720.00 (71.39%)

Max Score: 645.00

Rank: 10

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 79.69

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 514.00/720.00 (71.39%)

Max Score: 645.00

Rank: 10

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 79.69

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 514.00/720.00 (71.39%)

Max Score: 645.00

Rank: 10

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 79.69

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 171 (**Correct:** 137 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 514.00

Total Positive Marks: 548.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
79.00	110.00	325.00	514.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 507.00/720.00 (70.42%)

Max Score: 645.00

Rank: 11

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 78.60

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 507.00/720.00 (70.42%)

Max Score: 645.00

Rank: 11

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 78.60

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B		L	0.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B		L	0.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 507.00/720.00 (70.42%)

Max Score: 645.00

Rank: 11

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 78.60

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 158 (**Correct:** 133 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 507.00

Total Positive Marks: 532.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
118.00	107.00	282.00	507.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 496.00/720.00 (68.89%)

Max Score: 645.00

Rank: 12

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 76.90

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B		L	0.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 496.00/720.00 (68.89%)

Max Score: 645.00

Rank: 12

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 76.90

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	AB	W	-1.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A		L	0.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 496.00/720.00 (68.89%)

Max Score: 645.00

Rank: 12

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 76.90

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A		L	0.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 159 (**Correct:** 131 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 496.00

Total Positive Marks: 524.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
75.00	114.00	307.00	496.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 492.00/720.00 (68.33%)

Max Score: 645.00

Rank: 13

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 76.28

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 492.00/720.00 (68.33%)

Max Score: 645.00

Rank: 13

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 76.28

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 492.00/720.00 (68.33%)

Max Score: 645.00

Rank: 13

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 76.28

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 148 (**Correct:** 128 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 492.00

Total Positive Marks: 512.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
25.00	132.00	335.00	492.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 475.00/720.00 (65.97%)

Max Score: 645.00

Rank: 14

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 73.64

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 475.00/720.00 (65.97%)

Max Score: 645.00

Rank: 14

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 73.64

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 475.00/720.00 (65.97%)

Max Score: 645.00

Rank: 14

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 73.64

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 160 (**Correct:** 127 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 475.00

Total Positive Marks: 508.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
80.00	75.00	320.00	475.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 462.00/720.00 (64.17%)

Max Score: 645.00

Rank: 15

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 71.63

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B		L	0.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D		L	0.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 462.00/720.00 (64.17%)

Max Score: 645.00

Rank: 15

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 71.63

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 462.00/720.00 (64.17%)

Max Score: 645.00

Rank: 15

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 71.63

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B		L	0.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A		L	0.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D		L	0.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A		L	0.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 148 (**Correct:** 122 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 462.00

Total Positive Marks: 488.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
77.00	107.00	278.00	462.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 461.00/720.00 (64.03%)

Max Score: 645.00

Rank: 16

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 71.47

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 461.00/720.00 (64.03%)

Max Score: 645.00

Rank: 16

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 71.47

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 461.00/720.00 (64.03%)

Max Score: 645.00

Rank: 16

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 71.47

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A		L	0.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 164 (**Correct:** 125 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 461.00

Total Positive Marks: 500.00 **Total Negative Marks:** 39.00

PHY	CHEM	BIO	Total
85.00	118.00	258.00	461.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 451.00/720.00 (62.64%)

Max Score: 645.00

Rank: 17

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 69.92

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 451.00/720.00 (62.64%)

Max Score: 645.00

Rank: 17

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 69.92

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 451.00/720.00 (62.64%)

Max Score: 645.00

Rank: 17

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 69.92

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 144 (**Correct:** 119 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 451.00

Total Positive Marks: 476.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
29.00	112.00	310.00	451.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 402.00/720.00 (55.83%)

Max Score: 645.00

Rank: 18

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 62.33

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C		L	0.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A		L	0.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 402.00/720.00 (55.83%)

Max Score: 645.00

Rank: 18

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 62.33

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 402.00/720.00 (55.83%)

Max Score: 645.00

Rank: 18

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 62.33

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A		L	0.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B		L	0.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 123 (**Correct:** 105 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 402.00

Total Positive Marks: 420.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
9.00	76.00	317.00	402.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 388.00/720.00 (53.89%)

Max Score: 645.00

Rank: 19

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 60.16

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	A	R	4.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 388.00/720.00 (53.89%)

Max Score: 645.00

Rank: 19

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 60.16

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 388.00/720.00 (53.89%)

Max Score: 645.00

Rank: 19

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 60.16

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C		L	0.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B		L	0.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D		L	0.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D		L	0.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 142 (**Correct:** 106 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 388.00

Total Positive Marks: 424.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
15.00	83.00	290.00	388.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 375.00/720.00 (52.08%)

Max Score: 645.00

Rank: 20

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 58.14

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B		L	0.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D		L	0.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C		L	0.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A		L	0.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B		L	0.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 375.00/720.00 (52.08%)

Max Score: 645.00

Rank: 20

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 58.14

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 375.00/720.00 (52.08%)

Max Score: 645.00

Rank: 20

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 58.14

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C		L	0.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C		L	0.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B		L	0.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C		L	0.00

Total Question: 180 **Attempted:** 115 (**Correct:** 98 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 375.00

Total Positive Marks: 392.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
0.00	76.00	299.00	375.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 358.00/720.00 (49.72%)

Max Score: 645.00

Rank: 21

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 55.50

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B		L	0.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D		L	0.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C		L	0.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A		L	0.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B		L	0.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 358.00/720.00 (49.72%)

Max Score: 645.00

Rank: 21

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 55.50

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 358.00/720.00 (49.72%)

Max Score: 645.00

Rank: 21

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 55.50

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C		L	0.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 112 (**Correct:** 94 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 358.00

Total Positive Marks: 376.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
0.00	62.00	296.00	358.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 354.00/720.00 (49.17%)

Max Score: 645.00

Rank: 22

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 54.88

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D		L	0.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C		L	0.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A		L	0.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B		L	0.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 354.00/720.00 (49.17%)

Max Score: 645.00

Rank: 22

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 54.88

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 354.00/720.00 (49.17%)

Max Score: 645.00

Rank: 22

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 54.88

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A		L	0.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D		L	0.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B		L	0.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A		L	0.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D		L	0.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A		L	0.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 126 (**Correct:** 96 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 354.00

Total Positive Marks: 384.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
20.00	82.00	252.00	354.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 349.00/720.00 (48.47%)

Max Score: 645.00

Rank: 23

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 54.11

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B		L	0.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D		L	0.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B		L	0.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 349.00/720.00 (48.47%)

Max Score: 645.00

Rank: 23

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 54.11

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 349.00/720.00 (48.47%)

Max Score: 645.00

Rank: 23

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 54.11

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A		L	0.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B		L	0.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B		L	0.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D		L	0.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 121 (**Correct:** 94 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 349.00

Total Positive Marks: 376.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
31.00	44.00	274.00	349.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 348.00/720.00 (48.33%)

Max Score: 645.00

Rank: 24

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 53.95

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B		L	0.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D		L	0.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C		L	0.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A		L	0.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B		L	0.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 348.00/720.00 (48.33%)

Max Score: 645.00

Rank: 24

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 53.95

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 348.00/720.00 (48.33%)

Max Score: 645.00

Rank: 24

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 53.95

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B		L	0.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 117 (**Correct:** 93 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 348.00

Total Positive Marks: 372.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
0.00	57.00	291.00	348.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 345.00/720.00 (47.92%)

Max Score: 645.00

Rank: 25

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 53.49

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B	B	R	4.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 345.00/720.00 (47.92%)

Max Score: 645.00

Rank: 25

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 53.49

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 345.00/720.00 (47.92%)

Max Score: 645.00

Rank: 25

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 53.49

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A		L	0.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B		L	0.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A		L	0.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 140 (**Correct:** 97 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 345.00

Total Positive Marks: 388.00 **Total Negative Marks:** 43.00

PHY	CHEM	BIO	Total
81.00	39.00	225.00	345.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 343.00/720.00 (47.64%)

Max Score: 645.00

Rank: 26

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 53.18

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B		L	0.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	D	R	4.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C		L	0.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 343.00/720.00 (47.64%)

Max Score: 645.00

Rank: 26

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 53.18

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A		L	0.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 343.00/720.00 (47.64%)

Max Score: 645.00

Rank: 26

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 53.18

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B		L	0.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A		L	0.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B		L	0.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B		L	0.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C		L	0.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 142 (**Correct:** 97 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 343.00

Total Positive Marks: 388.00 **Total Negative Marks:** 45.00

PHY	CHEM	BIO	Total
28.00	98.00	217.00	343.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UDAY KUKADE (ID No. 47440)

Your Score: 298.00/720.00 (41.39%)

Max Score: 645.00

Rank: 27

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 46.20

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B		L	0.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D		L	0.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A		L	0.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C		L	0.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B		L	0.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A		L	0.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A		L	0.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B		L	0.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D		L	0.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A		L	0.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UDAY KUKADE (ID No. 47440)

Your Score: 298.00/720.00 (41.39%)

Max Score: 645.00

Rank: 27

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 46.20

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C		L	0.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B		L	0.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UDAY KUKADE (ID No. 47440)

Your Score: 298.00/720.00 (41.39%)

Max Score: 645.00

Rank: 27

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 46.20

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B		L	0.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B		L	0.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C		L	0.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B		L	0.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D		L	0.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D		L	0.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

Total Question: 180 **Attempted:** 82 (**Correct:** 76 **Incorrect:** 6) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 298.00

Total Positive Marks: 304.00 **Total Negative Marks:** 6.00

PHY	CHEM	BIO	Total
0.00	4.00	294.00	298.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 198.00/720.00 (27.50%)

Max Score: 645.00

Rank: 28

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 30.70

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	67.86	25.00	42.86	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	60.71	3.57	57.14	PHY	NTA REG	4.00	1.00	B		L	0.00
3	67.86	46.43	21.43	PHY	NTA REG	4.00	1.00	D		L	0.00
4	57.14	46.43	10.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
5	53.57	0.00	53.57	PHY	NTA REG	4.00	1.00	D		L	0.00
6	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D		L	0.00
7	64.29	32.14	32.14	PHY	NTA REG	4.00	1.00	C		L	0.00
8	82.14	75.00	7.14	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
9	46.43	10.71	35.71	PHY	NTA REG	4.00	1.00	C		L	0.00
10	64.29	57.14	7.14	PHY	NTA REG	4.00	1.00	A		L	0.00
11	50.00	14.29	35.71	PHY	NTA REG	4.00	1.00	D		L	0.00
12	60.71	57.14	3.57	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
13	64.29	50.00	14.29	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	71.43	10.71	60.71	PHY	NTA REG	4.00	1.00	C		L	0.00
15	32.14	21.43	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
16	28.57	3.57	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
17	78.57	53.57	25.00	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
18	25.00	21.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
19	53.57	53.57	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
20	46.43	42.86	3.57	PHY	NTA REG	4.00	1.00	C		L	0.00
21	28.57	21.43	7.14	PHY	NTA REG	4.00	1.00	C		L	0.00
22	57.14	35.71	21.43	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	64.29	35.71	28.57	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
24	75.00	35.71	39.29	PHY	NTA REG	4.00	1.00	A		L	0.00
25	53.57	46.43	7.14	PHY	NTA REG	4.00	1.00	D		L	0.00
26	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
27	75.00	71.43	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
28	71.43	32.14	39.29	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
30	67.86	57.14	10.71	PHY	NTA REG	4.00	1.00	A		L	0.00
31	42.86	42.86	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	60.71	50.00	10.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
33	64.29	46.43	17.86	PHY	NTA REG	4.00	1.00	B		L	0.00
34	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
35	64.29	39.29	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
36	57.14	25.00	32.14	PHY	NTA REG	4.00	1.00	B		L	0.00
37	46.43	32.14	14.29	PHY	NTA REG	4.00	1.00	B		L	0.00
38	64.29	42.86	21.43	PHY	NTA REG	4.00	1.00	C		L	0.00
39	39.29	25.00	14.29	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
40	25.00	25.00	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
41	53.57	50.00	3.57	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.14	53.57	3.57	PHY	NTA REG	4.00	1.00	B		L	0.00
43	57.14	57.14	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
44	35.71	28.57	7.14	PHY	NTA REG	4.00	1.00	B		L	0.00
45	50.00	39.29	10.71	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.86	67.86	25.00	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	96.43	96.43	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
50	78.57	50.00	28.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	75.00	28.57	46.43	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	89.29	50.00	39.29	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
53	92.86	78.57	14.29	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	60.71	7.14	53.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	71.43	57.14	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	85.71	82.14	3.57	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	78.57	75.00	3.57	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	78.57	67.86	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
60	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	89.29	82.14	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00
62	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
63	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 198.00/720.00 (27.50%)

Max Score: 645.00

Rank: 28

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 30.70

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	57.14	17.86	39.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	85.71	75.00	10.71	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	78.57	78.57	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	42.86	32.14	10.71	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
70	85.71	60.71	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	82.14	64.29	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
72	75.00	57.14	17.86	CHEM	NTA REG	4.00	1.00	B		L	0.00
73	96.43	89.29	7.14	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
74	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	35.71	25.00	10.71	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	82.14	53.57	28.57	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
77	50.00	50.00	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	78.57	53.57	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
79	42.86	28.57	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
80	85.71	3.57	82.14	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
81	82.14	67.86	14.29	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	75.00	71.43	3.57	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	82.14	82.14	0.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	82.14	50.00	32.14	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	78.57	64.29	14.29	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	85.71	17.86	67.86	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	78.57	60.71	17.86	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	75.00	60.71	14.29	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	71.43	64.29	7.14	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	71.43	67.86	3.57	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	D		L	0.00
93	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
94	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	100.00	50.00	50.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
99	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
100	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
105	96.43	82.14	14.29	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
106	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.43	67.86	28.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
115	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
116	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
118	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
120	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
121	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	64.29	35.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
124	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
126	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 198.00/720.00 (27.50%)

Max Score: 645.00

Rank: 28

Min Score: 198.00

TEST: LT-15 (NEET) (ID: 21 DT: 10-Jan-2024)

Percentile: 30.70

Avg Score: 458.89

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
128	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
129	89.29	42.86	46.43	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.86	64.29	28.57	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	89.29	82.14	7.14	BIO	NTA REG	4.00	1.00	B		L	0.00
133	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
134	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
135	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	85.71	14.29	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	92.86	85.71	7.14	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
138	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	96.43	96.43	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	92.86	60.71	32.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
142	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	92.86	78.57	14.29	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	78.57	60.71	17.86	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	C		L	0.00
149	89.29	78.57	10.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
151	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
152	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	82.14	71.43	10.71	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	100.00	78.57	21.43	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	D	R	4.00
161	96.43	64.29	32.14	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	85.71	71.43	14.29	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	96.43	89.29	7.14	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.86	67.86	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	96.43	75.00	21.43	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	96.43	85.71	10.71	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
169	100.00	89.29	10.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
170	92.86	82.14	10.71	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
171	85.71	67.86	17.86	BIO	NTA REG	4.00	1.00	A		L	0.00
172	100.00	92.86	7.14	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
173	89.29	89.29	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	100.00	82.14	17.86	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
176	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	100.00	96.43	3.57	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.43	71.43	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

Total Question: 180 **Attempted:** 112 (**Correct:** 62 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 198.00

Total Positive Marks: 248.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
9.00	5.00	184.00	198.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%