

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 635.00/720.00 (88.19%)

Max Score: 635.00

Rank: 1

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 100.00

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 635.00/720.00 (88.19%)

Max Score: 635.00

Rank: 1

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 100.00

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 635.00/720.00 (88.19%)

Max Score: 635.00

Rank: 1

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 100.00

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 162 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 635.00

Total Positive Marks: 652.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
140.00	145.00	350.00	635.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 635.00/720.00 (88.19%)

Max Score: 635.00

Rank: 1

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 100.00

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 635.00/720.00 (88.19%)

Max Score: 635.00

Rank: 1

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 100.00

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 635.00/720.00 (88.19%)

Max Score: 635.00

Rank: 1

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 100.00

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 162 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 635.00

Total Positive Marks: 652.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
135.00	150.00	350.00	635.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 560.00/720.00 (77.78%)

Max Score: 635.00

Rank: 2

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 88.19

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 560.00/720.00 (77.78%)

Max Score: 635.00

Rank: 2

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 88.19

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B		L	0.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A		L	0.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 560.00/720.00 (77.78%)

Max Score: 635.00

Rank: 2

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 88.19

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 164 (**Correct:** 144 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 560.00

Total Positive Marks: 580.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
112.00	139.00	309.00	560.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 560.00/720.00 (77.78%)

Max Score: 635.00

Rank: 2

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 88.19

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 560.00/720.00 (77.78%)

Max Score: 635.00

Rank: 2

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 88.19

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 560.00/720.00 (77.78%)

Max Score: 635.00

Rank: 2

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 88.19

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 174 (**Correct:** 146 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 560.00

Total Positive Marks: 588.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
85.00	130.00	345.00	560.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 532.00/720.00 (73.89%)

Max Score: 635.00

Rank: 3

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 83.78

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 532.00/720.00 (73.89%)

Max Score: 635.00

Rank: 3

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 83.78

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 532.00/720.00 (73.89%)

Max Score: 635.00

Rank: 3

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 83.78

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 177 (**Correct:** 141 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 532.00

Total Positive Marks: 568.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
112.00	105.00	315.00	532.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 518.00/720.00 (71.94%)

Max Score: 635.00

Rank: 4

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 81.57

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A		L	0.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D		L	0.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B		L	0.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C		L	0.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00			C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 518.00/720.00 (71.94%)

Max Score: 635.00

Rank: 4

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 81.57

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 518.00/720.00 (71.94%)

Max Score: 635.00

Rank: 4

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 81.57

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A		L	0.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B		L	0.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 156 (**Correct:** 134 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 518.00

Total Positive Marks: 540.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
73.00	113.00	332.00	518.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 508.00/720.00 (70.56%)

Max Score: 635.00

Rank: 5

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 80.00

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A		L	0.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 508.00/720.00 (70.56%)

Max Score: 635.00

Rank: 5

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 80.00

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 508.00/720.00 (70.56%)

Max Score: 635.00

Rank: 5

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 80.00

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D		L	0.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 166 (**Correct:** 134 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 508.00

Total Positive Marks: 540.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
69.00	108.00	331.00	508.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 505.00/720.00 (70.14%)

Max Score: 635.00

Rank: 6

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 79.53

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A		L	0.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B		L	0.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 505.00/720.00 (70.14%)

Max Score: 635.00

Rank: 6

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 79.53

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 505.00/720.00 (70.14%)

Max Score: 635.00

Rank: 6

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 79.53

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B		L	0.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 169 (**Correct:** 134 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 505.00

Total Positive Marks: 540.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
93.00	126.00	286.00	505.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 502.00/720.00 (69.72%)

Max Score: 635.00

Rank: 7

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 79.06

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 502.00/720.00 (69.72%)

Max Score: 635.00

Rank: 7

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 79.06

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 502.00/720.00 (69.72%)

Max Score: 635.00

Rank: 7

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 79.06

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 177 (**Correct:** 135 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 502.00

Total Positive Marks: 544.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
101.00	81.00	320.00	502.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 493.00/720.00 (68.47%)

Max Score: 635.00

Rank: 8

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 77.64

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B		L	0.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A		L	0.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D		L	0.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C		L	0.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 493.00/720.00 (68.47%)

Max Score: 635.00

Rank: 8

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 77.64

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D		L	0.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 493.00/720.00 (68.47%)

Max Score: 635.00

Rank: 8

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 77.64

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 161 (**Correct:** 130 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 493.00

Total Positive Marks: 524.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
63.00	109.00	321.00	493.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 489.00/720.00 (67.92%)

Max Score: 635.00

Rank: 9

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 77.01

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D		L	0.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 489.00/720.00 (67.92%)

Max Score: 635.00

Rank: 9

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 77.01

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	AB	W	-1.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 489.00/720.00 (67.92%)

Max Score: 635.00

Rank: 9

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 77.01

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C		L	0.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B		L	0.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 165 (**Correct:** 130 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 489.00

Total Positive Marks: 524.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
74.00	137.00	278.00	489.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 473.00/720.00 (65.69%)

Max Score: 635.00

Rank: 10

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 74.49

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D		L	0.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C		L	0.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C		L	0.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 473.00/720.00 (65.69%)

Max Score: 635.00

Rank: 10

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 74.49

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 473.00/720.00 (65.69%)

Max Score: 635.00

Rank: 10

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 74.49

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A		L	0.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 166 (**Correct:** 127 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 473.00

Total Positive Marks: 512.00 **Total Negative Marks:** 39.00

PHY	CHEM	BIO	Total
62.00	105.00	306.00	473.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 473.00/720.00 (65.69%)

Max Score: 635.00

Rank: 10

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 74.49

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C		L	0.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D		L	0.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 473.00/720.00 (65.69%)

Max Score: 635.00

Rank: 10

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 74.49

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 473.00/720.00 (65.69%)

Max Score: 635.00

Rank: 10

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 74.49

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 161 (**Correct:** 126 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 473.00

Total Positive Marks: 508.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
63.00	105.00	305.00	473.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 472.00/720.00 (65.56%)

Max Score: 635.00

Rank: 11

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 74.33

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D	D	R	4.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 472.00/720.00 (65.56%)

Max Score: 635.00

Rank: 11

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 74.33

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 472.00/720.00 (65.56%)

Max Score: 635.00

Rank: 11

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 74.33

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 172 (**Correct:** 128 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 472.00

Total Positive Marks: 516.00 **Total Negative Marks:** 44.00

PHY	CHEM	BIO	Total
95.00	92.00	285.00	472.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 462.00/720.00 (64.17%)

Max Score: 635.00

Rank: 12

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 72.76

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D		L	0.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C		L	0.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C		L	0.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 462.00/720.00 (64.17%)

Max Score: 635.00

Rank: 12

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 72.76

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 462.00/720.00 (64.17%)

Max Score: 635.00

Rank: 12

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 72.76

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A		L	0.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A		L	0.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A		L	0.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A		L	0.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 162 (**Correct:** 124 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 462.00

Total Positive Marks: 500.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
62.00	110.00	290.00	462.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 436.00/720.00 (60.56%)

Max Score: 635.00

Rank: 13

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 68.66

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D		L	0.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	C	R	4.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B		L	0.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D		L	0.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C		L	0.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C		L	0.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 436.00/720.00 (60.56%)

Max Score: 635.00

Rank: 13

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 68.66

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 436.00/720.00 (60.56%)

Max Score: 635.00

Rank: 13

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 68.66

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B		L	0.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 Attempted: 153 (Correct: 117 Incorrect: 36) Score Rate: 0.00 Strike Rate: 0.00

Total: 436.00

Total Positive Marks: 472.00 Total Negative Marks: 36.00

PHY	CHEM	BIO	Total
57.00	122.00	257.00	436.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 429.00/720.00 (59.58%)

Max Score: 635.00

Rank: 14

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 67.56

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B		L	0.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D		L	0.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C		L	0.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B		L	0.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B		L	0.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A		L	0.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D		L	0.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C		L	0.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B		L	0.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 429.00/720.00 (59.58%)

Max Score: 635.00

Rank: 14

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 67.56

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A		L	0.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 429.00/720.00 (59.58%)

Max Score: 635.00

Rank: 14

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 67.56

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C		L	0.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 130 (**Correct:** 111 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 429.00

Total Positive Marks: 448.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
25.00	81.00	323.00	429.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 424.00/720.00 (58.89%)

Max Score: 635.00

Rank: 15

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 66.77

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A		L	0.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D		L	0.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C		L	0.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C		L	0.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B		L	0.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 424.00/720.00 (58.89%)

Max Score: 635.00

Rank: 15

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 66.77

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D		L	0.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B		L	0.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C		L	0.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	D	R	4.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 424.00/720.00 (58.89%)

Max Score: 635.00

Rank: 15

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 66.77

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C		L	0.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A		L	0.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B		L	0.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C		L	0.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C		L	0.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D		L	0.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B		L	0.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

Total Question: 180 **Attempted:** 145 (**Correct:** 113 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 424.00

Total Positive Marks: 456.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
62.00	115.00	247.00	424.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 422.00/720.00 (58.61%)

Max Score: 635.00

Rank: 16

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 66.46

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C		L	0.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C		L	0.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 422.00/720.00 (58.61%)

Max Score: 635.00

Rank: 16

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 66.46

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 422.00/720.00 (58.61%)

Max Score: 635.00

Rank: 16

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 66.46

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A		L	0.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A		L	0.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 167 (**Correct:** 117 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 422.00

Total Positive Marks: 472.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
64.00	65.00	293.00	422.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 382.00/720.00 (53.06%)

Max Score: 635.00

Rank: 17

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 60.16

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A		L	0.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C		L	0.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C		L	0.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 382.00/720.00 (53.06%)

Max Score: 635.00

Rank: 17

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 60.16

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A		L	0.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSHWARDHAN TRIKAL (ID No. 47447)

Your Score: 382.00/720.00 (53.06%)

Max Score: 635.00

Rank: 17

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 60.16

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C		L	0.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B		L	0.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D		L	0.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 157 (**Correct:** 107 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 382.00

Total Positive Marks: 432.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
43.00	84.00	255.00	382.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 367.00/720.00 (50.97%)

Max Score: 635.00

Rank: 18

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 57.80

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B		L	0.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A		L	0.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D		L	0.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	C	R	4.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 367.00/720.00 (50.97%)

Max Score: 635.00

Rank: 18

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 57.80

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B		L	0.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C		L	0.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 367.00/720.00 (50.97%)

Max Score: 635.00

Rank: 18

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 57.80

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B		L	0.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

Total Question: 180 **Attempted:** 157 (**Correct:** 104 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 367.00

Total Positive Marks: 420.00 **Total Negative Marks:** 53.00

PHY	CHEM	BIO	Total
50.00	79.00	238.00	367.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 309.00/720.00 (42.92%)

Max Score: 635.00

Rank: 19

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 48.66

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A		L	0.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B		L	0.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B		L	0.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A		L	0.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D		L	0.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C		L	0.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C		L	0.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		B	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 309.00/720.00 (42.92%)

Max Score: 635.00

Rank: 19

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 48.66

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 309.00/720.00 (42.92%)

Max Score: 635.00

Rank: 19

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 48.66

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C		L	0.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B		L	0.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A		L	0.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 145 (**Correct:** 90 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 309.00

Total Positive Marks: 364.00 **Total Negative Marks:** 55.00

PHY	CHEM	BIO	Total
24.00	71.00	214.00	309.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 299.00/720.00 (41.53%)

Max Score: 635.00

Rank: 20

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 47.09

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A		L	0.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B		L	0.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B		L	0.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C		L	0.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A		L	0.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D		L	0.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A		L	0.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A		L	0.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B		L	0.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00			C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 299.00/720.00 (41.53%)

Max Score: 635.00

Rank: 20

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 47.09

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A		L	0.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C		L	0.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D		L	0.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B		L	0.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B		L	0.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D		L	0.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 299.00/720.00 (41.53%)

Max Score: 635.00

Rank: 20

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 47.09

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B		L	0.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A		L	0.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 115 (**Correct:** 82 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 299.00

Total Positive Marks: 332.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
50.00	13.00	236.00	299.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 296.00/720.00 (41.11%)

Max Score: 635.00

Rank: 21

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 46.61

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	75.00	33.33	41.67	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
3	37.50	20.83	16.67	PHY	NTA REG	4.00	1.00	D		L	0.00
4	50.00	25.00	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	66.67	45.83	20.83	PHY	NTA REG	4.00	1.00	A		L	0.00
6	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
7	75.00	58.33	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	87.50	87.50	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	87.50	79.17	8.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
10	95.83	70.83	25.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	79.17	0.00	79.17	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	95.83	79.17	16.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
13	58.33	37.50	20.83	PHY	NTA REG	4.00	1.00	C		L	0.00
14	91.67	62.50	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	62.50	37.50	25.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	79.17	50.00	29.17	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	79.17	8.33	70.83	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	79.17	54.17	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
19	91.67	87.50	4.17	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	91.67	70.83	20.83	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	83.33	16.67	66.67	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
22	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	70.83	45.83	25.00	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	91.67	54.17	37.50	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	100.00	70.83	29.17	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
26	45.83	8.33	37.50	PHY	NTA REG	4.00	1.00	A		L	0.00
27	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
28	87.50	50.00	37.50	PHY	NTA REG	4.00	1.00	C	C	R	4.00
29	58.33	16.67	41.67	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	66.67	58.33	8.33	PHY	NTA REG	4.00	1.00	D		L	0.00
31	100.00	91.67	8.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
32	70.83	41.67	29.17	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	58.33	54.17	4.17	PHY	NTA REG	4.00	1.00	D		L	0.00
34	79.17	58.33	20.83	PHY	NTA REG	4.00	1.00	D		L	0.00
35	70.83	54.17	16.67	PHY	NTA REG	4.00	1.00	B		L	0.00
36	79.17	75.00	4.17	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	75.00	75.00	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
38	37.50	25.00	12.50	PHY	NTA REG	4.00	1.00	B		L	0.00
39	66.67	33.33	33.33	PHY	NTA REG	4.00	1.00	C		L	0.00
40	75.00	25.00	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
41	29.17	12.50	16.67	PHY	NTA REG	4.00	1.00	C		L	0.00
42	91.67	29.17	62.50	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
43	41.67	16.67	25.00	PHY	NTA REG	4.00	1.00	A		L	0.00
44	70.83	20.83	50.00	PHY	NTA REG	4.00	1.00	B		L	0.00
45	58.33	25.00	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
46	95.83	95.83	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
47	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
48	95.83	83.33	12.50	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	87.50	41.67	45.83	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	91.67	66.67	25.00	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
51	91.67	4.17	87.50	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
52	91.67	75.00	16.67	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	95.83	25.00	70.83	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	83.33	62.50	20.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
55	91.67	54.17	37.50	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
56	95.83	50.00	45.83	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
57	95.83	75.00	20.83	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
58	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
60	95.83	37.50	58.33	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
61	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	95.83	33.33	62.50	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	100.00	100.00	0.00	CHEM	NTA REG	4.00	1.00		D	C	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 296.00/720.00 (41.11%)

Max Score: 635.00

Rank: 21

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 46.61

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	83.33	12.50	70.83	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
67	87.50	58.33	29.17	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	87.50	75.00	12.50	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	95.83	70.83	25.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	95.83	91.67	4.17	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	87.50	33.33	54.17	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	91.67	91.67	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	83.33	58.33	25.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
75	91.67	87.50	4.17	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
76	95.83	87.50	8.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	87.50	70.83	16.67	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	75.00	54.17	20.83	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	83.33	41.67	41.67	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	91.67	83.33	8.33	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
81	95.83	66.67	29.17	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
82	91.67	62.50	29.17	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
83	95.83	58.33	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	58.33	20.83	37.50	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
85	70.83	33.33	37.50	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
87	91.67	79.17	12.50	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	79.17	54.17	25.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	100.00	75.00	25.00	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
90	91.67	58.33	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
91	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
92	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
93	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
95	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
96	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
97	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A		L	0.00
98	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
100	91.67	62.50	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
101	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
102	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
103	95.83	95.83	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
105	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
106	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
108	91.67	91.67	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
110	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
111	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	100.00	62.50	37.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
115	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
117	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	B	B	R	4.00
118	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
119	91.67	54.17	37.50	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
120	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	95.83	87.50	8.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
123	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	87.50	54.17	33.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 296.00/720.00 (41.11%)

Max Score: 635.00

Rank: 21

Min Score: 296.00

TEST: LT-16 (NEET) (ID: 24 DT: 13-Jan-2024)

Percentile: 46.61

Avg Score: 465.88

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
128	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
129	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	87.50	79.17	8.33	BIO	NTA REG	4.00	1.00	A		L	0.00
131	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	D	D	R	4.00
134	95.83	66.67	29.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	A	A	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	A	A	R	4.00
141	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
142	95.83	41.67	54.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
145	100.00	45.83	54.17	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
146	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	91.67	79.17	12.50	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
149	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
150	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	100.00	83.33	16.67	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
154	87.50	87.50	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
155	100.00	79.17	20.83	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
157	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	70.83	29.17	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
159	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
162	87.50	66.67	20.83	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	100.00	87.50	12.50	BIO	NTA REG	4.00	1.00	B	B	R	4.00
164	95.83	54.17	41.67	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
165	95.83	79.17	16.67	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	95.83	91.67	4.17	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	91.67	83.33	8.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	91.67	75.00	16.67	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
170	95.83	83.33	12.50	BIO	NTA REG	4.00	1.00	A		L	0.00
171	95.83	75.00	20.83	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
172	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
173	87.50	83.33	4.17	BIO	NTA REG	4.00	1.00	D	D	R	4.00
174	95.83	70.83	25.00	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
175	87.50	50.00	37.50	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
176	91.67	87.50	4.17	BIO	NTA REG	4.00	1.00	A		L	0.00
177	100.00	95.83	4.17	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	100.00	75.00	25.00	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
180	100.00	91.67	8.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00

Total Question: 180 **Attempted:** 153 (**Correct:** 89 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 296.00

Total Positive Marks: 360.00 **Total Negative Marks:** 64.00

PHY	CHEM	BIO	Total
64.00	58.00	174.00	296.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%