

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 682.00/720.00 (94.72%)

**Max Score:** 682.00

**Rank:** 1

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 682.00/720.00 (94.72%)

**Max Score:** 682.00

**Rank:** 1

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	D	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 682.00/720.00 (94.72%)

**Max Score:** 682.00

**Rank:** 1

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 178 (**Correct:** 172 **Incorrect:** 6) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 682.00

**Total Positive Marks:** 688.00 **Total Negative Marks:** 6.00

PHY	CHEM	BIO	Total
162.00	175.00	345.00	682.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 670.00/720.00 (93.06%)

**Max Score:** 682.00

**Rank:** 2

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 98.24

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 670.00/720.00 (93.06%)

**Max Score:** 682.00

**Rank:** 2

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 98.24

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	D	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 670.00/720.00 (93.06%)

**Max Score:** 682.00

**Rank:** 2

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 98.24

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 180 (**Correct:** 170 **Incorrect:** 10) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 670.00

**Total Positive Marks:** 680.00 **Total Negative Marks:** 10.00

PHY	CHEM	BIO	Total
155.00	175.00	340.00	670.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 666.00/720.00 (92.50%)

**Max Score:** 682.00

**Rank:** 3

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 97.65

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 666.00/720.00 (92.50%)

**Max Score:** 682.00

**Rank:** 3

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 97.65

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 666.00/720.00 (92.50%)

**Max Score:** 682.00

**Rank:** 3

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 97.65

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 179 (**Correct:** 169 **Incorrect:** 10) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 666.00

**Total Positive Marks:** 676.00 **Total Negative Marks:** 10.00

PHY	CHEM	BIO	Total
151.00	175.00	340.00	666.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 665.00/720.00 (92.36%)

**Max Score:** 682.00

**Rank:** 4

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 97.51

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 665.00/720.00 (92.36%)

**Max Score:** 682.00

**Rank:** 4

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 97.51

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 665.00/720.00 (92.36%)

**Max Score:** 682.00

**Rank:** 4

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 97.51

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 180 (**Correct:** 169 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 665.00

**Total Positive Marks:** 676.00 **Total Negative Marks:** 11.00

PHY	CHEM	BIO	Total
155.00	175.00	335.00	665.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 638.00/720.00 (88.61%)

**Max Score:** 682.00

**Rank:** 5

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 93.55

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 638.00/720.00 (88.61%)

**Max Score:** 682.00

**Rank:** 5

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 93.55

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	D	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 638.00/720.00 (88.61%)

**Max Score:** 682.00

**Rank:** 5

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 93.55

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 177 (**Correct:** 163 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 638.00

**Total Positive Marks:** 652.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
132.00	161.00	345.00	638.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 634.00/720.00 (88.06%)

**Max Score:** 682.00

**Rank:** 6

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 92.96

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 634.00/720.00 (88.06%)

**Max Score:** 682.00

**Rank:** 6

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 92.96

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	D	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 634.00/720.00 (88.06%)

**Max Score:** 682.00

**Rank:** 6

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 92.96

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 176 (**Correct:** 162 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 634.00

**Total Positive Marks:** 648.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
119.00	175.00	340.00	634.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 613.00/720.00 (85.14%)

**Max Score:** 682.00

**Rank:** 7

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 89.88

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 613.00/720.00 (85.14%)

**Max Score:** 682.00

**Rank:** 7

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 89.88

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	D	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 613.00/720.00 (85.14%)

**Max Score:** 682.00

**Rank:** 7

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 89.88

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 177 (**Correct:** 158 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 613.00

**Total Positive Marks:** 632.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
128.00	155.00	330.00	613.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 596.00/720.00 (82.78%)

**Max Score:** 682.00

**Rank:** 8

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 87.39

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 596.00/720.00 (82.78%)

**Max Score:** 682.00

**Rank:** 8

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 87.39

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	D	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 596.00/720.00 (82.78%)

**Max Score:** 682.00

**Rank:** 8

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 87.39

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 179 (**Correct:** 155 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 596.00

**Total Positive Marks:** 620.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
136.00	160.00	300.00	596.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 590.00/720.00 (81.94%)

**Max Score:** 682.00

**Rank:** 9

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 86.51

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C		L	0.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	B	R	4.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B		L	0.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B		L	0.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 590.00/720.00 (81.94%)

**Max Score:** 682.00

**Rank:** 9

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 86.51

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	D	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 590.00/720.00 (81.94%)

**Max Score:** 682.00

**Rank:** 9

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 86.51

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 170 (**Correct:** 152 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 590.00

**Total Positive Marks:** 608.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
110.00	150.00	330.00	590.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 584.00/720.00 (81.11%)

**Max Score:** 682.00

**Rank:** 10

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 85.63

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 584.00/720.00 (81.11%)

**Max Score:** 682.00

**Rank:** 10

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 85.63

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 584.00/720.00 (81.11%)

**Max Score:** 682.00

**Rank:** 10

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 85.63

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 176 (**Correct:** 152 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 584.00

**Total Positive Marks:** 608.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
122.00	147.00	315.00	584.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 581.00/720.00 (80.69%)

**Max Score:** 682.00

**Rank:** 11

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 85.19

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B		L	0.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 581.00/720.00 (80.69%)

**Max Score:** 682.00

**Rank:** 11

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 85.19

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 581.00/720.00 (80.69%)

**Max Score:** 682.00

**Rank:** 11

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 85.19

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A		L	0.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 164 (**Correct:** 149 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 581.00

**Total Positive Marks:** 596.00 **Total Negative Marks:** 15.00

PHY	CHEM	BIO	Total
109.00	141.00	331.00	581.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 576.00/720.00 (80.00%)

**Max Score:** 682.00

**Rank:** 12

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 84.46

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 576.00/720.00 (80.00%)

**Max Score:** 682.00

**Rank:** 12

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 84.46

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	AC	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 576.00/720.00 (80.00%)

**Max Score:** 682.00

**Rank:** 12

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 84.46

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A		L	0.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C		L	0.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 164 (**Correct:** 148 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 576.00

**Total Positive Marks:** 592.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
148.00	144.00	284.00	576.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 543.00/720.00 (75.42%)

**Max Score:** 682.00

**Rank:** 13

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 79.62

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 543.00/720.00 (75.42%)

**Max Score:** 682.00

**Rank:** 13

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 79.62

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	C	W	-1.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 543.00/720.00 (75.42%)

**Max Score:** 682.00

**Rank:** 13

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 79.62

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 177 (**Correct:** 144 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 543.00

**Total Positive Marks:** 576.00 **Total Negative Marks:** 33.00

PHY	CHEM	BIO	Total
108.00	175.00	260.00	543.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 532.00/720.00 (73.89%)

**Max Score:** 682.00

**Rank:** 14

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 78.01

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	B	R	4.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 532.00/720.00 (73.89%)

**Max Score:** 682.00

**Rank:** 14

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 78.01

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 532.00/720.00 (73.89%)

**Max Score:** 682.00

**Rank:** 14

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 78.01

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 173 (**Correct:** 141 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 532.00

**Total Positive Marks:** 564.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
74.00	138.00	320.00	532.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 505.00/720.00 (70.14%)

**Max Score:** 682.00

**Rank:** 15

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 74.05

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B		L	0.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C		L	0.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B		L	0.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 505.00/720.00 (70.14%)

**Max Score:** 682.00

**Rank:** 15

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 74.05

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 505.00/720.00 (70.14%)

**Max Score:** 682.00

**Rank:** 15

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 74.05

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 160 (**Correct:** 133 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 505.00

**Total Positive Marks:** 532.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
86.00	109.00	310.00	505.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 498.00/720.00 (69.17%)

**Max Score:** 682.00

**Rank:** 16

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 73.02

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 498.00/720.00 (69.17%)

**Max Score:** 682.00

**Rank:** 16

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 73.02

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 498.00/720.00 (69.17%)

**Max Score:** 682.00

**Rank:** 16

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 73.02

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 167 (**Correct:** 133 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 498.00

**Total Positive Marks:** 532.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
96.00	134.00	268.00	<b>498.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 489.00/720.00 (67.92%)

**Max Score:** 682.00

**Rank:** 17

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 71.70

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	A	R	4.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B		L	0.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 489.00/720.00 (67.92%)

**Max Score:** 682.00

**Rank:** 17

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 71.70

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	D	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 489.00/720.00 (67.92%)

**Max Score:** 682.00

**Rank:** 17

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 71.70

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C		L	0.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A		L	0.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 166 (**Correct:** 131 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 489.00

**Total Positive Marks:** 524.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
100.00	110.00	279.00	489.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 466.00/720.00 (64.72%)

**Max Score:** 682.00

**Rank:** 18

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 68.33

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 466.00/720.00 (64.72%)

**Max Score:** 682.00

**Rank:** 18

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 68.33

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 466.00/720.00 (64.72%)

**Max Score:** 682.00

**Rank:** 18

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 68.33

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 174 (**Correct:** 128 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 466.00

**Total Positive Marks:** 512.00 **Total Negative Marks:** 46.00

PHY	CHEM	BIO	Total
77.00	114.00	275.00	466.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 682.00

**Rank:** 19

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 63.78

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C		L	0.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B		L	0.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A		L	0.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B		L	0.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C		L	0.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B		L	0.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D		L	0.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C		L	0.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B		L	0.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C		L	0.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B		L	0.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A		L	0.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B		L	0.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 682.00

**Rank:** 19

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 63.78

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 682.00

**Rank:** 19

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 63.78

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 130 (**Correct:** 113 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 435.00

**Total Positive Marks:** 452.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
0.00	139.00	296.00	435.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 428.00/720.00 (59.44%)

**Max Score:** 682.00

**Rank:** 20

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 62.76

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B		L	0.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C		L	0.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B		L	0.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D		L	0.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C		L	0.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B		L	0.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 428.00/720.00 (59.44%)

**Max Score:** 682.00

**Rank:** 20

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 62.76

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B		L	0.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B		L	0.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C		L	0.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	C	W	-1.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D		L	0.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 428.00/720.00 (59.44%)

**Max Score:** 682.00

**Rank:** 20

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 62.76

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A		L	0.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A		L	0.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D		L	0.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C		L	0.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D		L	0.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D		L	0.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C		L	0.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D		L	0.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B		L	0.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

**Total Question:** 180 **Attempted:** 132 (**Correct:** 112 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 428.00

**Total Positive Marks:** 448.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
70.00	151.00	207.00	428.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 427.00/720.00 (59.31%)

**Max Score:** 682.00

**Rank:** 21

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 62.61

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C		L	0.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B		L	0.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A		L	0.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B		L	0.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C		L	0.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B		L	0.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D		L	0.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B		L	0.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A		L	0.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B		L	0.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 427.00/720.00 (59.31%)

**Max Score:** 682.00

**Rank:** 21

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 62.61

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A		L	0.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B		L	0.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 427.00/720.00 (59.31%)

**Max Score:** 682.00

**Rank:** 21

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 62.61

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

**Total Question:** 180 **Attempted:** 138 (**Correct:** 113 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 427.00

**Total Positive Marks:** 452.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
34.00	111.00	282.00	427.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 391.00/720.00 (54.31%)

**Max Score:** 682.00

**Rank:** 22

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 57.33

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C		L	0.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A		L	0.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A		L	0.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 391.00/720.00 (54.31%)

**Max Score:** 682.00

**Rank:** 22

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 57.33

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A		L	0.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 391.00/720.00 (54.31%)

**Max Score:** 682.00

**Rank:** 22

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 57.33

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 159 (**Correct:** 110 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 391.00

**Total Positive Marks:** 440.00 **Total Negative Marks:** 49.00

PHY	CHEM	BIO	Total
42.00	126.00	223.00	<b>391.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 331.00/720.00 (45.97%)

**Max Score:** 682.00

**Rank:** 23

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 48.53

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C		L	0.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B		L	0.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A		L	0.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B		L	0.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C		L	0.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B		L	0.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D		L	0.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C		L	0.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B		L	0.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C		L	0.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B		L	0.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A		L	0.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B		L	0.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 331.00/720.00 (45.97%)

**Max Score:** 682.00

**Rank:** 23

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 48.53

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	A	R	4.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	D	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 331.00/720.00 (45.97%)

**Max Score:** 682.00

**Rank:** 23

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 48.53

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A		L	0.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	D	R	4.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

**Total Question:** 180 **Attempted:** 119 (**Correct:** 90 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 331.00

**Total Positive Marks:** 360.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
0.00	86.00	245.00	331.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 306.00/720.00 (42.50%)

**Max Score:** 682.00

**Rank:** 24

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 44.87

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C		L	0.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C		L	0.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A		L	0.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C		L	0.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A		L	0.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B		L	0.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D		L	0.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 306.00/720.00 (42.50%)

**Max Score:** 682.00

**Rank:** 24

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 44.87

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A		L	0.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A		L	0.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A		L	0.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A		L	0.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D		L	0.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 306.00/720.00 (42.50%)

**Max Score:** 682.00

**Rank:** 24

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 44.87

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C		L	0.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	D	R	4.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B		L	0.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D		L	0.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 124 (**Correct:** 86 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 306.00

**Total Positive Marks:** 344.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
56.00	49.00	201.00	306.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 289.00/720.00 (40.14%)

**Max Score:** 682.00

**Rank:** 25

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 42.38

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C		L	0.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B		L	0.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 289.00/720.00 (40.14%)

**Max Score:** 682.00

**Rank:** 25

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 42.38

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 289.00/720.00 (40.14%)

**Max Score:** 682.00

**Rank:** 25

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 42.38

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B		L	0.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**Total Question:** 180 **Attempted:** 141 (**Correct:** 86 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 289.00

**Total Positive Marks:** 344.00 **Total Negative Marks:** 55.00

PHY	CHEM	BIO	Total
60.00	25.00	204.00	289.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 255.00/720.00 (35.42%)

**Max Score:** 682.00

**Rank:** 26

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 37.39

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	C	R	4.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B		L	0.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C		L	0.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B		L	0.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 255.00/720.00 (35.42%)

**Max Score:** 682.00

**Rank:** 26

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 37.39

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D		L	0.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD	B	R	4.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D		L	0.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D		L	0.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B		L	0.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C		L	0.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 255.00/720.00 (35.42%)

**Max Score:** 682.00

**Rank:** 26

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 37.39

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B		L	0.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B		L	0.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C		L	0.00

**Total Question:** 180 **Attempted:** 140 (**Correct:** 79 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 255.00

**Total Positive Marks:** 316.00 **Total Negative Marks:** 61.00

PHY	CHEM	BIO	Total
67.00	68.00	120.00	255.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 138.00/720.00 (19.17%)

**Max Score:** 682.00

**Rank:** 27

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 20.23

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	85.19	70.37	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
2	85.19	29.63	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
3	74.07	18.52	55.56	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
5	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
6	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
7	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
8	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
9	55.56	55.56	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
10	81.48	66.67	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	85.19	77.78	7.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	77.78	59.26	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
13	74.07	74.07	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	81.48	51.85	29.63	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
15	85.19	40.74	44.44	PHY	NTA REG	4.00	1.00	B		L	0.00
16	74.07	48.15	25.93	PHY	NTA REG	4.00	1.00	C		L	0.00
17	59.26	55.56	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
18	77.78	44.44	33.33	PHY	NTA REG	4.00	1.00	B		L	0.00
19	81.48	70.37	11.11	PHY	NTA REG	4.00	1.00	D		L	0.00
20	85.19	85.19	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
21	81.48	77.78	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
22	85.19	81.48	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
23	74.07	62.96	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
24	11.11	11.11	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
25	85.19	74.07	11.11	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
26	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	C		L	0.00
27	70.37	3.70	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	85.19	55.56	29.63	PHY	NTA REG	4.00	1.00	B		L	0.00
30	74.07	7.41	66.67	PHY	NTA REG	4.00	1.00	B		L	0.00
31	81.48	81.48	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	92.59	66.67	25.93	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	62.96	55.56	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
34	77.78	66.67	11.11	PHY	NTA REG	4.00	1.00	A		L	0.00
35	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
36	77.78	70.37	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
37	74.07	55.56	18.52	PHY	NTA REG	4.00	1.00	B		L	0.00
38	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
39	55.56	51.85	3.70	PHY	NTA REG	4.00	1.00	B		L	0.00
40	70.37	66.67	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
41	77.78	33.33	44.44	PHY	NTA REG	4.00	1.00	A		L	0.00
42	51.85	44.44	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
43	70.37	29.63	40.74	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	59.26	44.44	14.81	PHY	NTA REG	4.00	1.00	D		L	0.00
45	77.78	62.96	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
46	88.89	62.96	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	96.30	96.30	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	96.30	70.37	25.93	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
49	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	100.00	92.59	7.41	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	81.48	77.78	3.70	CHEM	NTA REG	4.00	1.00	C		L	0.00
53	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
54	96.30	88.89	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.89	88.89	0.00	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	66.67	59.26	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	92.59	88.89	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	74.07	70.37	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	100.00	62.96	37.04	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	77.78	48.15	29.63	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	D		L	0.00
63	88.89	77.78	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 138.00/720.00 (19.17%)

**Max Score:** 682.00

**Rank:** 27

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 20.23

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	44.44	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D		L	0.00
68	81.48	81.48	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	88.89	74.07	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	96.30	81.48	14.81	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
74	88.89	85.19	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
75	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.59	81.48	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	51.85	40.74	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	85.19	74.07	11.11	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	77.78	74.07	3.70	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	77.78	70.37	7.41	CHEM	NTA REG	4.00	1.00	C		L	0.00
82	85.19	81.48	3.70	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	74.07	40.74	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
84	88.89	66.67	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	85.19	70.37	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	77.78	62.96	14.81	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	92.59	74.07	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	92.59	85.19	7.41	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	92.59	92.59	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	81.48	55.56	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
91	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C		L	0.00
92	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
93	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
94	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
96	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
98	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
99	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
100	92.59	55.56	37.04	BIO	NTA REG	4.00	1.00	A		L	0.00
101	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D		L	0.00
103	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B		L	0.00
105	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
107	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
108	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
109	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
110	92.59	40.74	51.85	BIO	NTA REG	4.00	1.00	A		L	0.00
111	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
112	96.30	55.56	40.74	BIO	NTA REG	4.00	1.00	A		L	0.00
113	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
114	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
115	88.89	74.07	14.81	BIO	NTA REG	4.00	1.00	A		L	0.00
116	96.30	88.89	7.41	BIO	NTA MULTI ANS	4.00	1.00	BD		L	0.00
117	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	C		L	0.00
119	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A		L	0.00
120	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
121	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
122	85.19	59.26	25.93	BIO	NTA REG	4.00	1.00	D		L	0.00
123	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
126	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 138.00/720.00 (19.17%)

**Max Score:** 682.00

**Rank:** 27

**Min Score:** 138.00

**TEST:** LT-17 (NEET) ( ID: 25 DT: 16-Jan-2024 )

**Percentile:** 20.23

**Avg Score:** 501.04

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
128	85.19	77.78	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
129	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
135	92.59	92.59	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
136	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
137	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
139	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
143	100.00	48.15	51.85	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
148	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
149	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
154	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.30	33.33	62.96	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
157	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
158	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
159	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	88.89	44.44	44.44	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
161	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	A	A	R	4.00
163	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
166	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	81.48	77.78	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.30	70.37	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D		L	0.00
171	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B		L	0.00
172	92.59	62.96	29.63	BIO	NTA REG	4.00	1.00	D		L	0.00
173	92.59	74.07	18.52	BIO	NTA REG	4.00	1.00	B		L	0.00
174	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
175	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
176	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
178	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
179	92.59	59.26	33.33	BIO	NTA REG	4.00	1.00	B		L	0.00
180	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	C		L	0.00

**Total Question:** 180 **Attempted:** 82 (**Correct:** 44 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 138.00

**Total Positive Marks:** 176.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
9.00	10.00	119.00	138.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%