

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 640.00/720.00 (88.89%)

Max Score: 640.00

Rank: 1

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 100.00

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 640.00/720.00 (88.89%)

Max Score: 640.00

Rank: 1

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 100.00

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 640.00/720.00 (88.89%)

Max Score: 640.00

Rank: 1

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 100.00

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 180 (**Correct:** 164 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 640.00

Total Positive Marks: 656.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
165.00	135.00	340.00	640.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 621.00/720.00 (86.25%)

Max Score: 640.00

Rank: 2

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 97.03

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 621.00/720.00 (86.25%)

Max Score: 640.00

Rank: 2

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 97.03

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 621.00/720.00 (86.25%)

Max Score: 640.00

Rank: 2

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 97.03

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 160 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 621.00

Total Positive Marks: 640.00 **Total Negative Marks:** 19.00

PHY	CHEM	BIO	Total
161.00	130.00	330.00	621.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 582.00/720.00 (80.83%)

Max Score: 640.00

Rank: 3

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 90.94

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 582.00/720.00 (80.83%)

Max Score: 640.00

Rank: 3

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 90.94

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 582.00/720.00 (80.83%)

Max Score: 640.00

Rank: 3

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 90.94

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D		L	0.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 173 (**Correct:** 151 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 582.00

Total Positive Marks: 604.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
150.00	101.00	331.00	582.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 573.00/720.00 (79.58%)

Max Score: 640.00

Rank: 4

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 89.53

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS	
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C		L	0.00	
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	C	R	4.00	
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00	
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00	
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B		R	4.00	
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		D	W	-1.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B		B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B		B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D		D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A		A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D		D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A		A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D		D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D		L	0.00	
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C		C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B		B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C		C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C		C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D		D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C		C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B		B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C		C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D		D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A		A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D		A	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A		A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A		A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C		C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A		D	W	-1.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C		C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A		A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D		D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C		D	W	-1.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D		D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A		A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C		C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00	
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A		A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B		B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C		C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B		B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B		B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		C	W	-1.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		D	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B		B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A		A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		B	W	-1.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C		B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		C	R	4.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		C	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		A	W	-1.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		C	R	4.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 573.00/720.00 (79.58%)

Max Score: 640.00

Rank: 4

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 89.53

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 573.00/720.00 (79.58%)

Max Score: 640.00

Rank: 4

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 89.53

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 172 (**Correct:** 149 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 573.00

Total Positive Marks: 596.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
143.00	90.00	340.00	573.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 564.00/720.00 (78.33%)

Max Score: 640.00

Rank: 5

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 88.13

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D		L	0.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 564.00/720.00 (78.33%)

Max Score: 640.00

Rank: 5

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 88.13

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 564.00/720.00 (78.33%)

Max Score: 640.00

Rank: 5

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 88.13

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 171 (**Correct:** 147 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 564.00

Total Positive Marks: 588.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
148.00	86.00	330.00	564.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 562.00/720.00 (78.06%)

Max Score: 640.00

Rank: 6

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 87.81

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C		L	0.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 562.00/720.00 (78.06%)

Max Score: 640.00

Rank: 6

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 87.81

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 562.00/720.00 (78.06%)

Max Score: 640.00

Rank: 6

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 87.81

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 158 (**Correct:** 144 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 562.00

Total Positive Marks: 576.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
144.00	78.00	340.00	562.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 529.00/720.00 (73.47%)

Max Score: 640.00

Rank: 7

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 82.66

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 529.00/720.00 (73.47%)

Max Score: 640.00

Rank: 7

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 82.66

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 529.00/720.00 (73.47%)

Max Score: 640.00

Rank: 7

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 82.66

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 166 (**Correct:** 139 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 529.00

Total Positive Marks: 556.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
130.00	69.00	330.00	529.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 513.00/720.00 (71.25%)

Max Score: 640.00

Rank: 8

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 80.16

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C		L	0.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 513.00/720.00 (71.25%)

Max Score: 640.00

Rank: 8

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 80.16

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 513.00/720.00 (71.25%)

Max Score: 640.00

Rank: 8

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 80.16

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D		L	0.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 157 (**Correct:** 134 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 513.00

Total Positive Marks: 536.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
128.00	49.00	336.00	513.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 510.00/720.00 (70.83%)

Max Score: 640.00

Rank: 9

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 79.69

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 510.00/720.00 (70.83%)

Max Score: 640.00

Rank: 9

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 79.69

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 510.00/720.00 (70.83%)

Max Score: 640.00

Rank: 9

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 79.69

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 175 (**Correct:** 137 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 510.00

Total Positive Marks: 548.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
130.00	80.00	300.00	510.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 504.00/720.00 (70.00%)

Max Score: 640.00

Rank: 10

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 78.75

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C		L	0.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 504.00/720.00 (70.00%)

Max Score: 640.00

Rank: 10

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 78.75

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 504.00/720.00 (70.00%)

Max Score: 640.00

Rank: 10

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 78.75

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A		L	0.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 161 (**Correct:** 133 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 504.00

Total Positive Marks: 532.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
147.00	81.00	276.00	504.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 496.00/720.00 (68.89%)

Max Score: 640.00

Rank: 11

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 77.50

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 496.00/720.00 (68.89%)

Max Score: 640.00

Rank: 11

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 77.50

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 496.00/720.00 (68.89%)

Max Score: 640.00

Rank: 11

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 77.50

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 154 (**Correct:** 130 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 496.00

Total Positive Marks: 520.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
124.00	52.00	320.00	496.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 466.00/720.00 (64.72%)

Max Score: 640.00

Rank: 12

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 72.81

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 466.00/720.00 (64.72%)

Max Score: 640.00

Rank: 12

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 72.81

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 466.00/720.00 (64.72%)

Max Score: 640.00

Rank: 12

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 72.81

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 179 (**Correct:** 129 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 466.00

Total Positive Marks: 516.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
125.00	40.00	301.00	466.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 464.00/720.00 (64.44%)

Max Score: 640.00

Rank: 13

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 72.50

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C		L	0.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B		L	0.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D		L	0.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 464.00/720.00 (64.44%)

Max Score: 640.00

Rank: 13

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 72.50

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 464.00/720.00 (64.44%)

Max Score: 640.00

Rank: 13

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 72.50

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C		L	0.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 131 (**Correct:** 119 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 464.00

Total Positive Marks: 476.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
123.00	10.00	331.00	464.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 443.00/720.00 (61.53%)

Max Score: 640.00

Rank: 14

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 69.22

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D		L	0.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 443.00/720.00 (61.53%)

Max Score: 640.00

Rank: 14

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 69.22

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 443.00/720.00 (61.53%)

Max Score: 640.00

Rank: 14

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 69.22

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 147 (**Correct:** 118 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 443.00

Total Positive Marks: 472.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
133.00	44.00	266.00	443.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 433.00/720.00 (60.14%)

Max Score: 640.00

Rank: 15

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 67.66

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D		L	0.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 433.00/720.00 (60.14%)

Max Score: 640.00

Rank: 15

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 67.66

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C		L	0.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A		L	0.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 433.00/720.00 (60.14%)

Max Score: 640.00

Rank: 15

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 67.66

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C		L	0.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 152 (**Correct:** 117 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 433.00

Total Positive Marks: 468.00 **Total Negative Marks:** 35.00

PHY	CHEM	BIO	Total
116.00	48.00	269.00	433.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 430.00/720.00 (59.72%)

Max Score: 640.00

Rank: 16

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 67.19

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C		L	0.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 430.00/720.00 (59.72%)

Max Score: 640.00

Rank: 16

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 67.19

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 430.00/720.00 (59.72%)

Max Score: 640.00

Rank: 16

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 67.19

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 125 (**Correct:** 111 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 430.00

Total Positive Marks: 444.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
109.00	0.00	321.00	430.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 416.00/720.00 (57.78%)

Max Score: 640.00

Rank: 17

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 65.00

Avq Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 416.00/720.00 (57.78%)

Max Score: 640.00

Rank: 17

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 65.00

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 416.00/720.00 (57.78%)

Max Score: 640.00

Rank: 17

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 65.00

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 169 (**Correct:** 117 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 416.00

Total Positive Marks: 468.00 **Total Negative Marks:** 52.00

PHY	CHEM	BIO	Total
95.00	26.00	295.00	416.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 396.00/720.00 (55.00%)

Max Score: 640.00

Rank: 18

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 61.88

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D		L	0.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 396.00/720.00 (55.00%)

Max Score: 640.00

Rank: 18

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 61.88

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C		L	0.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A		L	0.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 396.00/720.00 (55.00%)

Max Score: 640.00

Rank: 18

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 61.88

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A		L	0.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D		L	0.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B		L	0.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D		L	0.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C		L	0.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B		L	0.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 124 (**Correct:** 104 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 396.00

Total Positive Marks: 416.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
119.00	18.00	259.00	396.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 378.00/720.00 (52.50%)

Max Score: 640.00

Rank: 19

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 59.06

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D		L	0.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 378.00/720.00 (52.50%)

Max Score: 640.00

Rank: 19

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 59.06

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A		L	0.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B		L	0.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B		L	0.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 378.00/720.00 (52.50%)

Max Score: 640.00

Rank: 19

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 59.06

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 132 (**Correct:** 102 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 378.00

Total Positive Marks: 408.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
61.00	42.00	275.00	378.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 377.00/720.00 (52.36%)

Max Score: 640.00

Rank: 20

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 58.91

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 377.00/720.00 (52.36%)

Max Score: 640.00

Rank: 20

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 58.91

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 377.00/720.00 (52.36%)

Max Score: 640.00

Rank: 20

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 58.91

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A		L	0.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A		L	0.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D		L	0.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C		L	0.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C		L	0.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D		L	0.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 153 (**Correct:** 106 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 377.00

Total Positive Marks: 424.00 **Total Negative Marks:** 47.00

PHY	CHEM	BIO	Total
125.00	28.00	224.00	377.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 368.00/720.00 (51.11%)

Max Score: 640.00

Rank: 21

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 57.50

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C		L	0.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D		L	0.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D		L	0.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D		L	0.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 368.00/720.00 (51.11%)

Max Score: 640.00

Rank: 21

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 57.50

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 368.00/720.00 (51.11%)

Max Score: 640.00

Rank: 21

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 57.50

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B		L	0.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B		L	0.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 122 (**Correct:** 98 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 368.00

Total Positive Marks: 392.00 **Total Negative Marks:** 24.00

PHY	CHEM	BIO	Total
100.00	15.00	253.00	368.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 356.00/720.00 (49.44%)

Max Score: 640.00

Rank: 22

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 55.63

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D		L	0.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D		L	0.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 356.00/720.00 (49.44%)

Max Score: 640.00

Rank: 22

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 55.63

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C		L	0.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C		L	0.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A		L	0.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B		L	0.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 356.00/720.00 (49.44%)

Max Score: 640.00

Rank: 22

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 55.63

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A		L	0.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A		L	0.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A		L	0.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	C	R	4.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B		L	0.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A		L	0.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A		L	0.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00

Total Question: 180 **Attempted:** 109 (**Correct:** 93 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 356.00

Total Positive Marks: 372.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
110.00	8.00	238.00	356.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 342.00/720.00 (47.50%)

Max Score: 640.00

Rank: 23

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 53.44

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C		L	0.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D		L	0.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D		L	0.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D		L	0.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A		L	0.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 342.00/720.00 (47.50%)

Max Score: 640.00

Rank: 23

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 53.44

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C		L	0.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C		L	0.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B		L	0.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A		L	0.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B		L	0.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C		L	0.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 342.00/720.00 (47.50%)

Max Score: 640.00

Rank: 23

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 53.44

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D		L	0.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A		L	0.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D		L	0.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D		L	0.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C		L	0.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B		L	0.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A		L	0.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 123 (**Correct:** 93 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 342.00

Total Positive Marks: 372.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
106.00	45.00	191.00	342.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 340.00/720.00 (47.22%)

Max Score: 640.00

Rank: 24

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 53.13

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A		L	0.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B		L	0.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D		L	0.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B		L	0.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C		L	0.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A		L	0.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B		L	0.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 340.00/720.00 (47.22%)

Max Score: 640.00

Rank: 24

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 53.13

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C		L	0.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A		L	0.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A		L	0.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B		L	0.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D		L	0.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	C	R	4.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 340.00/720.00 (47.22%)

Max Score: 640.00

Rank: 24

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 53.13

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C		L	0.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C		L	0.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C		L	0.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00

Total Question: 180 **Attempted:** 120 (**Correct:** 92 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 340.00

Total Positive Marks: 368.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
67.00	-1.00	274.00	340.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 325.00/720.00 (45.14%)

Max Score: 640.00

Rank: 25

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 50.78

Avq Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C		L	0.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C		L	0.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D		L	0.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A		L	0.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	C	R	4.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C		L	0.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A		L	0.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C		L	0.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 325.00/720.00 (45.14%)

Max Score: 640.00

Rank: 25

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 50.78

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A		L	0.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D		L	0.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C		L	0.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C		L	0.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D		L	0.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B		L	0.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B		L	0.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 325.00/720.00 (45.14%)

Max Score: 640.00

Rank: 25

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 50.78

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	C	R	4.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	D	R	4.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	AC	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 135 (**Correct:** 92 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 325.00

Total Positive Marks: 368.00 **Total Negative Marks:** 43.00

PHY	CHEM	BIO	Total
99.00	26.00	200.00	325.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 299.00/720.00 (41.53%)

Max Score: 640.00

Rank: 26

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 46.72

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C		L	0.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D		L	0.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	A	R	4.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	A	R	4.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A		L	0.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	C	R	4.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	A	R	4.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D	D	R	4.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C		L	0.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 299.00/720.00 (41.53%)

Max Score: 640.00

Rank: 26

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 46.72

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	A	R	4.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	A	R	4.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	B	R	4.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 299.00/720.00 (41.53%)

Max Score: 640.00

Rank: 26

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 46.72

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A		L	0.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C		L	0.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A		L	0.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D		L	0.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B		L	0.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C		L	0.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C		L	0.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	A	R	4.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	B	R	4.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	A	R	4.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D		L	0.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 **Attempted:** 161 (**Correct:** 92 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 299.00

Total Positive Marks: 368.00 **Total Negative Marks:** 69.00

PHY	CHEM	BIO	Total
92.00	5.00	202.00	299.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 105.00/720.00 (14.58%)

Max Score: 640.00

Rank: 27

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 16.41

Avq Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	74.07	37.04	37.04	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	70.37	18.52	51.85	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	59.26	29.63	29.63	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	77.78	22.22	55.56	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	92.59	62.96	29.63	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
6	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
7	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
9	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
10	88.89	81.48	7.41	PHY	NTA REG	4.00	1.00	A	A	R	4.00
11	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	100.00	92.59	7.41	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	88.89	85.19	3.70	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
14	66.67	59.26	7.41	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
15	66.67	25.93	40.74	PHY	NTA REG	4.00	1.00	D	D	R	4.00
16	88.89	88.89	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	100.00	85.19	14.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	100.00	96.30	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
20	96.30	85.19	11.11	PHY	NTA REG	4.00	1.00	D	D	R	4.00
21	92.59	88.89	3.70	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
22	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
23	96.30	92.59	3.70	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	96.30	74.07	22.22	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	96.30	81.48	14.81	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
26	85.19	37.04	48.15	PHY	NTA REG	4.00	1.00	D	D	R	4.00
27	96.30	59.26	37.04	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
28	70.37	62.96	7.41	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
29	77.78	77.78	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	92.59	70.37	22.22	PHY	NTA REG	4.00	1.00	A	A	R	4.00
31	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
32	85.19	62.96	22.22	PHY	NTA REG	4.00	1.00	A		L	0.00
33	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	100.00	81.48	18.52	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
35	81.48	62.96	18.52	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
36	92.59	59.26	33.33	PHY	NTA REG	4.00	1.00	D		L	0.00
37	100.00	66.67	33.33	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	88.89	59.26	29.63	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
39	66.67	40.74	25.93	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
40	66.67	51.85	14.81	PHY	NTA REG	4.00	1.00	C		L	0.00
41	96.30	96.30	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	92.59	81.48	11.11	PHY	NTA REG	4.00	1.00	B		L	0.00
43	92.59	85.19	7.41	PHY	NTA REG	4.00	1.00	C	C	R	4.00
44	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
45	96.30	88.89	7.41	PHY	NTA REG	4.00	1.00	B	B	R	4.00
46	44.44	29.63	14.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
47	66.67	55.56	11.11	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
48	59.26	7.41	51.85	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
49	70.37	59.26	11.11	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
50	74.07	62.96	11.11	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
51	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
52	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	40.74	14.81	25.93	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
54	70.37	11.11	59.26	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
55	48.15	11.11	37.04	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	62.96	18.52	44.44	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
57	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	51.85	33.33	18.52	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
59	51.85	7.41	44.44	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
60	55.56	44.44	11.11	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	66.67	51.85	14.81	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
62	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	59.26	44.44	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 105.00/720.00 (14.58%)

Max Score: 640.00

Rank: 27

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 16.41

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	51.85	37.04	14.81	CHEM	NTA REG	4.00	1.00	D		L	0.00
65	51.85	11.11	40.74	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	74.07	59.26	14.81	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
67	62.96	14.81	48.15	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
68	59.26	40.74	18.52	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
69	62.96	44.44	18.52	CHEM	NTA REG	4.00	1.00	D		L	0.00
70	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
71	62.96	25.93	37.04	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
72	51.85	25.93	25.93	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	70.37	37.04	33.33	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
74	62.96	51.85	11.11	CHEM	NTA REG	4.00	1.00	B		L	0.00
75	55.56	37.04	18.52	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	37.04	11.11	25.93	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
77	59.26	37.04	22.22	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
78	40.74	29.63	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
79	37.04	18.52	18.52	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
80	48.15	25.93	22.22	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	55.56	33.33	22.22	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	70.37	62.96	7.41	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
83	81.48	70.37	11.11	CHEM	NTA REG	4.00	1.00	C		L	0.00
84	55.56	25.93	29.63	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
85	74.07	66.67	7.41	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
86	48.15	14.81	33.33	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
87	40.74	11.11	29.63	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
88	33.33	11.11	22.22	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
89	44.44	7.41	37.04	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
90	55.56	29.63	25.93	CHEM	NTA REG	4.00	1.00	B		L	0.00
91	88.89	70.37	18.52	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	100.00	66.67	33.33	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
93	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
94	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
95	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	C	C	R	4.00
96	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
97	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
98	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
99	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
101	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C		L	0.00
102	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
103	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
104	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	100.00	85.19	14.81	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
106	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
108	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
109	92.59	66.67	25.93	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
110	100.00	88.89	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
111	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
113	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
114	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
115	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
116	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
119	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
120	85.19	62.96	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
121	88.89	59.26	29.63	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
122	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
123	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
124	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	B		L	0.00
125	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
126	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 105.00/720.00 (14.58%)

Max Score: 640.00

Rank: 27

Min Score: 105.00

TEST: LT-18 (NEET) (ID: 26 DT: 19-Jan-2024)

Percentile: 16.41

Avg Score: 445.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	74.07	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
128	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
129	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B		L	0.00
130	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
132	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A		L	0.00
136	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D		L	0.00
137	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
138	100.00	37.04	62.96	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
139	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
140	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
141	85.19	81.48	3.70	BIO	NTA REG	4.00	1.00	A		L	0.00
142	92.59	85.19	7.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
143	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
144	92.59	88.89	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	81.48	66.67	14.81	BIO	NTA REG	4.00	1.00	D		L	0.00
146	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
147	96.30	66.67	29.63	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
149	85.19	66.67	18.52	BIO	NTA REG	4.00	1.00	C		L	0.00
150	100.00	92.59	7.41	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
151	100.00	96.30	3.70	BIO	NTA REG	4.00	1.00	A	A	R	4.00
152	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	C		L	0.00
153	96.30	92.59	3.70	BIO	NTA REG	4.00	1.00	A		L	0.00
154	100.00	77.78	22.22	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	C		L	0.00
158	88.89	77.78	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
159	96.30	85.19	11.11	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	96.30	96.30	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	92.59	77.78	14.81	BIO	NTA REG	4.00	1.00	D		L	0.00
162	100.00	81.48	18.52	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
163	96.30	81.48	14.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
164	92.59	81.48	11.11	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
165	96.30	62.96	33.33	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
166	74.07	44.44	29.63	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
167	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	D		L	0.00
168	88.89	62.96	25.93	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
169	77.78	77.78	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
170	85.19	70.37	14.81	BIO	NTA REG	4.00	1.00	C		L	0.00
171	88.89	81.48	7.41	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
172	92.59	70.37	22.22	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
173	100.00	62.96	37.04	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
174	77.78	40.74	37.04	BIO	NTA REG	4.00	1.00	B		L	0.00
175	96.30	77.78	18.52	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
176	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
177	96.30	74.07	22.22	BIO	NTA REG	4.00	1.00	C		L	0.00
178	92.59	37.04	55.56	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
179	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
180	96.30	88.89	7.41	BIO	NTA REG	4.00	1.00	B	C	W	-1.00

Total Question: 180 **Attempted:** 145 (**Correct:** 50 **Incorrect:** 95) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 105.00

Total Positive Marks: 200.00 **Total Negative Marks:** 95.00

PHY	CHEM	BIO	Total
34.00	26.00	45.00	105.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%