

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 640.00/720.00 (88.89%)

**Max Score:** 640.00

**Rank:** 1

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 640.00/720.00 (88.89%)

**Max Score:** 640.00

**Rank:** 1

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 640.00/720.00 (88.89%)

**Max Score:** 640.00

**Rank:** 1

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 180 (**Correct:** 164 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 640.00

**Total Positive Marks:** 656.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
160.00	155.00	325.00	640.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 620.00/720.00 (86.11%)

**Max Score:** 640.00

**Rank:** 2

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 96.88

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 620.00/720.00 (86.11%)

**Max Score:** 640.00

**Rank:** 2

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 96.88

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 620.00/720.00 (86.11%)

**Max Score:** 640.00

**Rank:** 2

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 96.88

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 180 (**Correct:** 160 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 620.00

**Total Positive Marks:** 640.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
120.00	155.00	345.00	620.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 588.00/720.00 (81.67%)

**Max Score:** 640.00

**Rank:** 3

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 91.88

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 588.00/720.00 (81.67%)

**Max Score:** 640.00

**Rank:** 3

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 91.88

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		D	-1.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 588.00/720.00 (81.67%)

**Max Score:** 640.00

**Rank:** 3

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID : 27 DT: 22-Jan-2024 )

**Percentile:** 91.88

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C		L	0.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 172 (**Correct:** 152 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 588.00

**Total Positive Marks:** 608.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
128.00	143.00	317.00	588.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 568.00/720.00 (78.89%)

**Max Score:** 640.00

**Rank:** 4

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 88.75

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	BC	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C		L	0.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	AD	W	-1.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 568.00/720.00 (78.89%)

**Max Score:** 640.00

**Rank:** 4

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 88.75

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 568.00/720.00 (78.89%)

**Max Score:** 640.00

**Rank:** 4

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 88.75

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 177 (**Correct:** 149 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 568.00

**Total Positive Marks:** 596.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
136.00	126.00	306.00	568.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 538.00/720.00 (74.72%)

**Max Score:** 640.00

**Rank:** 5

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 84.06

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C		L	0.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 538.00/720.00 (74.72%)

**Max Score:** 640.00

**Rank:** 5

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 84.06

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 538.00/720.00 (74.72%)

**Max Score:** 640.00

**Rank:** 5

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 84.06

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 167 (**Correct:** 141 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 538.00

**Total Positive Marks:** 564.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
112.00	116.00	310.00	538.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 528.00/720.00 (73.33%)

**Max Score:** 640.00

**Rank:** 6

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 82.50

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B		L	0.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C		L	0.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D		L	0.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D		L	0.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 528.00/720.00 (73.33%)

**Max Score:** 640.00

**Rank:** 6

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 82.50

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B		L	0.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR ( ID No. 47498 )

Your Score: 528.00/720.00 (73.33%)

Max Score: 640.00

Rank: 6

Min Score: 251.00

TEST: LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

Percentile: 82.50

Avg Score: 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 Attempted: 157 (Correct: 137 Incorrect: 20) Score Rate: 0.00 Strike Rate: 0.00

Total: 528.00

Total Positive Marks: 548.00 Total Negative Marks: 20.00

PHY	CHEM	BIO	Total
94.00	105.00	329.00	528.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 490.00/720.00 (68.06%)

**Max Score:** 640.00

**Rank:** 7

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 76.56

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A		L	0.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C		L	0.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B		L	0.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D		L	0.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 490.00/720.00 (68.06%)

**Max Score:** 640.00

**Rank:** 7

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 76.56

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 490.00/720.00 (68.06%)

**Max Score:** 640.00

**Rank:** 7

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 76.56

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 140 (**Correct:** 126 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 490.00

**Total Positive Marks:** 504.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
65.00	93.00	332.00	490.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 640.00

**Rank:** 8

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 75.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C		L	0.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 640.00

**Rank:** 8

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 75.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	AB	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 640.00

**Rank:** 8

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 75.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D		L	0.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**Total Question:** 180 **Attempted:** 170 (**Correct:** 130 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 480.00

**Total Positive Marks:** 520.00 **Total Negative Marks:** 40.00

PHY	CHEM	BIO	Total
97.00	120.00	263.00	480.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 640.00

**Rank:** 8

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 75.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C		L	0.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D		L	0.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 640.00

**Rank:** 8

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 75.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C		L	0.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 640.00

**Rank:** 8

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 75.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00

**Total Question:** 180 **Attempted:** 160 (**Correct:** 128 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 480.00

**Total Positive Marks:** 512.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
78.00	111.00	291.00	480.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 477.00/720.00 (66.25%)

**Max Score:** 640.00

**Rank:** 9

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 74.53

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 477.00/720.00 (66.25%)

**Max Score:** 640.00

**Rank:** 9

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 74.53

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL ( ID No. 47481 )

Your Score: 477.00/720.00 (66.25%)

Max Score: 640.00

Rank: 9

Min Score: 251.00

TEST: LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

Percentile: 74.53

Avg Score: 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D		L	0.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

Total Question: 180 Attempted: 168 (Correct: 129 Incorrect: 39) Score Rate: 0.00 Strike Rate: 0.00

Total: 477.00

Total Positive Marks: 516.00 Total Negative Marks: 39.00

PHY	CHEM	BIO	Total
100.00	101.00	276.00	477.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 471.00/720.00 (65.42%)

**Max Score:** 640.00

**Rank:** 10

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 73.59

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B		L	0.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C		L	0.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C		R	4.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B		L	0.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D		L	0.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 471.00/720.00 (65.42%)

**Max Score:** 640.00

**Rank:** 10

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 73.59

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 471.00/720.00 (65.42%)

**Max Score:** 640.00

**Rank:** 10

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 73.59

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D		L	0.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C		L	0.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 149 (**Correct:** 124 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 471.00

**Total Positive Marks:** 496.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
94.00	94.00	283.00	471.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 464.00/720.00 (64.44%)

**Max Score:** 640.00

**Rank:** 11

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 72.50

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 464.00/720.00 (64.44%)

**Max Score:** 640.00

**Rank:** 11

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 72.50

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 464.00/720.00 (64.44%)

**Max Score:** 640.00

**Rank:** 11

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 72.50

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D		L	0.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 171 (**Correct:** 127 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 464.00

**Total Positive Marks:** 508.00 **Total Negative Marks:** 44.00

PHY	CHEM	BIO	Total
87.00	81.00	296.00	464.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 448.00/720.00 (62.22%)

**Max Score:** 640.00

**Rank:** 12

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 70.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 448.00/720.00 (62.22%)

**Max Score:** 640.00

**Rank:** 12

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 70.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 448.00/720.00 (62.22%)

**Max Score:** 640.00

**Rank:** 12

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 70.00

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00

**Total Question:** 180 **Attempted:** 162 (**Correct:** 122 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 448.00

**Total Positive Marks:** 488.00 **Total Negative Marks:** 40.00

PHY	CHEM	BIO	Total
78.00	80.00	290.00	448.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 430.00/720.00 (59.72%)

**Max Score:** 640.00

**Rank:** 13

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 67.19

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C		L	0.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 430.00/720.00 (59.72%)

**Max Score:** 640.00

**Rank:** 13

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 67.19

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS	
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00	
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00	
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00	
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		D	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00	
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00	
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00	
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00	
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00	
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00	
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00	
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00	
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	B	R	4.00	
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00	
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00	
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00	
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00	
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00	
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00	
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00	
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00	
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00	
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	D	W	-1.00	
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00	
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	A	W	-1.00	
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	C	W	-1.00	
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00	
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	A	W	-1.00	
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00	
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00	
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00	
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00	
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00	
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00	

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 430.00/720.00 (59.72%)

**Max Score:** 640.00

**Rank:** 13

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 67.19

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 155 (**Correct:** 117 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 430.00

**Total Positive Marks:** 468.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
83.00	65.00	282.00	430.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 402.00/720.00 (55.83%)

**Max Score:** 640.00

**Rank:** 14

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 62.81

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C		L	0.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D		L	0.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 402.00/720.00 (55.83%)

**Max Score:** 640.00

**Rank:** 14

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 62.81

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D		L	0.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 402.00/720.00 (55.83%)

**Max Score:** 640.00

**Rank:** 14

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 62.81

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 143 (**Correct:** 109 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 402.00

**Total Positive Marks:** 436.00 **Total Negative Marks:** 34.00

PHY	CHEM	BIO	Total
56.00	41.00	305.00	402.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 392.00/720.00 (54.44%)

**Max Score:** 640.00

**Rank:** 15

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 61.25

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D		L	0.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 392.00/720.00 (54.44%)

**Max Score:** 640.00

**Rank:** 15

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 61.25

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 392.00/720.00 (54.44%)

**Max Score:** 640.00

**Rank:** 15

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 61.25

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C		L	0.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C		L	0.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	C	R	4.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D		L	0.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D		L	0.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 143 (**Correct:** 107 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 392.00

**Total Positive Marks:** 428.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
87.00	59.00	246.00	392.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 386.00/720.00 (53.61%)

**Max Score:** 640.00

**Rank:** 16

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 60.31

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C		L	0.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C		L	0.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B		L	0.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D		L	0.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 386.00/720.00 (53.61%)

**Max Score:** 640.00

**Rank:** 16

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 60.31

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D		L	0.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C		L	0.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B		L	0.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D		L	0.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A		L	0.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 386.00/720.00 (53.61%)

**Max Score:** 640.00

**Rank:** 16

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 60.31

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A		L	0.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C		L	0.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C		L	0.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C		L	0.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D		L	0.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B		L	0.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C		L	0.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B		L	0.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 119 (**Correct:** 101 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 386.00

**Total Positive Marks:** 404.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
87.00	61.00	238.00	386.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 380.00/720.00 (52.78%)

**Max Score:** 640.00

**Rank:** 17

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 59.38

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C		L	0.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A		L	0.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B		L	0.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A		L	0.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C		L	0.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C		L	0.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D		L	0.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C		L	0.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B		L	0.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D		L	0.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D		L	0.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 380.00/720.00 (52.78%)

**Max Score:** 640.00

**Rank:** 17

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 59.38

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 380.00/720.00 (52.78%)

**Max Score:** 640.00

**Rank:** 17

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 59.38

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B		L	0.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D		L	0.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 115 (**Correct:** 99 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 380.00

**Total Positive Marks:** 396.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
30.00	58.00	292.00	380.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 379.00/720.00 (52.64%)

**Max Score:** 640.00

**Rank:** 18

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 59.22

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C		L	0.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D		L	0.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	AB	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 379.00/720.00 (52.64%)

**Max Score:** 640.00

**Rank:** 18

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 59.22

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D		L	0.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 379.00/720.00 (52.64%)

**Max Score:** 640.00

**Rank:** 18

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 59.22

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C		L	0.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D		L	0.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 141 (**Correct:** 104 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 379.00

**Total Positive Marks:** 416.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
56.00	31.00	292.00	379.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 375.00/720.00 (52.08%)

**Max Score:** 640.00

**Rank:** 19

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 58.59

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A		L	0.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B		L	0.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D		L	0.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	AC	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 375.00/720.00 (52.08%)

**Max Score:** 640.00

**Rank:** 19

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 58.59

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 375.00/720.00 (52.08%)

**Max Score:** 640.00

**Rank:** 19

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 58.59

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 140 (**Correct:** 103 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 375.00

**Total Positive Marks:** 412.00 **Total Negative Marks:** 37.00

PHY	CHEM	BIO	Total
35.00	75.00	265.00	375.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 360.00/720.00 (50.00%)

**Max Score:** 640.00

**Rank:** 20

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 56.25

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C		L	0.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	D	R	4.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B		L	0.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 360.00/720.00 (50.00%)

**Max Score:** 640.00

**Rank:** 20

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID : 27 DT : 22-Jan-2024 )

**Percentile:** 56.25

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B		L	0.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D		L	0.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 360.00/720.00 (50.00%)

**Max Score:** 640.00

**Rank:** 20

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 56.25

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C		L	0.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D		L	0.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 140 (**Correct:** 100 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 360.00

**Total Positive Marks:** 400.00 **Total Negative Marks:** 40.00

PHY	CHEM	BIO	Total
42.00	35.00	283.00	360.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 640.00

**Rank:** 21

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 56.09

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A		L	0.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C		L	0.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D		L	0.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 640.00

**Rank:** 21

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 56.09

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	AC	W	-1.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 640.00

**Rank:** 21

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 56.09

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A		L	0.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 146 (**Correct:** 101 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 359.00

**Total Positive Marks:** 404.00 **Total Negative Marks:** 45.00

PHY	CHEM	BIO	Total
75.00	36.00	248.00	359.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 357.00/720.00 (49.58%)

**Max Score:** 640.00

**Rank:** 22

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 55.78

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C		L	0.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	D	R	4.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A		L	0.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D		L	0.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 357.00/720.00 (49.58%)

**Max Score:** 640.00

**Rank:** 22

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 55.78

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C		L	0.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C		L	0.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 357.00/720.00 (49.58%)

**Max Score:** 640.00

**Rank:** 22

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 55.78

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B		L	0.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C		L	0.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B		L	0.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B		L	0.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B		L	0.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C		L	0.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C		L	0.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D		L	0.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B		L	0.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 123 (**Correct:** 96 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 357.00

**Total Positive Marks:** 384.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
68.00	43.00	246.00	357.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 355.00/720.00 (49.31%)

**Max Score:** 640.00

**Rank:** 23

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 55.47

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A		L	0.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C		L	0.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B		L	0.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D		L	0.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D		L	0.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B		L	0.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 355.00/720.00 (49.31%)

**Max Score:** 640.00

**Rank:** 23

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 55.47

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B		L	0.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 355.00/720.00 (49.31%)

**Max Score:** 640.00

**Rank:** 23

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 55.47

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C		L	0.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D		L	0.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	D	R	4.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C		L	0.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C		L	0.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 120 (**Correct:** 95 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 355.00

**Total Positive Marks:** 380.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
56.00	26.00	273.00	355.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 341.00/720.00 (47.36%)

**Max Score:** 640.00

**Rank:** 24

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 53.28

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	C	R	4.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	D	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 341.00/720.00 (47.36%)

**Max Score:** 640.00

**Rank:** 24

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 53.28

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C		L	0.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D		L	0.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D		L	0.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B		L	0.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C		L	0.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D		L	0.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D		L	0.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D		L	0.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D		L	0.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D		L	0.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 341.00/720.00 (47.36%)

**Max Score:** 640.00

**Rank:** 24

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 53.28

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C		L	0.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B		L	0.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C		L	0.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B		L	0.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B		L	0.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B		L	0.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D		L	0.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C		L	0.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 119 (**Correct:** 92 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 341.00

**Total Positive Marks:** 368.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
83.00	57.00	201.00	341.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 640.00

**Rank:** 25

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 50.94

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A		L	0.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A		L	0.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	B	R	4.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D		L	0.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 640.00

**Rank:** 25

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 50.94

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 640.00

**Rank:** 25

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 50.94

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A		L	0.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 144 (**Correct:** 94 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 326.00

**Total Positive Marks:** 376.00 **Total Negative Marks:** 50.00

PHY	CHEM	BIO	Total
28.00	55.00	243.00	326.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 640.00

**Rank:** 26

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 49.69

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D		L	0.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 640.00

**Rank:** 26

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID : 27 DT : 22-Jan-2024 )

**Percentile:** 49.69

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	C	R	4.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 640.00

**Rank:** 26

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 49.69

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C		L	0.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D		L	0.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D		L	0.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 132 (**Correct:** 90 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 318.00

**Total Positive Marks:** 360.00 **Total Negative Marks:** 42.00

PHY	CHEM	BIO	Total
33.00	16.00	269.00	318.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 294.00/720.00 (40.83%)

**Max Score:** 640.00

**Rank:** 27

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 45.94

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A		L	0.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B		L	0.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 294.00/720.00 (40.83%)

**Max Score:** 640.00

**Rank:** 27

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 45.94

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D		L	0.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C		L	0.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 294.00/720.00 (40.83%)

**Max Score:** 640.00

**Rank:** 27

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 45.94

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D		L	0.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A		L	0.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B		L	0.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 146 (**Correct:** 88 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 294.00

**Total Positive Marks:** 352.00 **Total Negative Marks:** 58.00

PHY	CHEM	BIO	Total
29.00	45.00	220.00	294.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 275.00/720.00 (38.19%)

**Max Score:** 640.00

**Rank:** 28

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 42.97

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A		L	0.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A		L	0.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A		L	0.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B		L	0.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C		L	0.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C		L	0.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C		L	0.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D		L	0.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D		L	0.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C		L	0.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C		L	0.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B		L	0.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D		L	0.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B		L	0.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 275.00/720.00 (38.19%)

**Max Score:** 640.00

**Rank:** 28

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 42.97

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 275.00/720.00 (38.19%)

**Max Score:** 640.00

**Rank:** 28

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 42.97

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	C	R	4.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C		L	0.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	C	R	4.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	A	R	4.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B		L	0.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D		L	0.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 105 (**Correct:** 76 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 275.00

**Total Positive Marks:** 304.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
18.00	19.00	238.00	275.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 273.00/720.00 (37.92%)

**Max Score:** 640.00

**Rank:** 29

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 42.66

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A		L	0.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	C	R	4.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C		L	0.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A	A	R	4.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C		L	0.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	C	R	4.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C		L	0.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B	B	R	4.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A		L	0.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 273.00/720.00 (37.92%)

**Max Score:** 640.00

**Rank:** 29

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 42.66

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A		L	0.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B		L	0.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C		L	0.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C		L	0.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D		L	0.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B	B	R	4.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C		L	0.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 273.00/720.00 (37.92%)

**Max Score:** 640.00

**Rank:** 29

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 42.66

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A		L	0.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C		L	0.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D		L	0.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B		L	0.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C		L	0.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B		L	0.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B		L	0.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 127 (**Correct:** 80 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 273.00

**Total Positive Marks:** 320.00 **Total Negative Marks:** 47.00

PHY	CHEM	BIO	Total
57.00	34.00	182.00	273.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 640.00

**Rank:** 30

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 39.22

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	35.48	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	80.65	35.48	45.16	PHY	NTA REG	4.00	1.00	A	A	R	4.00
3	87.10	45.16	41.94	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	93.55	77.42	16.13	PHY	NTA REG	4.00	1.00	B	B	R	4.00
5	83.87	32.26	51.61	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	48.39	29.03	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
7	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	96.77	38.71	58.06	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	48.39	25.81	22.58	PHY	NTA REG	4.00	1.00	D		L	0.00
10	90.32	64.52	25.81	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	80.65	19.35	61.29	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
12	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
13	67.74	45.16	22.58	PHY	NTA REG	4.00	1.00	D	D	R	4.00
14	45.16	41.94	3.23	PHY	NTA REG	4.00	1.00	C		L	0.00
15	54.84	29.03	25.81	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
16	93.55	83.87	9.68	PHY	NTA REG	4.00	1.00	C	C	R	4.00
17	58.06	22.58	35.48	PHY	NTA REG	4.00	1.00	B		L	0.00
18	61.29	48.39	12.90	PHY	NTA REG	4.00	1.00	A		L	0.00
19	58.06	35.48	22.58	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
20	96.77	58.06	38.71	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
21	77.42	67.74	9.68	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
22	93.55	61.29	32.26	PHY	NTA REG	4.00	1.00	D	D	R	4.00
23	64.52	35.48	29.03	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
24	38.71	0.00	38.71	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
25	51.61	38.71	12.90	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	87.10	12.90	PHY	NTA REG	4.00	1.00	C	C	R	4.00
27	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
28	58.06	25.81	32.26	PHY	NTA REG	4.00	1.00	B		L	0.00
29	90.32	58.06	32.26	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
30	74.19	29.03	45.16	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
31	54.84	45.16	9.68	PHY	NTA REG	4.00	1.00	A		L	0.00
32	93.55	70.97	22.58	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	70.97	61.29	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
34	83.87	77.42	6.45	PHY	NTA REG	4.00	1.00	A	A	R	4.00
35	74.19	45.16	29.03	PHY	NTA REG	4.00	1.00	B		L	0.00
36	74.19	61.29	12.90	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
37	58.06	19.35	38.71	PHY	NTA REG	4.00	1.00	A		L	0.00
38	64.52	54.84	9.68	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	64.52	61.29	3.23	PHY	NTA REG	4.00	1.00	B		L	0.00
40	67.74	61.29	6.45	PHY	NTA REG	4.00	1.00	A		L	0.00
41	70.97	51.61	19.35	PHY	NTA REG	4.00	1.00	A		L	0.00
42	93.55	87.10	6.45	PHY	NTA REG	4.00	1.00	D	D	R	4.00
43	64.52	45.16	19.35	PHY	NTA REG	4.00	1.00	B		L	0.00
44	96.77	93.55	3.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
45	77.42	22.58	54.84	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
46	93.55	25.81	67.74	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
47	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
48	67.74	35.48	32.26	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
49	96.77	93.55	3.23	CHEM	NTA REG	4.00	1.00	A		L	0.00
50	70.97	58.06	12.90	CHEM	NTA REG	4.00	1.00	C		L	0.00
51	87.10	54.84	32.26	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
52	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
53	90.32	67.74	22.58	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
54	93.55	58.06	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	77.42	48.39	29.03	CHEM	NTA REG	4.00	1.00	C		L	0.00
56	90.32	64.52	25.81	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
57	83.87	67.74	16.13	CHEM	NTA REG	4.00	1.00	D		L	0.00
58	87.10	61.29	25.81	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
59	83.87	54.84	29.03	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
60	93.55	45.16	48.39	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
61	64.52	54.84	9.68	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
62	48.39	19.35	29.03	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
63	80.65	35.48	45.16	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 640.00

**Rank:** 30

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 39.22

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	22.58	9.68	12.90	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
65	74.19	51.61	22.58	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
66	87.10	83.87	3.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.65	70.97	9.68	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
68	70.97	35.48	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	67.74	45.16	22.58	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	45.16	38.71	6.45	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
71	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	80.65	74.19	6.45	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	61.29	48.39	12.90	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	38.71	25.81	12.90	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	58.06	22.58	35.48	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	48.39	29.03	19.35	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	41.94	25.81	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
78	38.71	29.03	9.68	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	41.94	35.48	6.45	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	45.16	32.26	12.90	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
81	61.29	41.94	19.35	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
83	61.29	45.16	16.13	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	29.03	12.90	16.13	CHEM	NTA REG	4.00	1.00	B		L	0.00
85	29.03	29.03	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	64.52	41.94	22.58	CHEM	NTA REG	4.00	1.00	C		L	0.00
87	48.39	38.71	9.68	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	74.19	67.74	6.45	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
89	48.39	41.94	6.45	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	58.06	32.26	25.81	CHEM	NTA REG	4.00	1.00	A		L	0.00
91	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	C	C	R	4.00
92	96.77	87.10	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
93	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
94	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
95	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
99	96.77	70.97	25.81	BIO	NTA REG	4.00	1.00	B	B	R	4.00
100	83.87	51.61	32.26	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
102	93.55	83.87	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	96.77	74.19	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
104	87.10	74.19	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
106	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
107	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
109	93.55	93.55	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
112	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
116	100.00	64.52	35.48	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
117	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
119	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	A	R	4.00
120	96.77	41.94	54.84	BIO	NTA REG	4.00	1.00	B		L	0.00
121	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.77	22.58	74.19	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
124	100.00	83.87	16.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
125	93.55	54.84	38.71	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
126	90.32	74.19	16.13	BIO	NTA REG	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 640.00

**Rank:** 30

**Min Score:** 251.00

**TEST:** LT-19 (NEET) ( ID: 27 DT: 22-Jan-2024 )

**Percentile:** 39.22

**Avg Score:** 420.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
128	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
129	96.77	96.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
130	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
131	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C		L	0.00
132	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
133	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
134	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	C	C	R	4.00
135	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
136	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
137	87.10	64.52	22.58	BIO	NTA REG	4.00	1.00	C		L	0.00
138	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
139	87.10	54.84	32.26	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
140	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
141	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	A	A	R	4.00
142	74.19	58.06	16.13	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
144	96.77	80.65	16.13	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
145	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
146	100.00	80.65	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
147	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
148	100.00	93.55	6.45	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	93.55	77.42	16.13	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	93.55	80.65	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
151	90.32	77.42	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
152	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00
153	64.52	45.16	19.35	BIO	NTA REG	4.00	1.00	D		L	0.00
154	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
155	90.32	80.65	9.68	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
156	90.32	90.32	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	D	D	R	4.00
158	100.00	74.19	25.81	BIO	NTA REG	4.00	1.00	C	C	R	4.00
159	61.29	25.81	35.48	BIO	NTA REG	4.00	1.00	D		L	0.00
160	100.00	87.10	12.90	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
161	48.39	16.13	32.26	BIO	NTA REG	4.00	1.00	A		L	0.00
162	100.00	96.77	3.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	83.87	58.06	25.81	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
164	90.32	87.10	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.77	93.55	3.23	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
166	100.00	70.97	29.03	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	83.87	61.29	22.58	BIO	NTA REG	4.00	1.00	B	B	R	4.00
168	96.77	90.32	6.45	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	100.00	90.32	9.68	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	54.84	12.90	41.94	BIO	NTA REG	4.00	1.00	C		L	0.00
171	93.55	87.10	6.45	BIO	NTA REG	4.00	1.00	C		L	0.00
172	93.55	29.03	64.52	BIO	NTA REG	4.00	1.00	B	B	R	4.00
173	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
174	87.10	61.29	25.81	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	93.55	90.32	3.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	83.87	54.84	29.03	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
177	96.77	77.42	19.35	BIO	NTA REG	4.00	1.00	D	D	R	4.00
178	100.00	77.42	22.58	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
179	96.77	83.87	12.90	BIO	NTA REG	4.00	1.00	B	B	R	4.00
180	64.52	54.84	9.68	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 139 (**Correct:** 78 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 251.00

**Total Positive Marks:** 312.00 **Total Negative Marks:** 61.00

PHY	CHEM	BIO	Total
39.00	-1.00	213.00	251.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%