

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 645.00/720.00 (89.58%)

**Max Score:** 645.00

**Rank:** 1

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	B	R	4.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 645.00/720.00 (89.58%)

**Max Score:** 645.00

**Rank:** 1

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 645.00/720.00 (89.58%)

**Max Score:** 645.00

**Rank:** 1

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 179 (**Correct:** 164 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 645.00

**Total Positive Marks:** 660.00 **Total Negative Marks:** 15.00

PHY	CHEM	BIO	Total
155.00	145.00	345.00	<b>645.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 643.00/720.00 (89.31%)

**Max Score:** 645.00

**Rank:** 2

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 99.69

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 643.00/720.00 (89.31%)

**Max Score:** 645.00

**Rank:** 2

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 99.69

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 643.00/720.00 (89.31%)

**Max Score:** 645.00

**Rank:** 2

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 99.69

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 176 (**Correct:** 163 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 643.00

**Total Positive Marks:** 656.00 **Total Negative Marks:** 13.00

PHY	CHEM	BIO	Total
146.00	137.00	360.00	<b>643.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 641.00/720.00 (89.03%)

**Max Score:** 645.00

**Rank:** 3

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 99.38

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 641.00/720.00 (89.03%)

**Max Score:** 645.00

**Rank:** 3

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 99.38

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 641.00/720.00 (89.03%)

**Max Score:** 645.00

**Rank:** 3

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 99.38

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**Total Question:** 180 **Attempted:** 173 (**Correct:** 162 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 641.00

**Total Positive Marks:** 652.00 **Total Negative Marks:** 11.00

PHY	CHEM	BIO	Total
146.00	150.00	345.00	<b>641.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 636.00/720.00 (88.33%)

**Max Score:** 645.00

**Rank:** 4

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 98.60

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	B	R	4.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 636.00/720.00 (88.33%)

**Max Score:** 645.00

**Rank:** 4

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 98.60

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 636.00/720.00 (88.33%)

**Max Score:** 645.00

**Rank:** 4

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 98.60

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**Total Question:** 180 **Attempted:** 173 (**Correct:** 161 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 636.00

**Total Positive Marks:** 648.00 **Total Negative Marks:** 12.00

PHY	CHEM	BIO	Total
147.00	144.00	345.00	636.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 635.00/720.00 (88.19%)

**Max Score:** 645.00

**Rank:** 5

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 98.45

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	B	R	4.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 635.00/720.00 (88.19%)

**Max Score:** 645.00

**Rank:** 5

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 98.45

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 635.00/720.00 (88.19%)

**Max Score:** 645.00

**Rank:** 5

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 98.45

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 179 (**Correct:** 162 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 635.00

**Total Positive Marks:** 652.00 **Total Negative Marks:** 17.00

PHY	CHEM	BIO	Total
145.00	155.00	335.00	635.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 626.00/720.00 (86.94%)

**Max Score:** 645.00

**Rank:** 6

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 97.05

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 626.00/720.00 (86.94%)

**Max Score:** 645.00

**Rank:** 6

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 97.05

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 626.00/720.00 (86.94%)

**Max Score:** 645.00

**Rank:** 6

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 97.05

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 178 (**Correct:** 160 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 626.00

**Total Positive Marks:** 644.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
136.00	155.00	335.00	626.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 612.00/720.00 (85.00%)

**Max Score:** 645.00

**Rank:** 7

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 94.88

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 612.00/720.00 (85.00%)

**Max Score:** 645.00

**Rank:** 7

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 94.88

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 612.00/720.00 (85.00%)

**Max Score:** 645.00

**Rank:** 7

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 94.88

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 172 (**Correct:** 156 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 612.00

**Total Positive Marks:** 628.00 **Total Negative Marks:** 16.00

PHY	CHEM	BIO	Total
134.00	143.00	335.00	<b>612.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 590.00/720.00 (81.94%)

**Max Score:** 645.00

**Rank:** 8

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 91.47

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 590.00/720.00 (81.94%)

**Max Score:** 645.00

**Rank:** 8

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 91.47

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 590.00/720.00 (81.94%)

**Max Score:** 645.00

**Rank:** 8

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 91.47

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 174 (**Correct:** 152 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 590.00

**Total Positive Marks:** 612.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
117.00	156.00	317.00	590.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 566.00/720.00 (78.61%)

**Max Score:** 645.00

**Rank:** 9

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 87.75

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 566.00/720.00 (78.61%)

**Max Score:** 645.00

**Rank:** 9

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 87.75

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 566.00/720.00 (78.61%)

**Max Score:** 645.00

**Rank:** 9

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 87.75

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 168 (**Correct:** 146 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 566.00

**Total Positive Marks:** 588.00 **Total Negative Marks:** 22.00

PHY	CHEM	BIO	Total
97.00	149.00	320.00	566.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 550.00/720.00 (76.39%)

**Max Score:** 645.00

**Rank:** 10

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 85.27

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	B	R	4.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B		L	0.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 550.00/720.00 (76.39%)

**Max Score:** 645.00

**Rank:** 10

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 85.27

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 550.00/720.00 (76.39%)

**Max Score:** 645.00

**Rank:** 10

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 85.27

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**Total Question:** 180 **Attempted:** 154 (**Correct:** 140 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 550.00

**Total Positive Marks:** 564.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
87.00	127.00	336.00	550.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 541.00/720.00 (75.14%)

**Max Score:** 645.00

**Rank:** 11

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 83.88

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 541.00/720.00 (75.14%)

**Max Score:** 645.00

**Rank:** 11

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 83.88

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 541.00/720.00 (75.14%)

**Max Score:** 645.00

**Rank:** 11

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 83.88

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 163 (**Correct:** 140 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 541.00

**Total Positive Marks:** 564.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
96.00	135.00	310.00	<b>541.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 524.00/720.00 (72.78%)

**Max Score:** 645.00

**Rank:** 12

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 81.24

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		A	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 524.00/720.00 (72.78%)

**Max Score:** 645.00

**Rank:** 12

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 81.24

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 524.00/720.00 (72.78%)

**Max Score:** 645.00

**Rank:** 12

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 81.24

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	AB	W	-1.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00

**Total Question:** 180 **Attempted:** 165 (**Correct:** 137 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 524.00

**Total Positive Marks:** 552.00 **Total Negative Marks:** 28.00

PHY	CHEM	BIO	Total
126.00	103.00	295.00	524.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 645.00

**Rank:** 13

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 80.78

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 645.00

**Rank:** 13

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 80.78

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 645.00

**Rank:** 13

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 80.78

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 168 (**Correct:** 137 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 521.00

**Total Positive Marks:** 552.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
136.00	69.00	316.00	521.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 493.00/720.00 (68.47%)

**Max Score:** 645.00

**Rank:** 14

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 76.43

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A		L	0.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D		L	0.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 493.00/720.00 (68.47%)

**Max Score:** 645.00

**Rank:** 14

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 76.43

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 493.00/720.00 (68.47%)

**Max Score:** 645.00

**Rank:** 14

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 76.43

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A		L	0.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C		L	0.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C		L	0.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 151 (**Correct:** 128 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 493.00

**Total Positive Marks:** 516.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
112.00	99.00	282.00	493.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 474.00/720.00 (65.83%)

**Max Score:** 645.00

**Rank:** 15

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 73.49

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D		L	0.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 474.00/720.00 (65.83%)

**Max Score:** 645.00

**Rank:** 15

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 73.49

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A		L	0.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 474.00/720.00 (65.83%)

**Max Score:** 645.00

**Rank:** 15

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 73.49

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 150 (**Correct:** 124 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 474.00

**Total Positive Marks:** 500.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
44.00	129.00	301.00	474.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 470.00/720.00 (65.28%)

**Max Score:** 645.00

**Rank:** 16

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 72.87

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D		L	0.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B		L	0.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C		L	0.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B		L	0.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 470.00/720.00 (65.28%)

**Max Score:** 645.00

**Rank:** 16

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 72.87

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C		L	0.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 470.00/720.00 (65.28%)

**Max Score:** 645.00

**Rank:** 16

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 72.87

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C		L	0.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 149 (**Correct:** 123 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 470.00

**Total Positive Marks:** 496.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
62.00	114.00	294.00	<b>470.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 450.00/720.00 (62.50%)

**Max Score:** 645.00

**Rank:** 17

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 69.77

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D		L	0.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A		L	0.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 450.00/720.00 (62.50%)

**Max Score:** 645.00

**Rank:** 17

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 69.77

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 450.00/720.00 (62.50%)

**Max Score:** 645.00

**Rank:** 17

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 69.77

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 144 (**Correct:** 118 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 450.00

**Total Positive Marks:** 476.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
94.00	79.00	277.00	450.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 405.00/720.00 (56.25%)

**Max Score:** 645.00

**Rank:** 18

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 62.79

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A	A	R	4.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 405.00/720.00 (56.25%)

**Max Score:** 645.00

**Rank:** 18

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 62.79

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A		L	0.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D		L	0.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 405.00/720.00 (56.25%)

**Max Score:** 645.00

**Rank:** 18

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 62.79

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C		L	0.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 134 (**Correct:** 107 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 405.00

**Total Positive Marks:** 432.00 **Total Negative Marks:** 27.00

PHY	CHEM	BIO	Total
88.00	96.00	221.00	405.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 390.00/720.00 (54.17%)

**Max Score:** 645.00

**Rank:** 19

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 60.47

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	B	R	4.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	A	R	4.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 390.00/720.00 (54.17%)

**Max Score:** 645.00

**Rank:** 19

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 60.47

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 390.00/720.00 (54.17%)

**Max Score:** 645.00

**Rank:** 19

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 60.47

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A		L	0.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B		L	0.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D		L	0.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 129 (**Correct:** 103 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 390.00

**Total Positive Marks:** 416.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
73.00	21.00	296.00	390.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANIKA RAMESHWAR DESHMUKH ( ID No. 47484 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 645.00

**Rank:** 20

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 58.45

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANIKA RAMESHWAR DESHMUKH ( ID No. 47484 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 645.00

**Rank:** 20

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 58.45

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C		L	0.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANIKA RAMESHWAR DESHMUKH ( ID No. 47484 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 645.00

**Rank:** 20

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 58.45

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C		L	0.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D		L	0.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A		L	0.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C		L	0.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D		L	0.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C		L	0.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D		L	0.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D		L	0.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D		L	0.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 132 (**Correct:** 101 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 377.00

**Total Positive Marks:** 408.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
101.00	122.00	154.00	377.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 645.00

**Rank:** 21

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 52.09

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C		L	0.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C		L	0.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 645.00

**Rank:** 21

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 52.09

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A		L	0.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 645.00

**Rank:** 21

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 52.09

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A		L	0.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D		L	0.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C		L	0.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D		L	0.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A		L	0.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	D	R	4.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 123 (**Correct:** 91 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 336.00

**Total Positive Marks:** 368.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
27.00	63.00	246.00	336.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 305.00/720.00 (42.36%)

**Max Score:** 645.00

**Rank:** 22

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 47.29

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A		L	0.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	B	R	4.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 305.00/720.00 (42.36%)

**Max Score:** 645.00

**Rank:** 22

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 47.29

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B		L	0.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D		L	0.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C		L	0.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A		L	0.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 305.00/720.00 (42.36%)

**Max Score:** 645.00

**Rank:** 22

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 47.29

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B		L	0.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 104 (**Correct:** 81 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 305.00

**Total Positive Marks:** 328.00 **Total Negative Marks:** 23.00

PHY	CHEM	BIO	Total
78.00	3.00	224.00	305.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 275.00/720.00 (38.19%)

**Max Score:** 645.00

**Rank:** 23

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 42.64

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C	C	R	4.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A		L	0.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B		L	0.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C		L	0.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B		L	0.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D		L	0.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C		L	0.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 275.00/720.00 (38.19%)

**Max Score:** 645.00

**Rank:** 23

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 42.64

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	B	R	4.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 275.00/720.00 (38.19%)

**Max Score:** 645.00

**Rank:** 23

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 42.64

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	A	R	4.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C		L	0.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D		L	0.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D		L	0.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 104 (**Correct:** 75 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 275.00

**Total Positive Marks:** 304.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
37.00	1.00	237.00	275.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 252.00/720.00 (35.00%)

**Max Score:** 645.00

**Rank:** 24

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 39.07

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D		L	0.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A		L	0.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A		L	0.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B		L	0.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C		L	0.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B		L	0.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 252.00/720.00 (35.00%)

**Max Score:** 645.00

**Rank:** 24

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 39.07

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A		L	0.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C		L	0.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D		L	0.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D		L	0.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A		L	0.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C		L	0.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 252.00/720.00 (35.00%)

**Max Score:** 645.00

**Rank:** 24

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 39.07

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A		L	0.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	B	R	4.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D		L	0.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D		L	0.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	C	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D		L	0.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A		L	0.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C		L	0.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C		L	0.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D		L	0.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	C	W	-1.00

**Total Question:** 180 **Attempted:** 87 (**Correct:** 67 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 252.00

**Total Positive Marks:** 272.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
57.00	6.00	189.00	252.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 645.00

**Rank:** 25

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 38.91

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00		B	C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A	A	R	4.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C	C	R	4.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C	C	R	4.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A	A	R	4.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D	D	R	4.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 645.00

**Rank:** 25

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID : 28 DT : 25-Jan-2024 )

**Percentile:** 38.91

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B		L	0.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A		L	0.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D		L	0.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C		L	0.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C		L	0.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C		L	0.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C		L	0.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A		L	0.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 645.00

**Rank:** 25

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 38.91

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B		L	0.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B		L	0.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D		L	0.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C		L	0.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C		L	0.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C		L	0.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D		L	0.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00

**Total Question:** 180 **Attempted:** 128 (**Correct:** 75 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 251.00

**Total Positive Marks:** 304.00 **Total Negative Marks:** 53.00

PHY	CHEM	BIO	Total
75.00	30.00	146.00	251.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 62.00/720.00 (8.61%)

**Max Score:** 645.00

**Rank:** 26

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 9.61

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	57.69	23.08	34.62	PHY	NTA REG	4.00	1.00	C		L	0.00
2	57.69	19.23	38.46	PHY	NTA REG	4.00	1.00	B		L	0.00
3	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
4	53.85	3.85	50.00	PHY	NTA REG	4.00	1.00	A		L	0.00
5	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	A		L	0.00
6	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
7	84.62	11.54	73.08	PHY	NTA REG	4.00	1.00	D		L	0.00
8	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A		L	0.00
9	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	A		L	0.00
10	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	B		L	0.00
11	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
12	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
13	73.08	73.08	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
14	23.08	19.23	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
15	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	C		L	0.00
16	84.62	50.00	34.62	PHY	NTA REG	4.00	1.00	B		L	0.00
17	80.77	53.85	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
18	84.62	69.23	15.38	PHY	NTA REG	4.00	1.00	D		L	0.00
19	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
20	84.62	80.77	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
21	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
22	57.69	15.38	42.31	PHY	NTA REG	4.00	1.00	A		L	0.00
23	76.92	50.00	26.92	PHY	NTA REG	4.00	1.00	A		L	0.00
24	46.15	23.08	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
25	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
26	100.00	100.00	0.00	PHY	NTA REG	4.00	1.00			C	4.00
27	76.92	76.92	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
28	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
29	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	C		L	0.00
30	69.23	69.23	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
31	80.77	80.77	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
32	65.38	65.38	0.00	PHY	NTA REG	4.00	1.00	C		L	0.00
33	69.23	61.54	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
34	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
35	61.54	50.00	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
36	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
37	80.77	69.23	11.54	PHY	NTA REG	4.00	1.00	A		L	0.00
38	84.62	84.62	0.00	PHY	NTA REG	4.00	1.00	A		L	0.00
39	65.38	61.54	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
40	57.69	50.00	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
41	57.69	57.69	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
42	57.69	53.85	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
43	73.08	65.38	7.69	PHY	NTA REG	4.00	1.00	D		L	0.00
44	69.23	50.00	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
45	73.08	57.69	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
46	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
47	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
48	57.69	50.00	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
49	61.54	38.46	23.08	CHEM	NTA REG	4.00	1.00	D		L	0.00
50	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	B		L	0.00
51	73.08	69.23	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
52	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
53	80.77	76.92	3.85	CHEM	NTA REG	4.00	1.00	D		L	0.00
54	53.85	38.46	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
56	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
57	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
58	69.23	38.46	30.77	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	D		L	0.00
60	84.62	80.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
61	76.92	69.23	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
62	73.08	53.85	19.23	CHEM	NTA REG	4.00	1.00	C		L	0.00
63	80.77	38.46	42.31	CHEM	NTA REG	4.00	1.00	B		L	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 62.00/720.00 (8.61%)

**Max Score:** 645.00

**Rank:** 26

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 9.61

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	84.62	61.54	23.08	CHEM	NTA REG	4.00	1.00	B		L	0.00
66	84.62	50.00	34.62	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	80.77	57.69	23.08	CHEM	NTA REG	4.00	1.00	B		L	0.00
68	34.62	30.77	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
69	57.69	23.08	34.62	CHEM	NTA REG	4.00	1.00	C		L	0.00
70	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00
71	34.62	26.92	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
72	53.85	19.23	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	76.92	50.00	26.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
74	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	A		L	0.00
75	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
77	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
79	80.77	42.31	38.46	CHEM	NTA REG	4.00	1.00	B		L	0.00
80	69.23	69.23	0.00	CHEM	NTA REG	4.00	1.00	A		L	0.00
81	73.08	65.38	7.69	CHEM	NTA REG	4.00	1.00	A		L	0.00
82	80.77	46.15	34.62	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	88.46	76.92	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
84	80.77	50.00	30.77	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	80.77	61.54	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
86	69.23	61.54	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
87	65.38	61.54	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
88	76.92	46.15	30.77	CHEM	NTA REG	4.00	1.00	C		L	0.00
89	42.31	38.46	3.85	CHEM	NTA REG	4.00	1.00	C		L	0.00
90	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
91	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	A	R	4.00
92	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
93	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
94	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	A		L	0.00
95	80.77	69.23	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
96	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
97	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
98	92.31	46.15	46.15	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
99	84.62	80.77	3.85	BIO	NTA REG	4.00	1.00	A		L	0.00
100	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D		L	0.00
101	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
102	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
103	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
104	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
105	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
106	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
107	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	C		L	0.00
108	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
109	88.46	73.08	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
110	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
111	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
113	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	A	A	R	4.00
114	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
116	80.77	65.38	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
117	96.15	57.69	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
118	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
119	76.92	69.23	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
120	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
121	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
122	88.46	84.62	3.85	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
123	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B		L	0.00
124	88.46	53.85	34.62	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
125	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 62.00/720.00 (8.61%)

**Max Score:** 645.00

**Rank:** 26

**Min Score:** 62.00

**TEST:** LT-20 (NEET) ( ID: 28 DT: 25-Jan-2024 )

**Percentile:** 9.61

**Avg Score:** 471.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
128	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
129	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
130	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	B		L	0.00
131	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	A		L	0.00
132	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
133	88.46	57.69	30.77	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
134	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
135	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
136	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
137	100.00	73.08	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
138	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
139	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D		L	0.00
140	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
141	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	C		L	0.00
142	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
143	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
144	92.31	80.77	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
145	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
146	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	C		L	0.00
147	73.08	57.69	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
148	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
150	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
152	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
153	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
154	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	C		L	0.00
155	53.85	30.77	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
156	92.31	69.23	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
157	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
158	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	88.46	76.92	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
160	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
161	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	A		L	0.00
162	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
163	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	A		L	0.00
164	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	C		L	0.00
165	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
166	88.46	88.46	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
167	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
168	80.77	61.54	19.23	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
169	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
170	76.92	61.54	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
171	84.62	76.92	7.69	BIO	NTA REG	4.00	1.00	D		L	0.00
172	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
173	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
174	84.62	69.23	15.38	BIO	NTA REG	4.00	1.00	D		L	0.00
175	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
176	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
177	84.62	73.08	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
178	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
179	92.31	50.00	42.31	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
180	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	B		L	0.00

**Total Question:** 180 **Attempted:** 47 (**Correct:** 21 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 62.00

**Total Positive Marks:** 88.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
4.00	0.00	58.00	62.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%