

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 652.00/720.00 (90.56%)

Max Score: 652.00

Rank: 1

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 100.00

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	A	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 652.00/720.00 (90.56%)

Max Score: 652.00

Rank: 1

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 100.00

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 652.00/720.00 (90.56%)

Max Score: 652.00

Rank: 1

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 100.00

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 652.00/720.00 (90.56%)

Max Score: 652.00

Rank: 1

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 100.00

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 176 (**Correct:** 164 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 652.00

Total Positive Marks: 664.00 **Total Negative Marks:** 12.00

PHY	CHEM	BOT	ZOO	Total
155.00	142.00	180.00	175.00	652.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 644.00/720.00 (89.44%)

Max Score: 652.00

Rank: 2

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 98.77

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	C	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 644.00/720.00 (89.44%)

Max Score: 652.00

Rank: 2

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 98.77

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 644.00/720.00 (89.44%)

Max Score: 652.00

Rank: 2

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 98.77

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 644.00/720.00 (89.44%)

Max Score: 652.00

Rank: 2

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 98.77

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 174 (**Correct:** 162 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 644.00

Total Positive Marks: 656.00 **Total Negative Marks:** 12.00

PHY	CHEM	BOT	ZOO	Total
156.00	152.00	180.00	156.00	644.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 618.00/720.00 (85.83%)

Max Score: 652.00

Rank: 3

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 94.79

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	A	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 618.00/720.00 (85.83%)

Max Score: 652.00

Rank: 3

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 94.79

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 618.00/720.00 (85.83%)

Max Score: 652.00

Rank: 3

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 94.79

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 618.00/720.00 (85.83%)

Max Score: 652.00

Rank: 3

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 94.79

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 170 (**Correct:** 156 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 618.00

Total Positive Marks: 632.00 **Total Negative Marks:** 14.00

PHY	CHEM	BOT	ZOO	Total
139.00	139.00	180.00	160.00	618.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 585.00/720.00 (81.25%)

Max Score: 652.00

Rank: 4

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 89.72

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	D	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 585.00/720.00 (81.25%)

Max Score: 652.00

Rank: 4

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 89.72

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 585.00/720.00 (81.25%)

Max Score: 652.00

Rank: 4

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 89.72

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	D	W	-1.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	L	0.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 585.00/720.00 (81.25%)

Max Score: 652.00

Rank: 4

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 89.72

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 168 (**Correct:** 149 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 585.00

Total Positive Marks: 604.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
108.00	132.00	175.00	170.00	585.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 567.00/720.00 (78.75%)

Max Score: 652.00

Rank: 5

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 86.96

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	D	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 567.00/720.00 (78.75%)

Max Score: 652.00

Rank: 5

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 86.96

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 567.00/720.00 (78.75%)

Max Score: 652.00

Rank: 5

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 86.96

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 567.00/720.00 (78.75%)

Max Score: 652.00

Rank: 5

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 86.96

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 161 (**Correct:** 144 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 567.00

Total Positive Marks: 584.00 **Total Negative Marks:** 17.00

PHY	CHEM	BOT	ZOO	Total
125.00	115.00	180.00	147.00	567.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 541.00/720.00 (75.14%)

Max Score: 652.00

Rank: 6

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 82.98

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 541.00/720.00 (75.14%)

Max Score: 652.00

Rank: 6

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 82.98

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 541.00/720.00 (75.14%)

Max Score: 652.00

Rank: 6

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 82.98

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 541.00/720.00 (75.14%)

Max Score: 652.00

Rank: 6

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 82.98

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 162 (**Correct:** 139 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 541.00

Total Positive Marks: 564.00 **Total Negative Marks:** 23.00

PHY	CHEM	BOT	ZOO	Total
119.00	140.00	150.00	132.00	541.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 520.00/720.00 (72.22%)

Max Score: 652.00

Rank: 7

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 79.75

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	AC	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 520.00/720.00 (72.22%)

Max Score: 652.00

Rank: 7

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 79.75

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 520.00/720.00 (72.22%)

Max Score: 652.00

Rank: 7

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 79.75

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 520.00/720.00 (72.22%)

Max Score: 652.00

Rank: 7

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 79.75

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 158 (**Correct:** 134 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 520.00

Total Positive Marks: 544.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
117.00	85.00	165.00	153.00	520.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 520.00/720.00 (72.22%)

Max Score: 652.00

Rank: 7

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 79.75

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	A	W	-1.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 520.00/720.00 (72.22%)

Max Score: 652.00

Rank: 7

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 79.75

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 520.00/720.00 (72.22%)

Max Score: 652.00

Rank: 7

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 79.75

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 520.00/720.00 (72.22%)

Max Score: 652.00

Rank: 7

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 79.75

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 Attempted: 158 (Correct: 134 Incorrect: 24) Score Rate: 0.00 Strike Rate: 0.00

Total: 520.00

Total Positive Marks: 544.00 Total Negative Marks: 24.00

PHY	CHEM	BOT	ZOO	Total
87.00	102.00	175.00	156.00	520.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 507.00/720.00 (70.42%)

Max Score: 652.00

Rank: 8

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.76

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 507.00/720.00 (70.42%)

Max Score: 652.00

Rank: 8

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.76

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 507.00/720.00 (70.42%)

Max Score: 652.00

Rank: 8

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.76

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 507.00/720.00 (70.42%)

Max Score: 652.00

Rank: 8

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.76

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 151 (**Correct:** 130 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 507.00

Total Positive Marks: 528.00 **Total Negative Marks:** 21.00

PHY	CHEM	BOT	ZOO	Total
97.00	94.00	176.00	140.00	507.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 505.00/720.00 (70.14%)

Max Score: 652.00

Rank: 9

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.45

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	A	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	D	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 505.00/720.00 (70.14%)

Max Score: 652.00

Rank: 9

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.45

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 505.00/720.00 (70.14%)

Max Score: 652.00

Rank: 9

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.45

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 505.00/720.00 (70.14%)

Max Score: 652.00

Rank: 9

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.45

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	L	0.00

Total Question: 200 **Attempted:** 168 (**Correct:** 133 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 505.00

Total Positive Marks: 540.00 **Total Negative Marks:** 35.00

PHY	CHEM	BOT	ZOO	Total
123.00	92.00	160.00	130.00	505.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 503.00/720.00 (69.86%)

Max Score: 652.00

Rank: 10

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.15

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	C	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	D	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 503.00/720.00 (69.86%)

Max Score: 652.00

Rank: 10

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.15

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 503.00/720.00 (69.86%)

Max Score: 652.00

Rank: 10

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.15

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 503.00/720.00 (69.86%)

Max Score: 652.00

Rank: 10

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.15

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 Attempted: 155 (Correct: 130 Incorrect: 25) Score Rate: 0.00 Strike Rate: 0.00

Total: 503.00

Total Positive Marks: 528.00 Total Negative Marks: 25.00

PHY	CHEM	BOT	ZOO	Total
110.00	97.00	161.00	135.00	503.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 503.00/720.00 (69.86%)

Max Score: 652.00

Rank: 10

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.15

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	A	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	C	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 503.00/720.00 (69.86%)

Max Score: 652.00

Rank: 10

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.15

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 503.00/720.00 (69.86%)

Max Score: 652.00

Rank: 10

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.15

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 503.00/720.00 (69.86%)

Max Score: 652.00

Rank: 10

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 77.15

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 150 (**Correct:** 129 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 503.00

Total Positive Marks: 524.00 **Total Negative Marks:** 21.00

PHY	CHEM	BOT	ZOO	Total
99.00	99.00	160.00	145.00	503.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 471.00/720.00 (65.42%)

Max Score: 652.00

Rank: 11

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 72.24

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	B	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 471.00/720.00 (65.42%)

Max Score: 652.00

Rank: 11

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 72.24

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 471.00/720.00 (65.42%)

Max Score: 652.00

Rank: 11

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 72.24

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 471.00/720.00 (65.42%)

Max Score: 652.00

Rank: 11

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 72.24

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 157 (**Correct:** 124 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 471.00

Total Positive Marks: 504.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
82.00	93.00	150.00	146.00	471.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 471.00/720.00 (65.42%)

Max Score: 652.00

Rank: 11

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 72.24

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	B	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	C	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 471.00/720.00 (65.42%)

Max Score: 652.00

Rank: 11

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 72.24

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 471.00/720.00 (65.42%)

Max Score: 652.00

Rank: 11

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 72.24

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 471.00/720.00 (65.42%)

Max Score: 652.00

Rank: 11

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 72.24

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	L	0.00

Total Question: 200 **Attempted:** 152 (**Correct:** 123 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 471.00

Total Positive Marks: 500.00 **Total Negative Marks:** 29.00

PHY	CHEM	BOT	ZOO	Total
71.00	83.00	171.00	146.00	471.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 460.00/720.00 (63.89%)

Max Score: 652.00

Rank: 12

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 70.55

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 460.00/720.00 (63.89%)

Max Score: 652.00

Rank: 12

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 70.55

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	D	L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 460.00/720.00 (63.89%)

Max Score: 652.00

Rank: 12

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 70.55

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 460.00/720.00 (63.89%)

Max Score: 652.00

Rank: 12

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 70.55

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 133 (**Correct:** 117 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 460.00

Total Positive Marks: 476.00 **Total Negative Marks:** 16.00

PHY	CHEM	BOT	ZOO	Total
65.00	99.00	153.00	143.00	460.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 459.00/720.00 (63.75%)

Max Score: 652.00

Rank: 13

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 70.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	D	W	-1.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 459.00/720.00 (63.75%)

Max Score: 652.00

Rank: 13

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 70.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 459.00/720.00 (63.75%)

Max Score: 652.00

Rank: 13

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 70.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C		L	0.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 459.00/720.00 (63.75%)

Max Score: 652.00

Rank: 13

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 70.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 139 (**Correct:** 118 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 459.00

Total Positive Marks: 480.00 **Total Negative Marks:** 21.00

PHY	CHEM	BOT	ZOO	Total
54.00	92.00	170.00	143.00	459.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 443.00/720.00 (61.53%)

Max Score: 652.00

Rank: 14

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 67.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 443.00/720.00 (61.53%)

Max Score: 652.00

Rank: 14

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 67.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 443.00/720.00 (61.53%)

Max Score: 652.00

Rank: 14

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 67.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	C	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 443.00/720.00 (61.53%)

Max Score: 652.00

Rank: 14

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 67.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 145 (**Correct:** 116 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 443.00

Total Positive Marks: 472.00 **Total Negative Marks:** 29.00

PHY	CHEM	BOT	ZOO	Total
93.00	69.00	145.00	136.00	443.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 442.00/720.00 (61.39%)

Max Score: 652.00

Rank: 15

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 67.79

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	D	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 442.00/720.00 (61.39%)

Max Score: 652.00

Rank: 15

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 67.79

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 442.00/720.00 (61.39%)

Max Score: 652.00

Rank: 15

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 67.79

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 442.00/720.00 (61.39%)

Max Score: 652.00

Rank: 15

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 67.79

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 Attempted: 141 (Correct: 115 Incorrect: 26) Score Rate: 0.00 Strike Rate: 0.00

Total: 442.00

Total Positive Marks: 468.00 Total Negative Marks: 26.00

PHY	CHEM	BOT	ZOO	Total
115.00	60.00	137.00	130.00	442.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 433.00/720.00 (60.14%)

Max Score: 652.00

Rank: 16

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 66.41

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	D	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 433.00/720.00 (60.14%)

Max Score: 652.00

Rank: 16

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 66.41

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 433.00/720.00 (60.14%)

Max Score: 652.00

Rank: 16

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 66.41

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 433.00/720.00 (60.14%)

Max Score: 652.00

Rank: 16

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 66.41

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 150 (**Correct:** 115 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 433.00

Total Positive Marks: 468.00 **Total Negative Marks:** 35.00

PHY	CHEM	BOT	ZOO	Total
72.00	71.00	160.00	130.00	433.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 417.00/720.00 (57.92%)

Max Score: 652.00

Rank: 17

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 63.96

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 417.00/720.00 (57.92%)

Max Score: 652.00

Rank: 17

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 63.96

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 417.00/720.00 (57.92%)

Max Score: 652.00

Rank: 17

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 63.96

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 417.00/720.00 (57.92%)

Max Score: 652.00

Rank: 17

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 63.96

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 136 (**Correct:** 109 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 417.00

Total Positive Marks: 444.00 **Total Negative Marks:** 27.00

PHY	CHEM	BOT	ZOO	Total
55.00	79.00	161.00	122.00	417.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 412.00/720.00 (57.22%)

Max Score: 652.00

Rank: 18

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 63.19

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	C	W	-1.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 412.00/720.00 (57.22%)

Max Score: 652.00

Rank: 18

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 63.19

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 412.00/720.00 (57.22%)

Max Score: 652.00

Rank: 18

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 63.19

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 412.00/720.00 (57.22%)

Max Score: 652.00

Rank: 18

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 63.19

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 136 (**Correct:** 108 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 412.00

Total Positive Marks: 440.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
63.00	62.00	140.00	147.00	412.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 394.00/720.00 (54.72%)

Max Score: 652.00

Rank: 19

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 60.43

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	A	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 394.00/720.00 (54.72%)

Max Score: 652.00

Rank: 19

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 60.43

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 394.00/720.00 (54.72%)

Max Score: 652.00

Rank: 19

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 60.43

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 394.00/720.00 (54.72%)

Max Score: 652.00

Rank: 19

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 60.43

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 164 (**Correct:** 110 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 394.00

Total Positive Marks: 448.00 **Total Negative Marks:** 54.00

PHY	CHEM	BOT	ZOO	Total
61.00	92.00	130.00	111.00	394.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEEPTANSHU PRAKASH MAHORE (ID No. 47442)

Your Score: 392.00/720.00 (54.44%)

Max Score: 652.00

Rank: 20

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 60.12

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	D	W	-1.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	B	W	-1.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	C	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEEPTANSHU PRAKASH MAHORE (ID No. 47442)

Your Score: 392.00/720.00 (54.44%)

Max Score: 652.00

Rank: 20

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 60.12

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEEPTANSHU PRAKASH MAHORE (ID No. 47442)

Your Score: 392.00/720.00 (54.44%)

Max Score: 652.00

Rank: 20

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 60.12

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	B	W	-1.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	B	W	-1.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	D	W	-1.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A		L	0.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEEPTANSHU PRAKASH MAHORE (ID No. 47442)

Your Score: 392.00/720.00 (54.44%)

Max Score: 652.00

Rank: 20

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 60.12

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 171 (**Correct:** 111 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 392.00

Total Positive Marks: 452.00 **Total Negative Marks:** 60.00

PHY	CHEM	BOT	ZOO	Total
74.00	83.00	125.00	110.00	392.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 386.00/720.00 (53.61%)

Max Score: 652.00

Rank: 21

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 59.20

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	D	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 386.00/720.00 (53.61%)

Max Score: 652.00

Rank: 21

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 59.20

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 386.00/720.00 (53.61%)

Max Score: 652.00

Rank: 21

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 59.20

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI KISHOR PURI (ID No. 47508)

Your Score: 386.00/720.00 (53.61%)

Max Score: 652.00

Rank: 21

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 59.20

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C		L	0.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 147 (**Correct:** 105 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 386.00

Total Positive Marks: 428.00 **Total Negative Marks:** 42.00

PHY	CHEM	BOT	ZOO	Total
45.00	68.00	155.00	118.00	386.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHAK MUKESH RATHI (ID No. 47451)

Your Score: 382.00/720.00 (53.06%)

Max Score: 652.00

Rank: 22

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 58.59

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	CD	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHAK MUKESH RATHI (ID No. 47451)

Your Score: 382.00/720.00 (53.06%)

Max Score: 652.00

Rank: 22

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 58.59

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHAK MUKESH RATHI (ID No. 47451)

Your Score: 382.00/720.00 (53.06%)

Max Score: 652.00

Rank: 22

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 58.59

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	C	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHAK MUKESH RATHI (ID No. 47451)

Your Score: 382.00/720.00 (53.06%)

Max Score: 652.00

Rank: 22

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 58.59

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	L	0.00

Total Question: 200 **Attempted:** 161 (**Correct:** 107 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 382.00

Total Positive Marks: 436.00 **Total Negative Marks:** 54.00

PHY	CHEM	BOT	ZOO	Total
65.00	52.00	140.00	125.00	382.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 374.00/720.00 (51.94%)

Max Score: 652.00

Rank: 23

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 57.36

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 374.00/720.00 (51.94%)

Max Score: 652.00

Rank: 23

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 57.36

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 374.00/720.00 (51.94%)

Max Score: 652.00

Rank: 23

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 57.36

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARNAV VIKRANT SARAF (ID No. 47437)

Your Score: 374.00/720.00 (51.94%)

Max Score: 652.00

Rank: 23

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 57.36

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C		L	0.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 139 (**Correct:** 101 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 374.00

Total Positive Marks: 412.00 **Total Negative Marks:** 38.00

PHY	CHEM	BOT	ZOO	Total
57.00	66.00	130.00	121.00	374.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 373.00/720.00 (51.81%)

Max Score: 652.00

Rank: 24

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 57.21

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	D	W	-1.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	BD	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 373.00/720.00 (51.81%)

Max Score: 652.00

Rank: 24

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 57.21

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 373.00/720.00 (51.81%)

Max Score: 652.00

Rank: 24

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 57.21

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 373.00/720.00 (51.81%)

Max Score: 652.00

Rank: 24

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 57.21

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 135 (**Correct:** 100 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 373.00

Total Positive Marks: 408.00 **Total Negative Marks:** 35.00

PHY	CHEM	BOT	ZOO	Total
68.00	43.00	144.00	118.00	373.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 366.00/720.00 (50.83%)

Max Score: 652.00

Rank: 25

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 56.13

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 366.00/720.00 (50.83%)

Max Score: 652.00

Rank: 25

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 56.13

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 366.00/720.00 (50.83%)

Max Score: 652.00

Rank: 25

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 56.13

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN (ID No. 47510)

Your Score: 366.00/720.00 (50.83%)

Max Score: 652.00

Rank: 25

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 56.13

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 127 (**Correct:** 97 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 366.00

Total Positive Marks: 396.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
44.00	26.00	155.00	141.00	366.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 358.00/720.00 (49.72%)

Max Score: 652.00

Rank: 26

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 54.91

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	A	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 358.00/720.00 (49.72%)

Max Score: 652.00

Rank: 26

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 54.91

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 358.00/720.00 (49.72%)

Max Score: 652.00

Rank: 26

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 54.91

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C		L	0.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 358.00/720.00 (49.72%)

Max Score: 652.00

Rank: 26

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 54.91

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 140 (**Correct:** 98 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 358.00

Total Positive Marks: 400.00 **Total Negative Marks:** 42.00

PHY	CHEM	BOT	ZOO	Total
99.00	46.00	97.00	116.00	358.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 344.00/720.00 (47.78%)

Max Score: 652.00

Rank: 27

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 52.76

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	AD	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	D	L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 344.00/720.00 (47.78%)

Max Score: 652.00

Rank: 27

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 52.76

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 344.00/720.00 (47.78%)

Max Score: 652.00

Rank: 27

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 52.76

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	A	W	-1.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	B	W	-1.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	B	W	-1.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A		L	0.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	A	W	-1.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 344.00/720.00 (47.78%)

Max Score: 652.00

Rank: 27

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 52.76

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	L	0.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	L	0.00

Total Question: 200 **Attempted:** 169 (**Correct:** 101 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 344.00

Total Positive Marks: 412.00 **Total Negative Marks:** 68.00

PHY	CHEM	BOT	ZOO	Total
62.00	52.00	105.00	125.00	344.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 337.00/720.00 (46.81%)

Max Score: 652.00

Rank: 28

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 51.69

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	C	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	B	W	-1.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 337.00/720.00 (46.81%)

Max Score: 652.00

Rank: 28

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 51.69

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 337.00/720.00 (46.81%)

Max Score: 652.00

Rank: 28

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 51.69

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	BC	W	-1.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	C	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 337.00/720.00 (46.81%)

Max Score: 652.00

Rank: 28

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 51.69

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	AC	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	L	0.00

Total Question: 200 Attempted: 136 (Correct: 93 Incorrect: 43) Score Rate: 0.00 Strike Rate: 0.00

Total: 337.00

Total Positive Marks: 380.00 Total Negative Marks: 43.00

PHY	CHEM	BOT	ZOO	Total
53.00	41.00	122.00	121.00	337.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHWETARANI TUSHAR KALEKAR (ID No. 47513)

Your Score: 328.00/720.00 (45.56%)

Max Score: 652.00

Rank: 29

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 50.31

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	D	W	-1.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	D	W	-1.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHWETARANI TUSHAR KALEKAR (ID No. 47513)

Your Score: 328.00/720.00 (45.56%)

Max Score: 652.00

Rank: 29

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 50.31

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHWETARANI TUSHAR KALEKAR (ID No. 47513)

Your Score: 328.00/720.00 (45.56%)

Max Score: 652.00

Rank: 29

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 50.31

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	D	W	-1.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	L	0.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHWETARANI TUSHAR KALEKAR (ID No. 47513)

Your Score: 328.00/720.00 (45.56%)

Max Score: 652.00

Rank: 29

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 50.31

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	D	L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	L	0.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	L	0.00

Total Question: 200 **Attempted:** 135 (**Correct:** 91 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 328.00

Total Positive Marks: 372.00 **Total Negative Marks:** 44.00

PHY	CHEM	BOT	ZOO	Total
46.00	35.00	114.00	133.00	328.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA SHUBHASH RAUT (ID No. 47485)

Your Score: 319.00/720.00 (44.31%)

Max Score: 652.00

Rank: 30

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.93

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		B	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	D	W	-1.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	D	W	-1.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	B	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	A	W	-1.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA SHUBHASH RAUT (ID No. 47485)

Your Score: 319.00/720.00 (44.31%)

Max Score: 652.00

Rank: 30

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.93

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA SHUBHASH RAUT (ID No. 47485)

Your Score: 319.00/720.00 (44.31%)

Max Score: 652.00

Rank: 30

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.93

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	L	0.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA SHUBHASH RAUT (ID No. 47485)

Your Score: 319.00/720.00 (44.31%)

Max Score: 652.00

Rank: 30

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.93

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	L	0.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	L	0.00

Total Question: 200 **Attempted:** 144 (**Correct:** 91 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 319.00

Total Positive Marks: 372.00 **Total Negative Marks:** 53.00

PHY	CHEM	BOT	ZOO	Total
26.00	40.00	133.00	120.00	319.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA SANJAY KALMEGH (ID No. 47439)

Your Score: 318.00/720.00 (44.17%)

Max Score: 652.00

Rank: 31

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.77

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	C	W	-1.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	D	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	A	W	-1.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	A	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA SANJAY KALMEGH (ID No. 47439)

Your Score: 318.00/720.00 (44.17%)

Max Score: 652.00

Rank: 31

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.77

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA SANJAY KALMEGH (ID No. 47439)

Your Score: 318.00/720.00 (44.17%)

Max Score: 652.00

Rank: 31

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.77

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA SANJAY KALMEGH (ID No. 47439)

Your Score: 318.00/720.00 (44.17%)

Max Score: 652.00

Rank: 31

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.77

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 140 (**Correct:** 90 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 318.00

Total Positive Marks: 368.00 **Total Negative Marks:** 50.00

PHY	CHEM	BOT	ZOO	Total
45.00	38.00	125.00	110.00	318.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 316.00/720.00 (43.89%)

Max Score: 652.00

Rank: 32

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.47

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 316.00/720.00 (43.89%)

Max Score: 652.00

Rank: 32

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.47

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 316.00/720.00 (43.89%)

Max Score: 652.00

Rank: 32

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.47

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C		L	0.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B		L	0.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	C	W	-1.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	D	W	-1.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	A	W	-1.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 316.00/720.00 (43.89%)

Max Score: 652.00

Rank: 32

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 48.47

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 152 (**Correct:** 92 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 316.00

Total Positive Marks: 376.00 **Total Negative Marks:** 60.00

PHY	CHEM	BOT	ZOO	Total
80.00	25.00	102.00	109.00	316.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 309.00/720.00 (42.92%)

Max Score: 652.00

Rank: 33

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 47.39

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	C	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	D	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 309.00/720.00 (42.92%)

Max Score: 652.00

Rank: 33

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 47.39

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 309.00/720.00 (42.92%)

Max Score: 652.00

Rank: 33

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 47.39

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 309.00/720.00 (42.92%)

Max Score: 652.00

Rank: 33

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 47.39

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	AC	W	-1.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 114 (**Correct:** 83 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 309.00

Total Positive Marks: 340.00 **Total Negative Marks:** 31.00

PHY	CHEM	BOT	ZOO	Total
32.00	44.00	150.00	83.00	309.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA SHRIKRUSHNA BERAD (ID No. 48463)

Your Score: 306.00/720.00 (42.50%)

Max Score: 652.00

Rank: 34

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 46.93

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA SHRIKRUSHNA BERAD (ID No. 48463)

Your Score: 306.00/720.00 (42.50%)

Max Score: 652.00

Rank: 34

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 46.93

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA SHRIKRUSHNA BERAD (ID No. 48463)

Your Score: 306.00/720.00 (42.50%)

Max Score: 652.00

Rank: 34

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 46.93

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	L	0.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	B	L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA SHRIKRUSHNA BERAD (ID No. 48463)

Your Score: 306.00/720.00 (42.50%)

Max Score: 652.00

Rank: 34

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 46.93

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 102 (**Correct:** 80 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 306.00

Total Positive Marks: 328.00 **Total Negative Marks:** 22.00

PHY	CHEM	BOT	ZOO	Total
21.00	35.00	147.00	103.00	306.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS SHRIKRUSHNA INGLE (ID No. 47511)

Your Score: 296.00/720.00 (41.11%)

Max Score: 652.00

Rank: 35

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 45.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS SHRIKRUSHNA INGLE (ID No. 47511)

Your Score: 296.00/720.00 (41.11%)

Max Score: 652.00

Rank: 35

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 45.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS SHRIKRUSHNA INGLE (ID No. 47511)

Your Score: 296.00/720.00 (41.11%)

Max Score: 652.00

Rank: 35

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 45.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	B	L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	B	L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS SHRIKRUSHNA INGLE (ID No. 47511)

Your Score: 296.00/720.00 (41.11%)

Max Score: 652.00

Rank: 35

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 45.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	L	0.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	A	L	0.00

Total Question: 200 **Attempted:** 112 (**Correct:** 80 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 296.00

Total Positive Marks: 328.00 **Total Negative Marks:** 32.00

PHY	CHEM	BOT	ZOO	Total
26.00	19.00	127.00	124.00	296.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 293.00/720.00 (40.69%)

Max Score: 652.00

Rank: 36

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 44.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	A	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	A	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 293.00/720.00 (40.69%)

Max Score: 652.00

Rank: 36

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 44.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 293.00/720.00 (40.69%)

Max Score: 652.00

Rank: 36

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 44.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	B	W	-1.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	B	W	-1.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA RAMESHWAR DESHMUKH (ID No. 47484)

Your Score: 293.00/720.00 (40.69%)

Max Score: 652.00

Rank: 36

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 44.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 125 (**Correct:** 82 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 293.00

Total Positive Marks: 336.00 **Total Negative Marks:** 43.00

PHY	CHEM	BOT	ZOO	Total
57.00	39.00	103.00	94.00	293.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYA RAJESH KHOTRE (ID No. 47403)

Your Score: 291.00/720.00 (40.42%)

Max Score: 652.00

Rank: 37

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 44.63

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	D	W	-1.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYA RAJESH KHOTRE (ID No. 47403)

Your Score: 291.00/720.00 (40.42%)

Max Score: 652.00

Rank: 37

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 44.63

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYA RAJESH KHOTRE (ID No. 47403)

Your Score: 291.00/720.00 (40.42%)

Max Score: 652.00

Rank: 37

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 44.63

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D		L	0.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	C	W	-1.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	A	W	-1.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYA RAJESH KHOTRE (ID No. 47403)

Your Score: 291.00/720.00 (40.42%)

Max Score: 652.00

Rank: 37

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 44.63

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 142 (**Correct:** 85 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 291.00

Total Positive Marks: 348.00 **Total Negative Marks:** 57.00

PHY	CHEM	BOT	ZOO	Total
47.00	18.00	117.00	109.00	291.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 285.00/720.00 (39.58%)

Max Score: 652.00

Rank: 38

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 43.71

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D		L	0.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	C	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 285.00/720.00 (39.58%)

Max Score: 652.00

Rank: 38

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 43.71

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 285.00/720.00 (39.58%)

Max Score: 652.00

Rank: 38

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 43.71

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	C	W	-1.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	B	W	-1.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	C	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 285.00/720.00 (39.58%)

Max Score: 652.00

Rank: 38

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 43.71

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 123 (**Correct:** 80 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 285.00

Total Positive Marks: 328.00 **Total Negative Marks:** 43.00

PHY	CHEM	BOT	ZOO	Total
38.00	32.00	120.00	95.00	285.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 283.00/720.00 (39.31%)

Max Score: 652.00

Rank: 39

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 43.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	A	W	-1.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	D	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 283.00/720.00 (39.31%)

Max Score: 652.00

Rank: 39

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 43.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 283.00/720.00 (39.31%)

Max Score: 652.00

Rank: 39

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 43.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 283.00/720.00 (39.31%)

Max Score: 652.00

Rank: 39

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 43.40

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 165 (**Correct:** 88 **Incorrect:** 77) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 283.00

Total Positive Marks: 360.00 **Total Negative Marks:** 77.00

PHY	CHEM	BOT	ZOO	Total
50.00	56.00	86.00	91.00	283.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DWARKESH MUKUND KITUKALE (ID No. 47444)

Your Score: 277.00/720.00 (38.47%)

Max Score: 652.00

Rank: 40

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 42.48

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DWARKESH MUKUND KITUKALE (ID No. 47444)

Your Score: 277.00/720.00 (38.47%)

Max Score: 652.00

Rank: 40

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 42.48

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DWARKESH MUKUND KITUKALE (ID No. 47444)

Your Score: 277.00/720.00 (38.47%)

Max Score: 652.00

Rank: 40

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 42.48

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	C	W	-1.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	C	W	-1.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	C	W	-1.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	D	W	-1.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A		L	0.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DWARKESH MUKUND KITUKALE (ID No. 47444)

Your Score: 277.00/720.00 (38.47%)

Max Score: 652.00

Rank: 40

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 42.48

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 161 (**Correct:** 86 **Incorrect:** 75) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 277.00

Total Positive Marks: 352.00 **Total Negative Marks:** 75.00

PHY	CHEM	BOT	ZOO	Total
38.00	39.00	110.00	90.00	277.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI ANIL GAIKWAD (ID No. 47448)

Your Score: 273.00/720.00 (37.92%)

Max Score: 652.00

Rank: 41

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 41.87

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D		L	0.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	D	W	-1.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI ANIL GAIKWAD (ID No. 47448)

Your Score: 273.00/720.00 (37.92%)

Max Score: 652.00

Rank: 41

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 41.87

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI ANIL GAIKWAD (ID No. 47448)

Your Score: 273.00/720.00 (37.92%)

Max Score: 652.00

Rank: 41

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 41.87

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI ANIL GAIKWAD (ID No. 47448)

Your Score: 273.00/720.00 (37.92%)

Max Score: 652.00

Rank: 41

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 41.87

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 100 (**Correct:** 73 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 273.00

Total Positive Marks: 300.00 **Total Negative Marks:** 27.00

PHY	CHEM	BOT	ZOO	Total
12.00	8.00	146.00	107.00	273.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 258.00/720.00 (35.83%)

Max Score: 652.00

Rank: 42

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 39.57

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		A	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	C	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	A	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	C	R	4.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 258.00/720.00 (35.83%)

Max Score: 652.00

Rank: 42

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 39.57

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 258.00/720.00 (35.83%)

Max Score: 652.00

Rank: 42

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 39.57

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 258.00/720.00 (35.83%)

Max Score: 652.00

Rank: 42

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 39.57

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	A	W	-1.00

Total Question: 200 **Attempted:** 115 (**Correct:** 73 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 258.00

Total Positive Marks: 300.00 **Total Negative Marks:** 42.00

PHY	CHEM	BOT	ZOO	Total
49.00	10.00	120.00	79.00	258.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA MADAN CHARHATE (ID No. 47438)

Your Score: 251.00/720.00 (34.86%)

Max Score: 652.00

Rank: 43

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 38.50

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	C	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA MADAN CHARHATE (ID No. 47438)

Your Score: 251.00/720.00 (34.86%)

Max Score: 652.00

Rank: 43

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 38.50

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA MADAN CHARHATE (ID No. 47438)

Your Score: 251.00/720.00 (34.86%)

Max Score: 652.00

Rank: 43

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 38.50

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	C	W	-1.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	D	W	-1.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA MADAN CHARHATE (ID No. 47438)

Your Score: 251.00/720.00 (34.86%)

Max Score: 652.00

Rank: 43

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 38.50

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 132 (**Correct:** 75 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 251.00

Total Positive Marks: 308.00 **Total Negative Marks:** 57.00

PHY	CHEM	BOT	ZOO	Total
25.00	45.00	90.00	91.00	251.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 227.00/720.00 (31.53%)

Max Score: 652.00

Rank: 44

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 34.82

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	D	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	D	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 227.00/720.00 (31.53%)

Max Score: 652.00

Rank: 44

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 34.82

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D		L	0.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 227.00/720.00 (31.53%)

Max Score: 652.00

Rank: 44

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 34.82

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	C	W	-1.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C		L	0.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	D	W	-1.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 227.00/720.00 (31.53%)

Max Score: 652.00

Rank: 44

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 34.82

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 136 (**Correct:** 71 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 227.00

Total Positive Marks: 292.00 **Total Negative Marks:** 65.00

PHY	CHEM	BOT	ZOO	Total
27.00	38.00	81.00	81.00	227.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEET SHARAD KULAT (ID No. 47504)

Your Score: 225.00/720.00 (31.25%)

Max Score: 652.00

Rank: 45

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 34.51

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	D	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	A	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEET SHARAD KULAT (ID No. 47504)

Your Score: 225.00/720.00 (31.25%)

Max Score: 652.00

Rank: 45

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 34.51

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEET SHARAD KULAT (ID No. 47504)

Your Score: 225.00/720.00 (31.25%)

Max Score: 652.00

Rank: 45

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 34.51

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	A	W	-1.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	C	W	-1.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEET SHARAD KULAT (ID No. 47504)

Your Score: 225.00/720.00 (31.25%)

Max Score: 652.00

Rank: 45

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 34.51

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 158 (**Correct:** 75 **Incorrect:** 83) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 225.00

Total Positive Marks: 308.00 **Total Negative Marks:** 83.00

PHY	CHEM	BOT	ZOO	Total
22.00	37.00	84.00	82.00	225.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 182.00/720.00 (25.28%)

Max Score: 652.00

Rank: 46

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.91

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	C	W	-1.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 182.00/720.00 (25.28%)

Max Score: 652.00

Rank: 46

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.91

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 182.00/720.00 (25.28%)

Max Score: 652.00

Rank: 46

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.91

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	C	W	-1.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	C	W	-1.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	B	W	-1.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A		L	0.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 182.00/720.00 (25.28%)

Max Score: 652.00

Rank: 46

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.91

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 131 (**Correct:** 61 **Incorrect:** 70) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 182.00

Total Positive Marks: 252.00 **Total Negative Marks:** 70.00

PHY	CHEM	BOT	ZOO	Total
22.00	19.00	90.00	51.00	182.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 180.00/720.00 (25.00%)

Max Score: 652.00

Rank: 47

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.61

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	C	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	C	W	-1.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	D	W	-1.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	C	W	-1.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	C	L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	C	L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	D	L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	C	L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 180.00/720.00 (25.00%)

Max Score: 652.00

Rank: 47

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.61

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	D	L	0.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	C	L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	C	L	0.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	D	L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 180.00/720.00 (25.00%)

Max Score: 652.00

Rank: 47

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.61

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	C	W	-1.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	B	R	4.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	D	W	-1.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	D	L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	C	L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	L	0.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 180.00/720.00 (25.00%)

Max Score: 652.00

Rank: 47

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.61

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	D	L	0.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	B	L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	D	L	0.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	A	L	0.00

Total Question: 200 **Attempted:** 178 (**Correct:** 70 **Incorrect:** 108) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 180.00

Total Positive Marks: 288.00 **Total Negative Marks:** 108.00

PHY	CHEM	BOT	ZOO	Total
30.00	45.00	55.00	50.00	180.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ DASHRATH JADHAV (ID No. 48963)

Your Score: 179.00/720.00 (24.86%)

Max Score: 652.00

Rank: 48

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.45

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	C	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D		L	0.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	C	W	-1.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	D	W	-1.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	B	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C		L	0.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	C	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	D	W	-1.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	A	W	-1.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ DASHRATH JADHAV (ID No. 48963)

Your Score: 179.00/720.00 (24.86%)

Max Score: 652.00

Rank: 48

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.45

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B		L	0.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A		L	0.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ DASHRATH JADHAV (ID No. 48963)

Your Score: 179.00/720.00 (24.86%)

Max Score: 652.00

Rank: 48

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.45

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	C	W	-1.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	D	W	-1.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	B	W	-1.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B		L	0.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B		L	0.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	D	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ DASHRATH JADHAV (ID No. 48963)

Your Score: 179.00/720.00 (24.86%)

Max Score: 652.00

Rank: 48

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 27.45

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	C	R	4.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C		L	0.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	A	W	-1.00

Total Question: 200 **Attempted:** 169 (**Correct:** 68 **Incorrect:** 101) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 179.00

Total Positive Marks: 280.00 **Total Negative Marks:** 101.00

PHY	CHEM	BOT	ZOO	Total
32.00	38.00	63.00	46.00	179.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 176.00/720.00 (24.44%)

Max Score: 652.00

Rank: 49

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 26.99

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		B	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	A	W	-1.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A	D	W	-1.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	A	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	D	W	-1.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C	B	L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 176.00/720.00 (24.44%)

Max Score: 652.00

Rank: 49

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 26.99

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B		L	0.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 176.00/720.00 (24.44%)

Max Score: 652.00

Rank: 49

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 26.99

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A		L	0.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C		L	0.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B		L	0.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	C	W	-1.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	C	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 176.00/720.00 (24.44%)

Max Score: 652.00

Rank: 49

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 26.99

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	A	R	4.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 172 (**Correct:** 68 **Incorrect:** 104) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 176.00

Total Positive Marks: 280.00 **Total Negative Marks:** 104.00

PHY	CHEM	BOT	ZOO	Total
41.00	0.00	85.00	50.00	176.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VISHNU GAIKWAD (ID No. 47489)

Your Score: 162.00/720.00 (22.50%)

Max Score: 652.00

Rank: 50

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 24.85

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		B	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C		L	0.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A		L	0.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	D	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C	D	W	-1.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VISHNU GAIKWAD (ID No. 47489)

Your Score: 162.00/720.00 (22.50%)

Max Score: 652.00

Rank: 50

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 24.85

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A		L	0.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VISHNU GAIKWAD (ID No. 47489)

Your Score: 162.00/720.00 (22.50%)

Max Score: 652.00

Rank: 50

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 24.85

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C		L	0.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	C	W	-1.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	D	W	-1.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	A	W	-1.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VISHNU GAIKWAD (ID No. 47489)

Your Score: 162.00/720.00 (22.50%)

Max Score: 652.00

Rank: 50

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 24.85

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B		L	0.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A		L	0.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 121 (**Correct:** 55 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 162.00

Total Positive Marks: 228.00 **Total Negative Marks:** 66.00

PHY	CHEM	BOT	ZOO	Total
4.00	16.00	93.00	49.00	162.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 158.00/720.00 (21.94%)

Max Score: 652.00

Rank: 51

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 24.23

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC	C	R	4.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B	BC	W	-1.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		C	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		B	C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A	C	W	-1.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	B	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B		L	0.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A		L	0.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 158.00/720.00 (21.94%)

Max Score: 652.00

Rank: 51

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 24.23

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B		L	0.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D		L	0.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 158.00/720.00 (21.94%)

Max Score: 652.00

Rank: 51

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 24.23

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	B	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B		L	0.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	D	W	-1.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	B	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B		L	0.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C		L	0.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B		L	0.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	A	W	-1.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 158.00/720.00 (21.94%)

Max Score: 652.00

Rank: 51

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 24.23

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 175 (**Correct:** 65 **Incorrect:** 110) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 158.00

Total Positive Marks: 268.00 **Total Negative Marks:** 110.00

PHY	CHEM	BOT	ZOO	Total
31.00	30.00	61.00	36.00	158.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 130.00/720.00 (18.06%)

Max Score: 652.00

Rank: 52

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 19.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	47.27	36.36	10.91	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
3	69.09	12.73	56.36	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	60.00	21.82	38.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	69.09	49.09	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	25.45	20.00	5.45	PHY	FOR TWO ANS	4.00	1.00	AC		L	0.00
7	81.82	52.73	29.09	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	47.27	29.09	18.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	65.45	14.55	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	100.00	100.00	0.00	PHY	BONUS	4.00	1.00		D	C	4.00
11	81.82	41.82	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	43.64	21.82	21.82	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
13	30.91	16.36	14.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	27.27	9.09	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
15	89.09	54.55	34.55	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
16	76.36	36.36	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	70.91	49.09	21.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	49.09	25.45	23.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	76.36	61.82	14.55	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	78.18	29.09	49.09	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	89.09	43.64	45.45	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	61.82	30.91	30.91	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	63.64	40.00	23.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	65.45	34.55	30.91	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	25.45	12.73	12.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	43.64	29.09	14.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	87.27	50.91	36.36	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	85.45	69.09	16.36	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	100.00	100.00	0.00	PHY	BONUS	4.00	1.00			C	4.00
30	52.73	45.45	7.27	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	63.64	41.82	21.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	30.91	9.09	21.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	87.27	67.27	20.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	52.73	34.55	18.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	63.64	50.91	12.73	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	92.73	70.91	21.82	PHY	TOP10	4.00	1.00	D		L	0.00
37	76.36	67.27	9.09	PHY	TOP10	4.00	1.00	C		L	0.00
38	52.73	36.36	16.36	PHY	TOP10	4.00	1.00	A		L	0.00
39	90.91	78.18	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
40	18.18	9.09	9.09	PHY	TOP10	4.00	1.00	A		L	0.00
41	40.00	27.27	12.73	PHY	TOP10	4.00	1.00	B		L	0.00
42	56.36	38.18	18.18	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.00	32.73	27.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
44	43.64	21.82	21.82	PHY	TOP10	4.00	1.00	A	C	W	-1.00
45	52.73	29.09	23.64	PHY	TOP10	4.00	1.00	D		L	0.00
46	56.36	9.09	47.27	PHY	TOP10	4.00	1.00	C	A	W	-1.00
47	30.91	12.73	18.18	PHY	TOP10	4.00	1.00	B	A	W	-1.00
48	38.18	1.82	36.36	PHY	TOP10	4.00	1.00	A	B	W	-1.00
49	45.45	34.55	10.91	PHY	TOP10	4.00	1.00	C		L	0.00
50	27.27	5.45	21.82	PHY	TOP10	4.00	1.00	C		L	0.00
51	87.27	52.73	34.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	72.73	58.18	14.55	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	94.55	61.82	32.73	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 130.00/720.00 (18.06%)

Max Score: 652.00

Rank: 52

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 19.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	87.27	43.64	43.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	92.73	80.00	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.91	52.73	18.18	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	32.73	7.27	25.45	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	60.00	20.00	40.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	36.36	5.45	30.91	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	63.64	16.36	47.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	61.82	34.55	27.27	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	32.73	14.55	18.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	72.73	30.91	41.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
64	81.82	32.73	49.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	58.18	34.55	23.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	47.27	30.91	16.36	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	70.91	50.91	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
68	81.82	43.64	38.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	85.45	61.82	23.64	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	69.09	40.00	29.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	70.91	54.55	16.36	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
72	54.55	40.00	14.55	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	54.55	5.45	49.09	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	94.55	81.82	12.73	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	50.91	29.09	21.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	74.55	20.00	54.55	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
77	72.73	47.27	25.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	34.55	10.91	23.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	61.82	41.82	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	80.00	54.55	25.45	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	36.36	18.18	18.18	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	27.27	9.09	18.18	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	50.91	23.64	27.27	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	65.45	30.91	34.55	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	43.64	12.73	30.91	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	21.82	12.73	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
87	70.91	43.64	27.27	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	69.09	30.91	38.18	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	14.55	5.45	9.09	CHEM	TOP10	4.00	1.00	A		L	0.00
90	81.82	54.55	27.27	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	80.00	47.27	32.73	CHEM	TOP10	4.00	1.00	C		L	0.00
92	100.00	76.36	23.64	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	41.82	29.09	12.73	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
94	74.55	47.27	27.27	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	67.27	47.27	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
96	69.09	60.00	9.09	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	81.82	49.09	32.73	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
98	60.00	38.18	21.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
99	70.91	50.91	20.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	27.27	14.55	12.73	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.36	83.64	12.73	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	92.73	76.36	16.36	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	98.18	83.64	14.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	100.00	90.91	9.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	100.00	85.45	14.55	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
106	94.55	80.00	14.55	BOT	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 130.00/720.00 (18.06%)

Max Score: 652.00

Rank: 52

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 19.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	96.36	72.73	23.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
109	98.18	65.45	32.73	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	98.18	90.91	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	94.55	74.55	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
112	98.18	72.73	25.45	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	96.36	87.27	9.09	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	96.36	85.45	10.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
116	90.91	50.91	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
118	98.18	94.55	3.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
119	98.18	87.27	10.91	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
120	96.36	89.09	7.27	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	96.36	90.91	5.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	96.36	74.55	21.82	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	100.00	87.27	12.73	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	100.00	83.64	16.36	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
126	94.55	58.18	36.36	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	96.36	80.00	16.36	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	92.73	58.18	34.55	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	98.18	70.91	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	100.00	92.73	7.27	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	98.18	63.64	34.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	94.55	69.09	25.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	94.55	67.27	27.27	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	90.91	60.00	30.91	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
135	90.91	20.00	70.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	81.82	50.91	30.91	BOT	TOP10	4.00	1.00	D	B	W	-1.00
137	60.00	56.36	3.64	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	60.00	52.73	7.27	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	65.45	43.64	21.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	72.73	63.64	9.09	BOT	TOP10	4.00	1.00	B		L	0.00
141	63.64	41.82	21.82	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	87.27	72.73	14.55	BOT	TOP10	4.00	1.00	C	D	W	-1.00
143	92.73	81.82	10.91	BOT	TOP10	4.00	1.00	B	A	W	-1.00
144	52.73	43.64	9.09	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	47.27	32.73	14.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	67.27	61.82	5.45	BOT	TOP10	4.00	1.00	C		L	0.00
147	63.64	50.91	12.73	BOT	TOP10	4.00	1.00	D		L	0.00
148	85.45	80.00	5.45	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	56.36	52.73	3.64	BOT	TOP10	4.00	1.00	C		L	0.00
150	38.18	9.09	29.09	BOT	TOP10	4.00	1.00	B		L	0.00
151	94.55	72.73	21.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	94.55	49.09	45.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	89.09	38.18	50.91	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	100.00	89.09	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	98.18	49.09	49.09	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
156	100.00	85.45	14.55	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
157	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	92.73	76.36	16.36	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
159	98.18	90.91	7.27	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRERNA SANDIP BHUTKAR (ID No. 50779)

Your Score: 130.00/720.00 (18.06%)

Max Score: 652.00

Rank: 52

Min Score: 130.00

TEST: MMT-01 (NB-15 NEET) (ID: 9 DT: 29-Aug-2022)

Percentile: 19.94

Avg Score: 370.93

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.36	81.82	14.55	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
161	100.00	96.36	3.64	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	100.00	74.55	25.45	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
163	92.73	30.91	61.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.73	69.09	23.64	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
165	94.55	81.82	12.73	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	94.55	83.64	10.91	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	96.36	54.55	41.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.91	41.82	49.09	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	96.36	80.00	16.36	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
170	94.55	78.18	16.36	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
171	100.00	78.18	21.82	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	98.18	96.36	1.82	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
173	96.36	52.73	43.64	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
174	94.55	9.09	85.45	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	96.36	85.45	10.91	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
176	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	74.55	23.64	50.91	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	98.18	69.09	29.09	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
179	98.18	87.27	10.91	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	90.91	65.45	25.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	92.73	87.27	5.45	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	92.73	81.82	10.91	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	85.45	34.55	50.91	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	89.09	45.45	43.64	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
185	89.09	52.73	36.36	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
186	52.73	38.18	14.55	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.45	61.82	3.64	ZOO	TOP10	4.00	1.00	B		L	0.00
188	60.00	12.73	47.27	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	72.73	54.55	18.18	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
190	92.73	85.45	7.27	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	47.27	27.27	20.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
192	52.73	43.64	9.09	ZOO	TOP10	4.00	1.00	C		L	0.00
193	41.82	36.36	5.45	ZOO	TOP10	4.00	1.00	A		L	0.00
194	60.00	52.73	7.27	ZOO	TOP10	4.00	1.00	C		L	0.00
195	69.09	58.18	10.91	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
196	78.18	58.18	20.00	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
197	54.55	23.64	30.91	ZOO	TOP10	4.00	1.00	C		L	0.00
198	78.18	60.00	18.18	ZOO	TOP10	4.00	1.00	C		L	0.00
199	85.45	80.00	5.45	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	72.73	67.27	5.45	ZOO	TOP10	4.00	1.00	B	A	W	-1.00

Total Question: 200 **Attempted:** 128 (**Correct:** 50 **Incorrect:** 78) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 130.00

Total Positive Marks: 208.00 **Total Negative Marks:** 78.00

PHY	CHEM	BOT	ZOO	Total
25.00	3.00	64.00	38.00	130.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%