

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 679.00/720.00 (94.31%)

**Max Score:** 679.00

**Rank:** 1

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 100.00

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D		L	0.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 679.00/720.00 (94.31%)

**Max Score:** 679.00

**Rank:** 1

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 100.00

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C		L	0.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 679.00/720.00 (94.31%)

**Max Score:** 679.00

**Rank:** 1

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 100.00

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 679.00/720.00 (94.31%)

**Max Score:** 679.00

**Rank:** 1

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 100.00

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 176 (**Correct:** 171 **Incorrect:** 5) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 679.00

**Total Positive Marks:** 684.00 **Total Negative Marks:** 5.00

PHY	CHEM	BOT	ZOO	Total
154.00	170.00	175.00	180.00	<b>679.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 651.00/720.00 (90.42%)

**Max Score:** 679.00

**Rank:** 2

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 95.88

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 651.00/720.00 (90.42%)

**Max Score:** 679.00

**Rank:** 2

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 95.88

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C		L	0.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 651.00/720.00 (90.42%)

**Max Score:** 679.00

**Rank:** 2

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 95.88

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 651.00/720.00 (90.42%)

**Max Score:** 679.00

**Rank:** 2

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 95.88

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 179 (**Correct:** 166 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 651.00

**Total Positive Marks:** 664.00 **Total Negative Marks:** 13.00

PHY	CHEM	BOT	ZOO	Total
136.00	160.00	180.00	175.00	651.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 631.00/720.00 (87.64%)

**Max Score:** 679.00

**Rank:** 3

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 92.93

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 631.00/720.00 (87.64%)

**Max Score:** 679.00

**Rank:** 3

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 92.93

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C		L	0.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 631.00/720.00 (87.64%)

**Max Score:** 679.00

**Rank:** 3

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 92.93

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 631.00/720.00 (87.64%)

**Max Score:** 679.00

**Rank:** 3

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 92.93

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 169 (**Correct:** 160 **Incorrect:** 9) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 631.00

**Total Positive Marks:** 640.00 **Total Negative Marks:** 9.00

PHY	CHEM	BOT	ZOO	Total
133.00	138.00	180.00	180.00	631.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 611.00/720.00 (84.86%)

**Max Score:** 679.00

**Rank:** 4

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 89.99

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	D	W	-1.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 611.00/720.00 (84.86%)

**Max Score:** 679.00

**Rank:** 4

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 89.99

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C		L	0.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 611.00/720.00 (84.86%)

**Max Score:** 679.00

**Rank:** 4

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 89.99

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 611.00/720.00 (84.86%)

**Max Score:** 679.00

**Rank:** 4

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 89.99

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 169 (**Correct:** 156 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 611.00

**Total Positive Marks:** 624.00 **Total Negative Marks:** 13.00

PHY	CHEM	BOT	ZOO	Total
103.00	148.00	180.00	180.00	611.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 600.00/720.00 (83.33%)

**Max Score:** 679.00

**Rank:** 5

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 88.37

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 600.00/720.00 (83.33%)

**Max Score:** 679.00

**Rank:** 5

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 88.37

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 600.00/720.00 (83.33%)

**Max Score:** 679.00

**Rank:** 5

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 88.37

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A		L	0.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 600.00/720.00 (83.33%)

**Max Score:** 679.00

**Rank:** 5

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 88.37

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 170 (**Correct:** 154 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 600.00

**Total Positive Marks:** 616.00 **Total Negative Marks:** 16.00

PHY	CHEM	BOT	ZOO	Total
107.00	152.00	165.00	176.00	600.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 565.00/720.00 (78.47%)

**Max Score:** 679.00

**Rank:** 6

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 83.21

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 565.00/720.00 (78.47%)

**Max Score:** 679.00

**Rank:** 6

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 83.21

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 565.00/720.00 (78.47%)

**Max Score:** 679.00

**Rank:** 6

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 83.21

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 565.00/720.00 (78.47%)

**Max Score:** 679.00

**Rank:** 6

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 83.21

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 170 (**Correct:** 147 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 565.00

**Total Positive Marks:** 588.00 **Total Negative Marks:** 23.00

PHY	CHEM	BOT	ZOO	Total
90.00	130.00	175.00	170.00	565.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 553.00/720.00 (76.81%)

**Max Score:** 679.00

**Rank:** 7

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 81.44

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 553.00/720.00 (76.81%)

**Max Score:** 679.00

**Rank:** 7

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 81.44

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 553.00/720.00 (76.81%)

**Max Score:** 679.00

**Rank:** 7

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 81.44

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A		L	0.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 553.00/720.00 (76.81%)

**Max Score:** 679.00

**Rank:** 7

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 81.44

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 162 (**Correct:** 143 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 553.00

**Total Positive Marks:** 572.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
88.00	136.00	162.00	167.00	553.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 544.00/720.00 (75.56%)

**Max Score:** 679.00

**Rank:** 8

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 80.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 544.00/720.00 (75.56%)

**Max Score:** 679.00

**Rank:** 8

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 80.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B		L	0.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 544.00/720.00 (75.56%)

**Max Score:** 679.00

**Rank:** 8

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 80.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 544.00/720.00 (75.56%)

**Max Score:** 679.00

**Rank:** 8

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 80.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 166 (**Correct:** 142 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 544.00

**Total Positive Marks:** 568.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
80.00	124.00	175.00	165.00	544.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 534.00/720.00 (74.17%)

**Max Score:** 679.00

**Rank:** 9

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 78.65

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 534.00/720.00 (74.17%)

**Max Score:** 679.00

**Rank:** 9

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 78.65

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 534.00/720.00 (74.17%)

**Max Score:** 679.00

**Rank:** 9

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 78.65

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A		L	0.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 534.00/720.00 (74.17%)

**Max Score:** 679.00

**Rank:** 9

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 78.65

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 156 (**Correct:** 138 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 534.00

**Total Positive Marks:** 552.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
80.00	136.00	152.00	166.00	534.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 525.00/720.00 (72.92%)

**Max Score:** 679.00

**Rank:** 10

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 77.32

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 525.00/720.00 (72.92%)

**Max Score:** 679.00

**Rank:** 10

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 77.32

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 525.00/720.00 (72.92%)

**Max Score:** 679.00

**Rank:** 10

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 77.32

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 525.00/720.00 (72.92%)

**Max Score:** 679.00

**Rank:** 10

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 77.32

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 160 (**Correct:** 137 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 525.00

**Total Positive Marks:** 548.00 **Total Negative Marks:** 23.00

PHY	CHEM	BOT	ZOO	Total
68.00	127.00	165.00	165.00	525.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 525.00/720.00 (72.92%)

**Max Score:** 679.00

**Rank:** 10

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 77.32

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 525.00/720.00 (72.92%)

**Max Score:** 679.00

**Rank:** 10

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 77.32

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 525.00/720.00 (72.92%)

**Max Score:** 679.00

**Rank:** 10

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 77.32

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	C	W	-1.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 525.00/720.00 (72.92%)

**Max Score:** 679.00

**Rank:** 10

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 77.32

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D		L	0.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 165 (**Correct:** 138 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 525.00

**Total Positive Marks:** 552.00 **Total Negative Marks:** 27.00

PHY	CHEM	BOT	ZOO	Total
107.00	108.00	150.00	160.00	525.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 517.00/720.00 (71.81%)

**Max Score:** 679.00

**Rank:** 11

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 76.14

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D		L	0.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 517.00/720.00 (71.81%)

**Max Score:** 679.00

**Rank:** 11

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 76.14

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 517.00/720.00 (71.81%)

**Max Score:** 679.00

**Rank:** 11

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 76.14

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 517.00/720.00 (71.81%)

**Max Score:** 679.00

**Rank:** 11

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 76.14

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	B	W	-1.00

**Total Question:** 200 **Attempted:** 153 (**Correct:** 134 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 517.00

**Total Positive Marks:** 536.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
72.00	115.00	170.00	160.00	517.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 679.00

**Rank:** 12

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 72.90

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 679.00

**Rank:** 12

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 72.90

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 679.00

**Rank:** 12

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 72.90

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A		L	0.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	BC	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 679.00

**Rank:** 12

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 72.90

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 145 (**Correct:** 128 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 495.00

**Total Positive Marks:** 512.00 **Total Negative Marks:** 17.00

PHY	CHEM	BOT	ZOO	Total
67.00	112.00	155.00	161.00	495.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 494.00/720.00 (68.61%)

**Max Score:** 679.00

**Rank:** 13

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 72.75

**AvG Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	D	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	B	W	-1.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 494.00/720.00 (68.61%)

**Max Score:** 679.00

**Rank:** 13

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 72.75

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	C	L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 494.00/720.00 (68.61%)

**Max Score:** 679.00

**Rank:** 13

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 72.75

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 494.00/720.00 (68.61%)

**Max Score:** 679.00

**Rank:** 13

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 72.75

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 166 (**Correct:** 132 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 494.00

**Total Positive Marks:** 528.00 **Total Negative Marks:** 34.00

PHY	CHEM	BOT	ZOO	Total
73.00	105.00	151.00	165.00	494.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 488.00/720.00 (67.78%)

**Max Score:** 679.00

**Rank:** 14

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.87

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 488.00/720.00 (67.78%)

**Max Score:** 679.00

**Rank:** 14

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.87

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 488.00/720.00 (67.78%)

**Max Score:** 679.00

**Rank:** 14

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.87

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 488.00/720.00 (67.78%)

**Max Score:** 679.00

**Rank:** 14

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.87

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 162 (**Correct:** 130 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 488.00

**Total Positive Marks:** 520.00 **Total Negative Marks:** 32.00

PHY	CHEM	BOT	ZOO	Total
55.00	107.00	160.00	166.00	488.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 487.00/720.00 (67.64%)

**Max Score:** 679.00

**Rank:** 15

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.72

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D		L	0.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 487.00/720.00 (67.64%)

**Max Score:** 679.00

**Rank:** 15

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.72

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 487.00/720.00 (67.64%)

**Max Score:** 679.00

**Rank:** 15

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.72

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	C	W	-1.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 487.00/720.00 (67.64%)

**Max Score:** 679.00

**Rank:** 15

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.72

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 143 (**Correct:** 126 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 487.00

**Total Positive Marks:** 504.00 **Total Negative Marks:** 17.00

PHY	CHEM	BOT	ZOO	Total
42.00	134.00	148.00	163.00	487.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 486.00/720.00 (67.50%)

**Max Score:** 679.00

**Rank:** 16

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.58

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B	A	W	-1.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 486.00/720.00 (67.50%)

**Max Score:** 679.00

**Rank:** 16

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.58

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 486.00/720.00 (67.50%)

**Max Score:** 679.00

**Rank:** 16

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.58

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	A	W	-1.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D		L	0.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A		L	0.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 486.00/720.00 (67.50%)

**Max Score:** 679.00

**Rank:** 16

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 71.58

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 159 (**Correct:** 129 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 486.00

**Total Positive Marks:** 516.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
71.00	125.00	145.00	145.00	486.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 475.00/720.00 (65.97%)

**Max Score:** 679.00

**Rank:** 17

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 69.96

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B	C	W	-1.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	A	W	-1.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 475.00/720.00 (65.97%)

**Max Score:** 679.00

**Rank:** 17

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 69.96

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 475.00/720.00 (65.97%)

**Max Score:** 679.00

**Rank:** 17

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 69.96

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 475.00/720.00 (65.97%)

**Max Score:** 679.00

**Rank:** 17

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 69.96

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 150 (**Correct:** 125 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 475.00

**Total Positive Marks:** 500.00 **Total Negative Marks:** 25.00

PHY	CHEM	BOT	ZOO	Total
30.00	138.00	150.00	157.00	475.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 465.00/720.00 (64.58%)

**Max Score:** 679.00

**Rank:** 18

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 68.48

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 465.00/720.00 (64.58%)

**Max Score:** 679.00

**Rank:** 18

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 68.48

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 465.00/720.00 (64.58%)

**Max Score:** 679.00

**Rank:** 18

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 68.48

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A		L	0.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 465.00/720.00 (64.58%)

**Max Score:** 679.00

**Rank:** 18

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 68.48

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 165 (**Correct:** 126 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 465.00

**Total Positive Marks:** 504.00 **Total Negative Marks:** 39.00

PHY	CHEM	BOT	ZOO	Total
66.00	79.00	150.00	170.00	465.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 457.00/720.00 (63.47%)

**Max Score:** 679.00

**Rank:** 19

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 67.30

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	A	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 457.00/720.00 (63.47%)

**Max Score:** 679.00

**Rank:** 19

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 67.30

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	A	W	-1.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	AC	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 457.00/720.00 (63.47%)

**Max Score:** 679.00

**Rank:** 19

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 67.30

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	A	W	-1.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 457.00/720.00 (63.47%)

**Max Score:** 679.00

**Rank:** 19

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 67.30

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	B	W	-1.00

**Total Question:** 200 **Attempted:** 168 (**Correct:** 125 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 457.00

**Total Positive Marks:** 500.00 **Total Negative Marks:** 43.00

PHY	CHEM	BOT	ZOO	Total
89.00	73.00	130.00	165.00	457.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 447.00/720.00 (62.08%)

**Max Score:** 679.00

**Rank:** 20

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 65.83

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 447.00/720.00 (62.08%)

**Max Score:** 679.00

**Rank:** 20

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 65.83

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C		L	0.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 447.00/720.00 (62.08%)

**Max Score:** 679.00

**Rank:** 20

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 65.83

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C		L	0.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A		L	0.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	D	W	-1.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 447.00/720.00 (62.08%)

**Max Score:** 679.00

**Rank:** 20

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 65.83

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 148 (**Correct:** 119 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 447.00

**Total Positive Marks:** 476.00 **Total Negative Marks:** 29.00

PHY	CHEM	BOT	ZOO	Total
46.00	87.00	151.00	163.00	447.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 445.00/720.00 (61.81%)

**Max Score:** 679.00

**Rank:** 21

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 65.54

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B	D	W	-1.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	B	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 445.00/720.00 (61.81%)

**Max Score:** 679.00

**Rank:** 21

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 65.54

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 445.00/720.00 (61.81%)

**Max Score:** 679.00

**Rank:** 21

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 65.54

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 445.00/720.00 (61.81%)

**Max Score:** 679.00

**Rank:** 21

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 65.54

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 165 (**Correct:** 122 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 445.00

**Total Positive Marks:** 488.00 **Total Negative Marks:** 43.00

PHY	CHEM	BOT	ZOO	Total
53.00	82.00	160.00	150.00	445.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 429.00/720.00 (59.58%)

**Max Score:** 679.00

**Rank:** 22

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 63.18

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	C	W	-1.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 429.00/720.00 (59.58%)

**Max Score:** 679.00

**Rank:** 22

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 63.18

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 429.00/720.00 (59.58%)

**Max Score:** 679.00

**Rank:** 22

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 63.18

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A		L	0.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	B	W	-1.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 429.00/720.00 (59.58%)

**Max Score:** 679.00

**Rank:** 22

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 63.18

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 156 (**Correct:** 117 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 429.00

**Total Positive Marks:** 468.00 **Total Negative Marks:** 39.00

PHY	CHEM	BOT	ZOO	Total
64.00	99.00	140.00	126.00	429.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 407.00/720.00 (56.53%)

**Max Score:** 679.00

**Rank:** 23

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 59.94

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	B	W	-1.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 407.00/720.00 (56.53%)

**Max Score:** 679.00

**Rank:** 23

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 59.94

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C		L	0.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B		L	0.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 407.00/720.00 (56.53%)

**Max Score:** 679.00

**Rank:** 23

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 59.94

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 407.00/720.00 (56.53%)

**Max Score:** 679.00

**Rank:** 23

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 59.94

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D		L	0.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	B	W	-1.00

**Total Question:** 200 **Attempted:** 153 (**Correct:** 112 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 407.00

**Total Positive Marks:** 448.00 **Total Negative Marks:** 41.00

PHY	CHEM	BOT	ZOO	Total
48.00	75.00	138.00	146.00	407.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEEPTANSHU PRAKASH MAHORE ( ID No. 47442 )

**Your Score:** 405.00/720.00 (56.25%)

**Max Score:** 679.00

**Rank:** 24

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 59.65

**AvG Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	B	W	-1.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEEPTANSHU PRAKASH MAHORE ( ID No. 47442 )

**Your Score:** 405.00/720.00 (56.25%)

**Max Score:** 679.00

**Rank:** 24

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 59.65

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	C	L	0.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	C	L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	C	L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	C	L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEEPTANSHU PRAKASH MAHORE ( ID No. 47442 )

**Your Score:** 405.00/720.00 (56.25%)

**Max Score:** 679.00

**Rank:** 24

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 59.65

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	A	W	-1.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	C	L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	C	L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	C	L	0.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	C	L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEEPTANSHU PRAKASH MAHORE ( ID No. 47442 )

**Your Score:** 405.00/720.00 (56.25%)

**Max Score:** 679.00

**Rank:** 24

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 59.65

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	C	L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	C	L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	C	L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	C	L	0.00

**Total Question:** 200 **Attempted:** 175 (**Correct:** 116 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 405.00

**Total Positive Marks:** 464.00 **Total Negative Marks:** 59.00

PHY	CHEM	BOT	ZOO	Total
53.00	85.00	130.00	137.00	405.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 399.00/720.00 (55.42%)

**Max Score:** 679.00

**Rank:** 25

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 58.76

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 399.00/720.00 (55.42%)

**Max Score:** 679.00

**Rank:** 25

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 58.76

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 399.00/720.00 (55.42%)

**Max Score:** 679.00

**Rank:** 25

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 58.76

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	D	W	-1.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	D	W	-1.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 399.00/720.00 (55.42%)

**Max Score:** 679.00

**Rank:** 25

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 58.76

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D		L	0.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	C	L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 151 (**Correct:** 110 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 399.00

**Total Positive Marks:** 440.00 **Total Negative Marks:** 41.00

PHY	CHEM	BOT	ZOO	Total
42.00	62.00	142.00	153.00	<b>399.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 378.00/720.00 (52.50%)

**Max Score:** 679.00

**Rank:** 26

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.67

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	B	W	-1.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 378.00/720.00 (52.50%)

**Max Score:** 679.00

**Rank:** 26

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.67

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A		L	0.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 378.00/720.00 (52.50%)

**Max Score:** 679.00

**Rank:** 26

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.67

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 378.00/720.00 (52.50%)

**Max Score:** 679.00

**Rank:** 26

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.67

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	B	W	-1.00

**Total Question:** 200 **Attempted:** 157 (**Correct:** 107 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 378.00

**Total Positive Marks:** 428.00 **Total Negative Marks:** 50.00

PHY	CHEM	BOT	ZOO	Total
20.00	83.00	130.00	145.00	378.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 378.00/720.00 (52.50%)

**Max Score:** 679.00

**Rank:** 26

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.67

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	B	W	-1.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B	A	W	-1.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	B	W	-1.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	B	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D		L	0.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	A	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 378.00/720.00 (52.50%)

**Max Score:** 679.00

**Rank:** 26

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.67

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	AC	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 378.00/720.00 (52.50%)

**Max Score:** 679.00

**Rank:** 26

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.67

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D		L	0.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	B	W	-1.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 378.00/720.00 (52.50%)

**Max Score:** 679.00

**Rank:** 26

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.67

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B		L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 177 (**Correct:** 111 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 378.00

**Total Positive Marks:** 444.00 **Total Negative Marks:** 66.00

PHY	CHEM	BOT	ZOO	Total
71.00	52.00	125.00	130.00	<b>378.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 679.00

**Rank:** 27

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.52

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 679.00

**Rank:** 27

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.52

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 679.00

**Rank:** 27

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.52

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 679.00

**Rank:** 27

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 55.52

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D		L	0.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D		L	0.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00

**Total Question:** 200 **Attempted:** 143 (**Correct:** 104 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 377.00

**Total Positive Marks:** 416.00 **Total Negative Marks:** 39.00

PHY	CHEM	BOT	ZOO	Total
97.00	63.00	106.00	111.00	377.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 354.00/720.00 (49.17%)

**Max Score:** 679.00

**Rank:** 28

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 52.14

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	B	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	D	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	A	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 354.00/720.00 (49.17%)

**Max Score:** 679.00

**Rank:** 28

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 52.14

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	A	W	-1.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B		L	0.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 354.00/720.00 (49.17%)

**Max Score:** 679.00

**Rank:** 28

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 52.14

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	B	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 354.00/720.00 (49.17%)

**Max Score:** 679.00

**Rank:** 28

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 52.14

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 161 (**Correct:** 103 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 354.00

**Total Positive Marks:** 412.00 **Total Negative Marks:** 58.00

PHY	CHEM	BOT	ZOO	Total
22.00	57.00	131.00	144.00	354.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 346.00/720.00 (48.06%)

**Max Score:** 679.00

**Rank:** 29

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 50.96

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 346.00/720.00 (48.06%)

**Max Score:** 679.00

**Rank:** 29

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 50.96

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

**Your Score:** 346.00/720.00 (48.06%)

**Max Score:** 679.00

**Rank:** 29

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 50.96

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: TANZEELA YUMMNA MOHD NOMAN ( ID No. 47510 )

Your Score: 346.00/720.00 (48.06%)

Max Score: 679.00

Rank: 29

Min Score: 124.00

TEST: MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

Percentile: 50.96

Avg Score: 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B		L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00

Total Question: 200 Attempted: 139 (Correct: 97 Incorrect: 42) Score Rate: 0.00 Strike Rate: 0.00

Total: 346.00

Total Positive Marks: 388.00 Total Negative Marks: 42.00

PHY	CHEM	BOT	ZOO	Total
9.00	64.00	143.00	130.00	346.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 679.00

**Rank:** 30

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 49.48

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A	B	W	-1.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	B	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	A	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 679.00

**Rank:** 30

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 49.48

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	B	W	-1.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 679.00

**Rank:** 30

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 49.48

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 679.00

**Rank:** 30

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 49.48

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 144 (**Correct:** 96 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 336.00

**Total Positive Marks:** 384.00 **Total Negative Marks:** 48.00

PHY	CHEM	BOT	ZOO	Total
17.00	31.00	152.00	136.00	336.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 334.00/720.00 (46.39%)

**Max Score:** 679.00

**Rank:** 31

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 49.19

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	A	W	-1.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	L	0.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 334.00/720.00 (46.39%)

**Max Score:** 679.00

**Rank:** 31

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 49.19

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	C	L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	D	L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 334.00/720.00 (46.39%)

**Max Score:** 679.00

**Rank:** 31

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 49.19

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	D	W	-1.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 334.00/720.00 (46.39%)

**Max Score:** 679.00

**Rank:** 31

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 49.19

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B		L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00

**Total Question:** 200 **Attempted:** 161 (**Correct:** 99 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 334.00

**Total Positive Marks:** 396.00 **Total Negative Marks:** 62.00

PHY	CHEM	BOT	ZOO	Total
29.00	31.00	132.00	142.00	334.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMIKSHA SHRIKRUSHNA BERAD ( ID No. 48463 )

**Your Score:** 328.00/720.00 (45.56%)

**Max Score:** 679.00

**Rank:** 32

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 48.31

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMIKSHA SHRIKRUSHNA BERAD ( ID No. 48463 )

**Your Score:** 328.00/720.00 (45.56%)

**Max Score:** 679.00

**Rank:** 32

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 48.31

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMIKSHA SHRIKRUSHNA BERAD ( ID No. 48463 )

**Your Score:** 328.00/720.00 (45.56%)

**Max Score:** 679.00

**Rank:** 32

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 48.31

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMIKSHA SHRIKRUSHNA BERAD ( ID No. 48463 )

**Your Score:** 328.00/720.00 (45.56%)

**Max Score:** 679.00

**Rank:** 32

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 48.31

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	B	W	-1.00

**Total Question:** 200 **Attempted:** 117 (**Correct:** 89 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 328.00

**Total Positive Marks:** 356.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
24.00	75.00	138.00	91.00	328.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHAK MUKESH RATHI ( ID No. 47451 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 679.00

**Rank:** 33

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 48.01

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	D	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	A	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHAK MUKESH RATHI ( ID No. 47451 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 679.00

**Rank:** 33

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 48.01

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	A	W	-1.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHAK MUKESH RATHI ( ID No. 47451 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 679.00

**Rank:** 33

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 48.01

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	C	W	-1.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHAK MUKESH RATHI ( ID No. 47451 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 679.00

**Rank:** 33

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 48.01

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	C	W	-1.00

**Total Question:** 200 **Attempted:** 159 (**Correct:** 97 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 326.00

**Total Positive Marks:** 388.00 **Total Negative Marks:** 62.00

PHY	CHEM	BOT	ZOO	Total
23.00	37.00	146.00	120.00	326.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 320.00/720.00 (44.44%)

**Max Score:** 679.00

**Rank:** 34

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 47.13

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	D	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 320.00/720.00 (44.44%)

**Max Score:** 679.00

**Rank:** 34

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 47.13

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD		L	0.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 320.00/720.00 (44.44%)

**Max Score:** 679.00

**Rank:** 34

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 47.13

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	A	W	-1.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	D	W	-1.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 320.00/720.00 (44.44%)

**Max Score:** 679.00

**Rank:** 34

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 47.13

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D		L	0.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D		L	0.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B		L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 110 (**Correct:** 86 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 320.00

**Total Positive Marks:** 344.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
21.00	43.00	146.00	110.00	320.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 679.00

**Rank:** 35

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 46.83

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	B	W	-1.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	A	W	-1.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 679.00

**Rank:** 35

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 46.83

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 679.00

**Rank:** 35

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 46.83

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	A	W	-1.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	C	W	-1.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	B	W	-1.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 679.00

**Rank:** 35

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 46.83

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D		L	0.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	C	L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	A	L	0.00

**Total Question:** 200 **Attempted:** 142 (**Correct:** 92 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 318.00

**Total Positive Marks:** 368.00 **Total Negative Marks:** 50.00

PHY	CHEM	BOT	ZOO	Total
17.00	56.00	133.00	112.00	318.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 314.00/720.00 (43.61%)

**Max Score:** 679.00

**Rank:** 36

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 46.24

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	D	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	B	W	-1.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 314.00/720.00 (43.61%)

**Max Score:** 679.00

**Rank:** 36

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 46.24

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 314.00/720.00 (43.61%)

**Max Score:** 679.00

**Rank:** 36

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 46.24

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A		L	0.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	B	W	-1.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	B	W	-1.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	A	W	-1.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A		L	0.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 314.00/720.00 (43.61%)

**Max Score:** 679.00

**Rank:** 36

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 46.24

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 166 (**Correct:** 96 **Incorrect:** 70) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 314.00

**Total Positive Marks:** 384.00 **Total Negative Marks:** 70.00

PHY	CHEM	BOT	ZOO	Total
72.00	75.00	82.00	85.00	314.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 304.00/720.00 (42.22%)

**Max Score:** 679.00

**Rank:** 37

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 44.77

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 304.00/720.00 (42.22%)

**Max Score:** 679.00

**Rank:** 37

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 44.77

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD		L	0.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 304.00/720.00 (42.22%)

**Max Score:** 679.00

**Rank:** 37

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 44.77

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 304.00/720.00 (42.22%)

**Max Score:** 679.00

**Rank:** 37

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 44.77

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	AD	W	-1.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 136 (**Correct:** 88 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 304.00

**Total Positive Marks:** 352.00 **Total Negative Marks:** 48.00

PHY	CHEM	BOT	ZOO	Total
11.00	50.00	135.00	108.00	304.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 299.00/720.00 (41.53%)

**Max Score:** 679.00

**Rank:** 38

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 44.04

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	C	W	-1.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B	B	R	4.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 299.00/720.00 (41.53%)

**Max Score:** 679.00

**Rank:** 38

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 44.04

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	A	W	-1.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 299.00/720.00 (41.53%)

**Max Score:** 679.00

**Rank:** 38

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 44.04

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	B	W	-1.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	B	W	-1.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	D	W	-1.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A		L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 299.00/720.00 (41.53%)

**Max Score:** 679.00

**Rank:** 38

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 44.04

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B		L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 141 (**Correct:** 88 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 299.00

**Total Positive Marks:** 352.00 **Total Negative Marks:** 53.00

PHY	CHEM	BOT	ZOO	Total
60.00	58.00	91.00	90.00	<b>299.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 298.00/720.00 (41.39%)

**Max Score:** 679.00

**Rank:** 39

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 43.89

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	B	W	-1.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B	A	W	-1.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	D	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	B	W	-1.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 298.00/720.00 (41.39%)

**Max Score:** 679.00

**Rank:** 39

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 43.89

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B		L	0.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 298.00/720.00 (41.39%)

**Max Score:** 679.00

**Rank:** 39

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 43.89

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	B	W	-1.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	D	W	-1.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 298.00/720.00 (41.39%)

**Max Score:** 679.00

**Rank:** 39

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 43.89

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D		L	0.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	B	W	-1.00

**Total Question:** 200 **Attempted:** 172 (**Correct:** 94 **Incorrect:** 78) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 298.00

**Total Positive Marks:** 376.00 **Total Negative Marks:** 78.00

PHY	CHEM	BOT	ZOO	Total
24.00	46.00	122.00	106.00	298.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 295.00/720.00 (40.97%)

**Max Score:** 679.00

**Rank:** 40

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 43.45

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 295.00/720.00 (40.97%)

**Max Score:** 679.00

**Rank:** 40

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 43.45

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A		L	0.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 295.00/720.00 (40.97%)

**Max Score:** 679.00

**Rank:** 40

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 43.45

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	C	W	-1.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	A	W	-1.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 295.00/720.00 (40.97%)

**Max Score:** 679.00

**Rank:** 40

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 43.45

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 140 (**Correct:** 87 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 295.00

**Total Positive Marks:** 348.00 **Total Negative Marks:** 53.00

PHY	CHEM	BOT	ZOO	Total
29.00	54.00	112.00	100.00	295.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TEJAS SHRIKRUSHNA INGLE ( ID No. 47511 )

**Your Score:** 286.00/720.00 (39.72%)

**Max Score:** 679.00

**Rank:** 41

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 42.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	CD	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TEJAS SHRIKRUSHNA INGLE ( ID No. 47511 )

**Your Score:** 286.00/720.00 (39.72%)

**Max Score:** 679.00

**Rank:** 41

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 42.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A		L	0.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B		L	0.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TEJAS SHRIKRUSHNA INGLE ( ID No. 47511 )

**Your Score:** 286.00/720.00 (39.72%)

**Max Score:** 679.00

**Rank:** 41

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 42.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	A	W	-1.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	C	W	-1.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	D	W	-1.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TEJAS SHRIKRUSHNA INGLE ( ID No. 47511 )

**Your Score:** 286.00/720.00 (39.72%)

**Max Score:** 679.00

**Rank:** 41

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 42.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	A	L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 119 (**Correct:** 81 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 286.00

**Total Positive Marks:** 324.00 **Total Negative Marks:** 38.00

PHY	CHEM	BOT	ZOO	Total
2.00	49.00	115.00	120.00	286.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 271.00/720.00 (37.64%)

**Max Score:** 679.00

**Rank:** 42

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 39.91

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	B	W	-1.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	D	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	B	W	-1.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	A	W	-1.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	A	W	-1.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	A	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 271.00/720.00 (37.64%)

**Max Score:** 679.00

**Rank:** 42

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 39.91

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD		L	0.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B		L	0.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 271.00/720.00 (37.64%)

**Max Score:** 679.00

**Rank:** 42

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 39.91

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	B	W	-1.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 271.00/720.00 (37.64%)

**Max Score:** 679.00

**Rank:** 42

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 39.91

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00

**Total Question:** 200 **Attempted:** 134 (**Correct:** 81 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 271.00

**Total Positive Marks:** 324.00 **Total Negative Marks:** 53.00

PHY	CHEM	BOT	ZOO	Total
15.00	27.00	106.00	123.00	271.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 679.00

**Rank:** 43

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 37.41

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D		L	0.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 679.00

**Rank:** 43

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 37.41

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD		L	0.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B		L	0.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A		L	0.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B		L	0.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 679.00

**Rank:** 43

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 37.41

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 679.00

**Rank:** 43

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 37.41

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	A	L	0.00

**Total Question:** 200 **Attempted:** 116 (**Correct:** 74 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 254.00

**Total Positive Marks:** 296.00 **Total Negative Marks:** 42.00

PHY	CHEM	BOT	ZOO	Total
12.00	48.00	111.00	83.00	254.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHWETARANI TUSHAR KALEKAR ( ID No. 47513 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 679.00

**Rank:** 44

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 36.97

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B	D	W	-1.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B	C	W	-1.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	B	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	B	W	-1.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	C	W	-1.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	L	0.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHWETARANI TUSHAR KALEKAR ( ID No. 47513 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 679.00

**Rank:** 44

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 36.97

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	A	W	-1.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHWETARANI TUSHAR KALEKAR ( ID No. 47513 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 679.00

**Rank:** 44

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 36.97

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	B	L	0.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	D	L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHWETARANI TUSHAR KALEKAR ( ID No. 47513 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 679.00

**Rank:** 44

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 36.97

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D		L	0.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	C	L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	C	L	0.00

**Total Question:** 200 **Attempted:** 154 (**Correct:** 81 **Incorrect:** 73) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 251.00

**Total Positive Marks:** 324.00 **Total Negative Marks:** 73.00

PHY	CHEM	BOT	ZOO	Total
15.00	9.00	117.00	110.00	251.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 222.00/720.00 (30.83%)

**Max Score:** 679.00

**Rank:** 45

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 32.70

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A	B	W	-1.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	A	W	-1.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	B	W	-1.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	B	R	4.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 222.00/720.00 (30.83%)

**Max Score:** 679.00

**Rank:** 45

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 32.70

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	C	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 222.00/720.00 (30.83%)

**Max Score:** 679.00

**Rank:** 45

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 32.70

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	D	W	-1.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	C	W	-1.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	B	W	-1.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	D	W	-1.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR ( ID No. 47512 )

Your Score: 222.00/720.00 (30.83%)

Max Score: 679.00

Rank: 45

Min Score: 124.00

TEST: MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

Percentile: 32.70

Avg Score: 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B		L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	D	R	4.00

Total Question: 200 Attempted: 138 (Correct: 72 Incorrect: 66) Score Rate: 0.00 Strike Rate: 0.00

Total: 222.00

Total Positive Marks: 288.00 Total Negative Marks: 66.00

PHY	CHEM	BOT	ZOO	Total
30.00	11.00	68.00	113.00	222.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 221.00/720.00 (30.69%)

**Max Score:** 679.00

**Rank:** 46

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 32.55

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	D	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	A	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 221.00/720.00 (30.69%)

**Max Score:** 679.00

**Rank:** 46

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 32.55

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 221.00/720.00 (30.69%)

**Max Score:** 679.00

**Rank:** 46

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 32.55

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	A	W	-1.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	D	W	-1.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 221.00/720.00 (30.69%)

**Max Score:** 679.00

**Rank:** 46

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 32.55

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 159 (**Correct:** 76 **Incorrect:** 83) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 221.00

**Total Positive Marks:** 304.00 **Total Negative Marks:** 83.00

PHY	CHEM	BOT	ZOO	Total
14.00	22.00	103.00	82.00	221.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 174.00/720.00 (24.17%)

**Max Score:** 679.00

**Rank:** 47

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 25.63

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	A	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 174.00/720.00 (24.17%)

**Max Score:** 679.00

**Rank:** 47

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 25.63

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD		L	0.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C		L	0.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B		L	0.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 174.00/720.00 (24.17%)

**Max Score:** 679.00

**Rank:** 47

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 25.63

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	B	W	-1.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A		L	0.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 174.00/720.00 (24.17%)

**Max Score:** 679.00

**Rank:** 47

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 25.63

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D		L	0.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D		L	0.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 146 (**Correct:** 64 **Incorrect:** 82) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 174.00

**Total Positive Marks:** 256.00 **Total Negative Marks:** 82.00

PHY	CHEM	BOT	ZOO	Total
71.00	6.00	65.00	32.00	174.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VISHNU GAIKWAD ( ID No. 47489 )

**Your Score:** 172.00/720.00 (23.89%)

**Max Score:** 679.00

**Rank:** 48

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 25.33

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	B	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	B	W	-1.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B		L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B		L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VISHNU GAIKWAD ( ID No. 47489 )

**Your Score:** 172.00/720.00 (23.89%)

**Max Score:** 679.00

**Rank:** 48

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 25.33

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C		L	0.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VISHNU GAIKWAD ( ID No. 47489 )

**Your Score:** 172.00/720.00 (23.89%)

**Max Score:** 679.00

**Rank:** 48

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 25.33

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	A	W	-1.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B	C	W	-1.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VISHNU GAIKWAD ( ID No. 47489 )

**Your Score:** 172.00/720.00 (23.89%)

**Max Score:** 679.00

**Rank:** 48

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 25.33

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D		L	0.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	B	W	-1.00

**Total Question:** 200 **Attempted:** 98 (**Correct:** 54 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 172.00

**Total Positive Marks:** 216.00 **Total Negative Marks:** 44.00

PHY	CHEM	BOT	ZOO	Total
9.00	10.00	70.00	83.00	172.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 157.00/720.00 (21.81%)

**Max Score:** 679.00

**Rank:** 49

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 23.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B	C	W	-1.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A	B	W	-1.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	D	R	4.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	D	L	0.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	B	L	0.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	B	L	0.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 157.00/720.00 (21.81%)

**Max Score:** 679.00

**Rank:** 49

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 23.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B		L	0.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	A	L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	A	L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 157.00/720.00 (21.81%)

**Max Score:** 679.00

**Rank:** 49

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 23.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C		L	0.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B		L	0.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	B	W	-1.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A		L	0.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	B	W	-1.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	A	W	-1.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 157.00/720.00 (21.81%)

**Max Score:** 679.00

**Rank:** 49

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 23.12

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A		L	0.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	B	L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	C	L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	C	L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	A	L	0.00

**Total Question:** 200 **Attempted:** 163 (**Correct:** 64 **Incorrect:** 99) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 157.00

**Total Positive Marks:** 256.00 **Total Negative Marks:** 99.00

PHY	CHEM	BOT	ZOO	Total
55.00	0.00	59.00	43.00	157.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 140.00/720.00 (19.44%)

**Max Score:** 679.00

**Rank:** 50

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 20.62

**Avq Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C		L	0.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D		L	0.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	A	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	A	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 140.00/720.00 (19.44%)

**Max Score:** 679.00

**Rank:** 50

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 20.62

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	D	R	4.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B		L	0.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D		L	0.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B		L	0.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A		L	0.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B		L	0.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 140.00/720.00 (19.44%)

**Max Score:** 679.00

**Rank:** 50

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 20.62

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	B	W	-1.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B	C	W	-1.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C		L	0.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C	B	W	-1.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D		L	0.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D		L	0.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A		L	0.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C		L	0.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 140.00/720.00 (19.44%)

**Max Score:** 679.00

**Rank:** 50

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 20.62

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C		L	0.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A		L	0.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B		L	0.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D	C	W	-1.00

**Total Question:** 200 **Attempted:** 105 (**Correct:** 49 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 140.00

**Total Positive Marks:** 196.00 **Total Negative Marks:** 56.00

PHY	CHEM	BOT	ZOO	Total
-1.00	25.00	93.00	23.00	140.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 124.00/720.00 (17.22%)

**Max Score:** 679.00

**Rank:** 51

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 18.26

**AvG Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	77.36	52.83	24.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	90.57	64.15	26.42	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	73.58	39.62	33.96	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	60.38	11.32	49.06	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	75.47	41.51	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	83.02	75.47	7.55	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	75.47	35.85	39.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	66.04	33.96	32.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	56.60	28.30	28.30	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	49.06	32.08	16.98	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	73.58	41.51	32.08	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	47.17	22.64	24.53	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
14	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	47.17	37.74	9.43	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	58.49	24.53	33.96	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	67.92	50.94	16.98	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	50.94	30.19	20.75	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	54.72	47.17	7.55	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	71.70	32.08	39.62	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
22	33.96	11.32	22.64	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	49.06	11.32	37.74	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	39.62	9.43	30.19	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	45.28	15.09	30.19	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
26	69.81	39.62	30.19	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	62.26	41.51	20.75	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	32.08	13.21	18.87	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	30.19	7.55	22.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	54.72	35.85	18.87	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	60.38	49.06	11.32	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	62.26	39.62	22.64	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
33	56.60	22.64	33.96	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	62.26	22.64	39.62	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	60.38	32.08	28.30	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	9.43	5.66	3.77	PHY	TOP10	4.00	1.00	A		L	0.00
37	20.75	9.43	11.32	PHY	TOP10	4.00	1.00	D		L	0.00
38	16.98	3.77	13.21	PHY	TOP10	4.00	1.00	B		L	0.00
39	13.21	1.89	11.32	PHY	TOP10	4.00	1.00	B		L	0.00
40	26.42	7.55	18.87	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.13	22.64	58.49	PHY	TOP10	4.00	1.00	A		L	0.00
42	79.25	47.17	32.08	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	60.38	50.94	9.43	PHY	TOP10	4.00	1.00	A		L	0.00
44	58.49	43.40	15.09	PHY	TOP10	4.00	1.00	A		L	0.00
45	94.34	41.51	52.83	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	90.57	73.58	16.98	PHY	TOP10	4.00	1.00	D	A	W	-1.00
47	69.81	54.72	15.09	PHY	TOP10	4.00	1.00	D	C	W	-1.00
48	64.15	30.19	33.96	PHY	TOP10	4.00	1.00	B	C	W	-1.00
49	67.92	45.28	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	88.68	66.04	22.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	86.79	62.26	24.53	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	100.00	88.68	11.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
53	98.11	56.60	41.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 124.00/720.00 (17.22%)

**Max Score:** 679.00

**Rank:** 51

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 18.26

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	69.81	50.94	18.87	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	81.13	50.94	30.19	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
56	92.45	43.40	49.06	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	90.57	77.36	13.21	CHEM	FOR TWO ANS	4.00	1.00	CD	A	W	-1.00
58	84.91	41.51	43.40	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	98.11	62.26	35.85	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	98.11	83.02	15.09	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	75.47	41.51	33.96	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
62	96.23	64.15	32.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	69.81	47.17	22.64	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	92.45	60.38	32.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	84.91	69.81	15.09	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	92.45	62.26	30.19	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	67.92	28.30	39.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.79	52.83	33.96	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	49.06	18.87	30.19	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	28.30	11.32	16.98	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	98.11	73.58	24.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	33.96	13.21	20.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	81.13	56.60	24.53	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	84.91	49.06	35.85	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	50.94	9.43	41.51	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
76	62.26	24.53	37.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	56.60	16.98	39.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
78	71.70	24.53	47.17	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	86.79	47.17	39.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	84.91	43.40	41.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	96.23	50.94	45.28	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
82	71.70	39.62	32.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	69.81	54.72	15.09	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	88.68	54.72	33.96	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
85	92.45	75.47	16.98	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
86	84.91	15.09	69.81	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
87	39.62	16.98	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
88	79.25	66.04	13.21	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
89	49.06	20.75	28.30	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
90	92.45	71.70	20.75	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	90.57	62.26	28.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	16.98	3.77	13.21	CHEM	TOP10	4.00	1.00	D		L	0.00
93	69.81	47.17	22.64	CHEM	TOP10	4.00	1.00	D		L	0.00
94	54.72	47.17	7.55	CHEM	TOP10	4.00	1.00	D		L	0.00
95	18.87	9.43	9.43	CHEM	TOP10	4.00	1.00	C		L	0.00
96	83.02	54.72	28.30	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
97	67.92	56.60	11.32	CHEM	TOP10	4.00	1.00	D		L	0.00
98	66.04	50.94	15.09	CHEM	TOP10	4.00	1.00	D		L	0.00
99	62.26	22.64	39.62	CHEM	TOP10	4.00	1.00	A		L	0.00
100	66.04	30.19	35.85	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	90.57	49.06	41.51	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	100.00	90.57	9.43	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 124.00/720.00 (17.22%)

**Max Score:** 679.00

**Rank:** 51

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 18.26

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	92.45	47.17	45.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.25	52.83	26.42	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.57	37.74	52.83	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	98.11	54.72	43.40	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	84.91	54.72	30.19	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	96.23	60.38	35.85	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	92.45	64.15	28.30	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	98.11	77.36	20.75	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
116	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	94.34	5.66	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
118	88.68	75.47	13.21	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.68	50.94	37.74	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
121	92.45	69.81	22.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	94.34	71.70	22.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
123	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	88.68	73.58	15.09	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	98.11	92.45	5.66	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	81.13	62.26	18.87	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
127	100.00	88.68	11.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	92.45	7.55	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	100.00	84.91	15.09	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	94.34	84.91	9.43	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	100.00	81.13	18.87	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	90.57	81.13	9.43	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
133	96.23	90.57	5.66	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	98.11	96.23	1.89	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	79.25	66.04	13.21	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	96.23	84.91	11.32	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	56.60	47.17	9.43	BOT	TOP10	4.00	1.00	B		L	0.00
138	81.13	73.58	7.55	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	71.70	62.26	9.43	BOT	TOP10	4.00	1.00	C		L	0.00
140	84.91	83.02	1.89	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	94.34	92.45	1.89	BOT	TOP10	4.00	1.00	D		L	0.00
142	64.15	58.49	5.66	BOT	TOP10	4.00	1.00	C	B	W	-1.00
143	7.55	3.77	3.77	BOT	TOP10	4.00	1.00	C		L	0.00
144	47.17	37.74	9.43	BOT	TOP10	4.00	1.00	D	B	W	-1.00
145	49.06	32.08	16.98	BOT	TOP10	4.00	1.00	D		L	0.00
146	67.92	62.26	5.66	BOT	TOP10	4.00	1.00	B		L	0.00
147	41.51	28.30	13.21	BOT	TOP10	4.00	1.00	D	A	W	-1.00
148	88.68	75.47	13.21	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	73.58	56.60	16.98	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	47.17	22.64	24.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	86.79	67.92	18.87	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	81.13	18.87	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	94.34	66.04	28.30	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	100.00	83.02	16.98	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.23	81.13	15.09	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	96.23	3.77	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	98.11	94.34	3.77	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	98.11	86.79	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.57	56.60	33.96	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITRALI VILAS GAWAI ( ID No. 47642 )

**Your Score:** 124.00/720.00 (17.22%)

**Max Score:** 679.00

**Rank:** 51

**Min Score:** 124.00

**TEST:** MMT-02 (NB-15 NEET) ( ID: 15 DT: 27-Sep-2022 )

**Percentile:** 18.26

**Avg Score:** 394.17

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.23	86.79	9.43	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	90.57	64.15	26.42	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
162	96.23	84.91	11.32	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	96.23	75.47	20.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	96.23	60.38	35.85	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
166	88.68	71.70	16.98	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
167	94.34	83.02	11.32	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	90.57	9.43	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	98.11	92.45	5.66	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	81.13	69.81	11.32	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
172	98.11	90.57	7.55	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	88.68	50.94	37.74	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	98.11	73.58	24.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	92.45	84.91	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	96.23	67.92	28.30	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
177	92.45	79.25	13.21	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
178	90.57	83.02	7.55	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	84.91	52.83	32.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	73.58	52.83	20.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	94.34	73.58	20.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
182	81.13	75.47	5.66	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	92.45	75.47	16.98	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
184	94.34	84.91	9.43	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	98.11	79.25	18.87	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	32.08	22.64	9.43	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
187	58.49	52.83	5.66	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	64.15	60.38	3.77	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
189	47.17	37.74	9.43	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	84.91	71.70	13.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	88.68	71.70	16.98	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
192	83.02	73.58	9.43	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
193	92.45	90.57	1.89	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	75.47	54.72	20.75	ZOO	TOP10	4.00	1.00	B		L	0.00
195	79.25	58.49	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00
196	60.38	50.94	9.43	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	75.47	69.81	5.66	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
198	75.47	67.92	7.55	ZOO	TOP10	4.00	1.00	B		L	0.00
199	41.51	32.08	9.43	ZOO	TOP10	4.00	1.00	B		L	0.00
200	26.42	5.66	20.75	ZOO	TOP10	4.00	1.00	D		L	0.00

**Total Question:** 200 **Attempted:** 131 (**Correct:** 51 **Incorrect:** 80) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 124.00

**Total Positive Marks:** 204.00 **Total Negative Marks:** 80.00

PHY	CHEM	BOT	ZOO	Total
-2.00	-8.00	79.00	55.00	124.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%