

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 630.00/664.00 (94.88%)

**Max Score:** 630.00

**Rank:** 1

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 100.00

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		B	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		B	C	0.00
14	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		A	C	0.00
15	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		B	C	0.00
20	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		B	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 630.00/664.00 (94.88%)

**Max Score:** 630.00

**Rank:** 1

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 100.00

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		C	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 630.00/664.00 (94.88%)

**Max Score:** 630.00

**Rank:** 1

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 100.00

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 630.00/664.00 (94.88%)

**Max Score:** 630.00

**Rank:** 1

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 100.00

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 165 (**Correct:** 159 **Incorrect:** 6) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 630.00

**Total Positive Marks:** 636.00 **Total Negative Marks:** 6.00

PHY	CHEM	BOT	ZOO	Total
131.00	164.00	165.00	170.00	630.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 620.00/664.00 (93.37%)

**Max Score:** 630.00

**Rank:** 2

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 98.41

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		BD	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 620.00/664.00 (93.37%)

**Max Score:** 630.00

**Rank:** 2

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 98.41

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 620.00/664.00 (93.37%)

**Max Score:** 630.00

**Rank:** 2

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 98.41

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 620.00/664.00 (93.37%)

**Max Score:** 630.00

**Rank:** 2

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 98.41

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 165 (**Correct:** 157 **Incorrect:** 8) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 620.00

**Total Positive Marks:** 628.00 **Total Negative Marks:** 8.00

PHY	CHEM	BOT	ZOO	Total
130.00	135.00	175.00	180.00	620.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 571.00/664.00 (85.99%)

**Max Score:** 630.00

**Rank:** 3

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 90.63

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	A	W	-1.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 571.00/664.00 (85.99%)

**Max Score:** 630.00

**Rank:** 3

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 90.63

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		C	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 571.00/664.00 (85.99%)

**Max Score:** 630.00

**Rank:** 3

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 90.63

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 571.00/664.00 (85.99%)

**Max Score:** 630.00

**Rank:** 3

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 90.63

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 164 (**Correct:** 147 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 571.00

**Total Positive Marks:** 588.00 **Total Negative Marks:** 17.00

PHY	CHEM	BOT	ZOO	Total
107.00	124.00	165.00	175.00	571.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 549.00/664.00 (82.68%)

**Max Score:** 630.00

**Rank:** 4

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 87.14

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 549.00/664.00 (82.68%)

**Max Score:** 630.00

**Rank:** 4

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 87.14

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 549.00/664.00 (82.68%)

**Max Score:** 630.00

**Rank:** 4

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 87.14

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B		L	0.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 549.00/664.00 (82.68%)

**Max Score:** 630.00

**Rank:** 4

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 87.14

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 156 (**Correct:** 141 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 549.00

**Total Positive Marks:** 564.00 **Total Negative Marks:** 15.00

PHY	CHEM	BOT	ZOO	Total
109.00	115.00	150.00	175.00	549.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 545.00/664.00 (82.08%)

**Max Score:** 630.00

**Rank:** 5

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 86.51

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	A	W	-1.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 545.00/664.00 (82.08%)

**Max Score:** 630.00

**Rank:** 5

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 86.51

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 545.00/664.00 (82.08%)

**Max Score:** 630.00

**Rank:** 5

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 86.51

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 545.00/664.00 (82.08%)

**Max Score:** 630.00

**Rank:** 5

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 86.51

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 160 (**Correct:** 141 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 545.00

**Total Positive Marks:** 564.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
104.00	101.00	170.00	170.00	545.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 523.00/664.00 (78.77%)

**Max Score:** 630.00

**Rank:** 6

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 83.02

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 523.00/664.00 (78.77%)

**Max Score:** 630.00

**Rank:** 6

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 83.02

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 523.00/664.00 (78.77%)

**Max Score:** 630.00

**Rank:** 6

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 83.02

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	B	W	-1.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 523.00/664.00 (78.77%)

**Max Score:** 630.00

**Rank:** 6

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 83.02

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 157 (**Correct:** 136 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 523.00

**Total Positive Marks:** 544.00 **Total Negative Marks:** 21.00

PHY	CHEM	BOT	ZOO	Total
84.00	108.00	156.00	175.00	523.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 518.00/664.00 (78.01%)

**Max Score:** 630.00

**Rank:** 7

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 82.22

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 518.00/664.00 (78.01%)

**Max Score:** 630.00

**Rank:** 7

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 82.22

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 518.00/664.00 (78.01%)

**Max Score:** 630.00

**Rank:** 7

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 82.22

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	B	R	4.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 518.00/664.00 (78.01%)

**Max Score:** 630.00

**Rank:** 7

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 82.22

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 152 (**Correct:** 134 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 518.00

**Total Positive Marks:** 536.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
114.00	102.00	142.00	160.00	518.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 509.00/664.00 (76.66%)

**Max Score:** 630.00

**Rank:** 8

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 80.79

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	D	W	-1.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 509.00/664.00 (76.66%)

**Max Score:** 630.00

**Rank:** 8

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 80.79

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 509.00/664.00 (76.66%)

**Max Score:** 630.00

**Rank:** 8

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 80.79

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 509.00/664.00 (76.66%)

**Max Score:** 630.00

**Rank:** 8

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 80.79

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 156 (**Correct:** 133 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 509.00

**Total Positive Marks:** 532.00 **Total Negative Marks:** 23.00

PHY	CHEM	BOT	ZOO	Total
94.00	109.00	141.00	165.00	509.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 491.00/664.00 (73.95%)

**Max Score:** 630.00

**Rank:** 9

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 77.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 491.00/664.00 (73.95%)

**Max Score:** 630.00

**Rank:** 9

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 77.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 491.00/664.00 (73.95%)

**Max Score:** 630.00

**Rank:** 9

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 77.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 491.00/664.00 (73.95%)

**Max Score:** 630.00

**Rank:** 9

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 77.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 154 (**Correct:** 129 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 491.00

**Total Positive Marks:** 516.00 **Total Negative Marks:** 25.00

PHY	CHEM	BOT	ZOO	Total
117.00	105.00	113.00	156.00	491.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 478.00/664.00 (71.99%)

**Max Score:** 630.00

**Rank:** 10

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 75.87

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C		L	0.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 478.00/664.00 (71.99%)

**Max Score:** 630.00

**Rank:** 10

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 75.87

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A		L	0.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 478.00/664.00 (71.99%)

**Max Score:** 630.00

**Rank:** 10

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 75.87

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	A	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 478.00/664.00 (71.99%)

**Max Score:** 630.00

**Rank:** 10

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 75.87

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 142 (**Correct:** 124 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 478.00

**Total Positive Marks:** 496.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
77.00	94.00	151.00	156.00	478.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 452.00/664.00 (68.07%)

**Max Score:** 630.00

**Rank:** 11

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 71.75

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A		L	0.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 452.00/664.00 (68.07%)

**Max Score:** 630.00

**Rank:** 11

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 71.75

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 452.00/664.00 (68.07%)

**Max Score:** 630.00

**Rank:** 11

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 71.75

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	B	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 452.00/664.00 (68.07%)

**Max Score:** 630.00

**Rank:** 11

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 71.75

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 143 (**Correct:** 119 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 452.00

**Total Positive Marks:** 476.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
62.00	108.00	140.00	142.00	452.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 451.00/664.00 (67.92%)

**Max Score:** 630.00

**Rank:** 12

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 71.59

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	A	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 451.00/664.00 (67.92%)

**Max Score:** 630.00

**Rank:** 12

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 71.59

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 451.00/664.00 (67.92%)

**Max Score:** 630.00

**Rank:** 12

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 71.59

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	B	R	4.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 451.00/664.00 (67.92%)

**Max Score:** 630.00

**Rank:** 12

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 71.59

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 139 (**Correct:** 118 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 451.00

**Total Positive Marks:** 472.00 **Total Negative Marks:** 21.00

PHY	CHEM	BOT	ZOO	Total
72.00	75.00	144.00	160.00	451.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 443.00/664.00 (66.72%)

**Max Score:** 630.00

**Rank:** 13

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 70.32

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 443.00/664.00 (66.72%)

**Max Score:** 630.00

**Rank:** 13

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 70.32

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 443.00/664.00 (66.72%)

**Max Score:** 630.00

**Rank:** 13

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 70.32

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	D	W	-1.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	B	R	4.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 443.00/664.00 (66.72%)

**Max Score:** 630.00

**Rank:** 13

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 70.32

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 157 (**Correct:** 120 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 443.00

**Total Positive Marks:** 480.00 **Total Negative Marks:** 37.00

PHY	CHEM	BOT	ZOO	Total
101.00	87.00	120.00	135.00	443.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 440.00/664.00 (66.27%)

**Max Score:** 630.00

**Rank:** 14

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 69.84

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	B	W	-1.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	A	W	-1.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 440.00/664.00 (66.27%)

**Max Score:** 630.00

**Rank:** 14

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 69.84

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 440.00/664.00 (66.27%)

**Max Score:** 630.00

**Rank:** 14

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 69.84

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	D	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C		L	0.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	BC	W	-1.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA PANKAJ SEHGAL ( ID No. 47435 )

**Your Score:** 440.00/664.00 (66.27%)

**Max Score:** 630.00

**Rank:** 14

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 69.84

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 155 (**Correct:** 119 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 440.00

**Total Positive Marks:** 476.00 **Total Negative Marks:** 36.00

PHY	CHEM	BOT	ZOO	Total
71.00	120.00	134.00	115.00	440.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 438.00/664.00 (65.96%)

**Max Score:** 630.00

**Rank:** 15

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 69.52

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 438.00/664.00 (65.96%)

**Max Score:** 630.00

**Rank:** 15

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 69.52

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 438.00/664.00 (65.96%)

**Max Score:** 630.00

**Rank:** 15

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 69.52

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	B	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 438.00/664.00 (65.96%)

**Max Score:** 630.00

**Rank:** 15

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 69.52

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 142 (**Correct:** 116 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 438.00

**Total Positive Marks:** 464.00 **Total Negative Marks:** 26.00

PHY	CHEM	BOT	ZOO	Total
69.00	84.00	130.00	155.00	438.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 433.00/664.00 (65.21%)

**Max Score:** 630.00

**Rank:** 16

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 68.73

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	B	W	-1.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 433.00/664.00 (65.21%)

**Max Score:** 630.00

**Rank:** 16

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 68.73

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 433.00/664.00 (65.21%)

**Max Score:** 630.00

**Rank:** 16

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 68.73

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	D	W	-1.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 433.00/664.00 (65.21%)

**Max Score:** 630.00

**Rank:** 16

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 68.73

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	BD	W	-1.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 152 (**Correct:** 117 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 433.00

**Total Positive Marks:** 468.00 **Total Negative Marks:** 35.00

PHY	CHEM	BOT	ZOO	Total
90.00	79.00	132.00	132.00	433.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 413.00/664.00 (62.20%)

**Max Score:** 630.00

**Rank:** 17

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.56

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	B	W	-1.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	A	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 413.00/664.00 (62.20%)

**Max Score:** 630.00

**Rank:** 17

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.56

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 413.00/664.00 (62.20%)

**Max Score:** 630.00

**Rank:** 17

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.56

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 413.00/664.00 (62.20%)

**Max Score:** 630.00

**Rank:** 17

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.56

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 157 (**Correct:** 114 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 413.00

**Total Positive Marks:** 456.00 **Total Negative Marks:** 43.00

PHY	CHEM	BOT	ZOO	Total
92.00	82.00	126.00	113.00	413.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 412.00/664.00 (62.05%)

**Max Score:** 630.00

**Rank:** 18

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.40

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	AD	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	B	W	-1.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	A	W	-1.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 412.00/664.00 (62.05%)

**Max Score:** 630.00

**Rank:** 18

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.40

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 412.00/664.00 (62.05%)

**Max Score:** 630.00

**Rank:** 18

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.40

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	D	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C		L	0.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A	D	W	-1.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 412.00/664.00 (62.05%)

**Max Score:** 630.00

**Rank:** 18

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.40

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 153 (**Correct:** 113 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 412.00

**Total Positive Marks:** 452.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
67.00	82.00	143.00	120.00	412.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 411.00/664.00 (61.90%)

**Max Score:** 630.00

**Rank:** 19

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.24

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 411.00/664.00 (61.90%)

**Max Score:** 630.00

**Rank:** 19

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.24

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 411.00/664.00 (61.90%)

**Max Score:** 630.00

**Rank:** 19

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.24

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	B	W	-1.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 411.00/664.00 (61.90%)

**Max Score:** 630.00

**Rank:** 19

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 65.24

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 154 (**Correct:** 113 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 411.00

**Total Positive Marks:** 452.00 **Total Negative Marks:** 41.00

PHY	CHEM	BOT	ZOO	Total
76.00	69.00	135.00	131.00	411.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 361.00/664.00 (54.37%)

**Max Score:** 630.00

**Rank:** 20

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 57.30

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		AB	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		BD	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	D	W	-1.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	D	W	-1.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 361.00/664.00 (54.37%)

**Max Score:** 630.00

**Rank:** 20

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 57.30

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 361.00/664.00 (54.37%)

**Max Score:** 630.00

**Rank:** 20

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 57.30

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	C	W	-1.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 361.00/664.00 (54.37%)

**Max Score:** 630.00

**Rank:** 20

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 57.30

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 144 (**Correct:** 101 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 361.00

**Total Positive Marks:** 404.00 **Total Negative Marks:** 43.00

PHY	CHEM	BOT	ZOO	Total
63.00	54.00	107.00	137.00	361.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 348.00/664.00 (52.41%)

**Max Score:** 630.00

**Rank:** 21

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 55.24

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A		L	0.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 348.00/664.00 (52.41%)

**Max Score:** 630.00

**Rank:** 21

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 55.24

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 348.00/664.00 (52.41%)

**Max Score:** 630.00

**Rank:** 21

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 55.24

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	A	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B		L	0.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	C	W	-1.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	AC	W	-1.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ABHINAV RAJENDRA CHOTHAVE ( ID No. 47434 )

**Your Score:** 348.00/664.00 (52.41%)

**Max Score:** 630.00

**Rank:** 21

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 55.24

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 127 (**Correct:** 95 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 348.00

**Total Positive Marks:** 380.00 **Total Negative Marks:** 32.00

PHY	CHEM	BOT	ZOO	Total
41.00	77.00	83.00	147.00	348.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 346.00/664.00 (52.11%)

**Max Score:** 630.00

**Rank:** 22

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 54.92

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 346.00/664.00 (52.11%)

**Max Score:** 630.00

**Rank:** 22

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 54.92

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 346.00/664.00 (52.11%)

**Max Score:** 630.00

**Rank:** 22

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 54.92

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	A	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	B	W	-1.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A	B	W	-1.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	A	W	-1.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	B	W	-1.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 346.00/664.00 (52.11%)

**Max Score:** 630.00

**Rank:** 22

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 54.92

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A		L	0.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	C	W	-1.00

**Total Question:** 200 **Attempted:** 119 (**Correct:** 93 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 346.00

**Total Positive Marks:** 372.00 **Total Negative Marks:** 26.00

PHY	CHEM	BOT	ZOO	Total
82.00	39.00	86.00	139.00	346.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 336.00/664.00 (50.60%)

**Max Score:** 630.00

**Rank:** 23

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 53.33

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	D	W	-1.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	A	W	-1.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 336.00/664.00 (50.60%)

**Max Score:** 630.00

**Rank:** 23

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 53.33

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		C	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A		L	0.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 336.00/664.00 (50.60%)

**Max Score:** 630.00

**Rank:** 23

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 53.33

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A	D	W	-1.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 336.00/664.00 (50.60%)

**Max Score:** 630.00

**Rank:** 23

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 53.33

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A		L	0.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 119 (**Correct:** 91 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 336.00

**Total Positive Marks:** 364.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
61.00	70.00	85.00	120.00	<b>336.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 334.00/664.00 (50.30%)

**Max Score:** 630.00

**Rank:** 24

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 53.02

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	B	W	-1.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	A	W	-1.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 334.00/664.00 (50.30%)

**Max Score:** 630.00

**Rank:** 24

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 53.02

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		C	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 334.00/664.00 (50.30%)

**Max Score:** 630.00

**Rank:** 24

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 53.02

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A	B	W	-1.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	A	W	-1.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	D	W	-1.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	B	W	-1.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 334.00/664.00 (50.30%)

**Max Score:** 630.00

**Rank:** 24

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 53.02

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	C	L	0.00

**Total Question:** 200 **Attempted:** 146 (**Correct:** 96 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 334.00

**Total Positive Marks:** 384.00 **Total Negative Marks:** 50.00

PHY	CHEM	BOT	ZOO	Total
55.00	75.00	120.00	84.00	334.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 330.00/664.00 (49.70%)

**Max Score:** 630.00

**Rank:** 25

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 52.38

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	A	W	-1.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	D	W	-1.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 330.00/664.00 (49.70%)

**Max Score:** 630.00

**Rank:** 25

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 52.38

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 330.00/664.00 (49.70%)

**Max Score:** 630.00

**Rank:** 25

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 52.38

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 330.00/664.00 (49.70%)

**Max Score:** 630.00

**Rank:** 25

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 52.38

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 120 (**Correct:** 90 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 330.00

**Total Positive Marks:** 360.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
39.00	60.00	114.00	117.00	330.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 325.00/664.00 (48.95%)

**Max Score:** 630.00

**Rank:** 26

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 51.59

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		AD	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	BC	W	-1.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		AB	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	B	W	-1.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 325.00/664.00 (48.95%)

**Max Score:** 630.00

**Rank:** 26

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 51.59

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 325.00/664.00 (48.95%)

**Max Score:** 630.00

**Rank:** 26

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 51.59

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	B	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	CD	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 325.00/664.00 (48.95%)

**Max Score:** 630.00

**Rank:** 26

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 51.59

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 140 (**Correct:** 93 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 325.00

**Total Positive Marks:** 372.00 **Total Negative Marks:** 47.00

PHY	CHEM	BOT	ZOO	Total
10.00	80.00	130.00	105.00	325.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 324.00/664.00 (48.80%)

**Max Score:** 630.00

**Rank:** 27

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 51.43

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A		L	0.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	A	W	-1.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	B	W	-1.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	A	W	-1.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	A	W	-1.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 324.00/664.00 (48.80%)

**Max Score:** 630.00

**Rank:** 27

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 51.43

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A		L	0.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 324.00/664.00 (48.80%)

**Max Score:** 630.00

**Rank:** 27

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 51.43

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B		L	0.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	D	W	-1.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 324.00/664.00 (48.80%)

**Max Score:** 630.00

**Rank:** 27

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 51.43

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 146 (**Correct:** 94 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 324.00

**Total Positive Marks:** 376.00 **Total Negative Marks:** 52.00

PHY	CHEM	BOT	ZOO	Total
-1.00	77.00	107.00	141.00	324.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 317.00/664.00 (47.74%)

**Max Score:** 630.00

**Rank:** 28

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 50.32

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	A	W	-1.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	A	W	-1.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	A	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 317.00/664.00 (47.74%)

**Max Score:** 630.00

**Rank:** 28

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 50.32

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		A	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 317.00/664.00 (47.74%)

**Max Score:** 630.00

**Rank:** 28

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 50.32

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	C	W	-1.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	B	W	-1.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	B	R	4.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 317.00/664.00 (47.74%)

**Max Score:** 630.00

**Rank:** 28

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 50.32

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	BC	W	-1.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 138 (**Correct:** 91 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 317.00

**Total Positive Marks:** 364.00 **Total Negative Marks:** 47.00

PHY	CHEM	BOT	ZOO	Total
43.00	56.00	125.00	93.00	317.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 309.00/664.00 (46.54%)

**Max Score:** 630.00

**Rank:** 29

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 49.05

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A		L	0.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 309.00/664.00 (46.54%)

**Max Score:** 630.00

**Rank:** 29

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 49.05

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 309.00/664.00 (46.54%)

**Max Score:** 630.00

**Rank:** 29

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 49.05

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	A	W	-1.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARNAV VIKRANT SARAF ( ID No. 47437 )

**Your Score:** 309.00/664.00 (46.54%)

**Max Score:** 630.00

**Rank:** 29

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 49.05

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	C	W	-1.00

**Total Question:** 200 **Attempted:** 131 (**Correct:** 88 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 309.00

**Total Positive Marks:** 352.00 **Total Negative Marks:** 43.00

PHY	CHEM	BOT	ZOO	Total
63.00	67.00	92.00	87.00	<b>309.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 300.00/664.00 (45.18%)

**Max Score:** 630.00

**Rank:** 30

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 47.62

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	B	W	-1.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	A	W	-1.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 300.00/664.00 (45.18%)

**Max Score:** 630.00

**Rank:** 30

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 47.62

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 300.00/664.00 (45.18%)

**Max Score:** 630.00

**Rank:** 30

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 47.62

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	A	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	C	W	-1.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	A	W	-1.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	A	W	-1.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UMESH TIWARI ( ID No. 47433 )

**Your Score:** 300.00/664.00 (45.18%)

**Max Score:** 630.00

**Rank:** 30

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 47.62

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 150 (**Correct:** 90 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 300.00

**Total Positive Marks:** 360.00 **Total Negative Marks:** 60.00

PHY	CHEM	BOT	ZOO	Total
64.00	77.00	79.00	80.00	300.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 288.00/664.00 (43.37%)

**Max Score:** 630.00

**Rank:** 31

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 45.71

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	B	W	-1.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	C	W	-1.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	A	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	D	W	-1.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 288.00/664.00 (43.37%)

**Max Score:** 630.00

**Rank:** 31

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 45.71

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		C	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 288.00/664.00 (43.37%)

**Max Score:** 630.00

**Rank:** 31

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 45.71

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B		L	0.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	A	W	-1.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	B	W	-1.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 288.00/664.00 (43.37%)

**Max Score:** 630.00

**Rank:** 31

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 45.71

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	BD	W	-1.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 152 (**Correct:** 88 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 288.00

**Total Positive Marks:** 352.00 **Total Negative Marks:** 64.00

PHY	CHEM	BOT	ZOO	Total
38.00	28.00	91.00	131.00	288.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 269.00/664.00 (40.51%)

**Max Score:** 630.00

**Rank:** 32

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 42.70

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	C	W	-1.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A		L	0.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	B	W	-1.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 269.00/664.00 (40.51%)

**Max Score:** 630.00

**Rank:** 32

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 42.70

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 269.00/664.00 (40.51%)

**Max Score:** 630.00

**Rank:** 32

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 42.70

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 269.00/664.00 (40.51%)

**Max Score:** 630.00

**Rank:** 32

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 42.70

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A		L	0.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 101 (**Correct:** 74 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 269.00

**Total Positive Marks:** 296.00 **Total Negative Marks:** 27.00

PHY	CHEM	BOT	ZOO	Total
31.00	68.00	83.00	87.00	269.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 247.00/664.00 (37.20%)

**Max Score:** 630.00

**Rank:** 33

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 39.21

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	A	W	-1.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	B	W	-1.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	B	W	-1.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	A	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 247.00/664.00 (37.20%)

**Max Score:** 630.00

**Rank:** 33

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 39.21

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 247.00/664.00 (37.20%)

**Max Score:** 630.00

**Rank:** 33

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 39.21

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	A	W	-1.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 247.00/664.00 (37.20%)

**Max Score:** 630.00

**Rank:** 33

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 39.21

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 118 (**Correct:** 73 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 247.00

**Total Positive Marks:** 292.00 **Total Negative Marks:** 45.00

PHY	CHEM	BOT	ZOO	Total
35.00	19.00	106.00	87.00	247.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 243.00/664.00 (36.60%)

**Max Score:** 630.00

**Rank:** 34

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 38.57

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 243.00/664.00 (36.60%)

**Max Score:** 630.00

**Rank:** 34

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 38.57

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A		L	0.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 243.00/664.00 (36.60%)

**Max Score:** 630.00

**Rank:** 34

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 38.57

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	C	W	-1.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C		L	0.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR ( ID No. 47505 )

Your Score: 243.00/664.00 (36.60%)

Max Score: 630.00

Rank: 34

Min Score: 50.00

TEST: MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

Percentile: 38.57

Avg Score: 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A		L	0.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 Attempted: 82 (Correct: 65 Incorrect: 17) Score Rate: 0.00 Strike Rate: 0.00

Total: 243.00

Total Positive Marks: 260.00 Total Negative Marks: 17.00

PHY	CHEM	BOT	ZOO	Total
53.00	43.00	50.00	97.00	243.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 242.00/664.00 (36.45%)

**Max Score:** 630.00

**Rank:** 35

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 38.41

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C		L	0.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 242.00/664.00 (36.45%)

**Max Score:** 630.00

**Rank:** 35

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 38.41

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 242.00/664.00 (36.45%)

**Max Score:** 630.00

**Rank:** 35

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 38.41

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	B	W	-1.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 242.00/664.00 (36.45%)

**Max Score:** 630.00

**Rank:** 35

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 38.41

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 133 (**Correct:** 75 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 242.00

**Total Positive Marks:** 300.00 **Total Negative Marks:** 58.00

PHY	CHEM	BOT	ZOO	Total
43.00	41.00	108.00	50.00	242.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 239.00/664.00 (35.99%)

**Max Score:** 630.00

**Rank:** 36

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 37.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	D	W	-1.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C		L	0.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	C	W	-1.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 239.00/664.00 (35.99%)

**Max Score:** 630.00

**Rank:** 36

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 37.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		C	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 239.00/664.00 (35.99%)

**Max Score:** 630.00

**Rank:** 36

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 37.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C		L	0.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	D	W	-1.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 239.00/664.00 (35.99%)

**Max Score:** 630.00

**Rank:** 36

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 37.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	C	W	-1.00

**Total Question:** 200 **Attempted:** 116 (**Correct:** 71 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 239.00

**Total Positive Marks:** 284.00 **Total Negative Marks:** 45.00

PHY	CHEM	BOT	ZOO	Total
38.00	14.00	88.00	99.00	239.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 216.00/664.00 (32.53%)

**Max Score:** 630.00

**Rank:** 37

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 34.29

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A		L	0.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C		L	0.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 216.00/664.00 (32.53%)

**Max Score:** 630.00

**Rank:** 37

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 34.29

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 216.00/664.00 (32.53%)

**Max Score:** 630.00

**Rank:** 37

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 34.29

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 216.00/664.00 (32.53%)

**Max Score:** 630.00

**Rank:** 37

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 34.29

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 124 (**Correct:** 68 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 216.00

**Total Positive Marks:** 272.00 **Total Negative Marks:** 56.00

PHY	CHEM	BOT	ZOO	Total
44.00	38.00	77.00	57.00	216.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 198.00/664.00 (29.82%)

**Max Score:** 630.00

**Rank:** 38

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 31.43

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A		L	0.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C		L	0.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 198.00/664.00 (29.82%)

**Max Score:** 630.00

**Rank:** 38

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 31.43

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		C	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A		L	0.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 198.00/664.00 (29.82%)

**Max Score:** 630.00

**Rank:** 38

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 31.43

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B		L	0.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A	D	W	-1.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	B	W	-1.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	D	W	-1.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	C	W	-1.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	D	W	-1.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 198.00/664.00 (29.82%)

**Max Score:** 630.00

**Rank:** 38

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 31.43

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 112 (**Correct:** 62 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 198.00

**Total Positive Marks:** 248.00 **Total Negative Marks:** 50.00

PHY	CHEM	BOT	ZOO	Total
36.00	29.00	42.00	91.00	198.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 195.00/664.00 (29.37%)

**Max Score:** 630.00

**Rank:** 39

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 30.95

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		A	C	0.00
20	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00		D	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	A	R	4.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCELO	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 195.00/664.00 (29.37%)

**Max Score:** 630.00

**Rank:** 39

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 30.95

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A		L	0.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 195.00/664.00 (29.37%)

**Max Score:** 630.00

**Rank:** 39

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 30.95

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	B	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	B	W	-1.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	D	W	-1.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	D	W	-1.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 195.00/664.00 (29.37%)

**Max Score:** 630.00

**Rank:** 39

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 30.95

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 90 (**Correct:** 57 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 195.00

**Total Positive Marks:** 228.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
29.00	13.00	63.00	90.00	195.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 149.00/664.00 (22.44%)

**Max Score:** 630.00

**Rank:** 40

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 23.65

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		A	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C	B	W	-1.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	B	W	-1.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D	A	W	-1.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C		L	0.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D	A	W	-1.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 149.00/664.00 (22.44%)

**Max Score:** 630.00

**Rank:** 40

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 23.65

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B		L	0.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D		L	0.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 149.00/664.00 (22.44%)

**Max Score:** 630.00

**Rank:** 40

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 23.65

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	A	W	-1.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	A	R	4.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A	D	W	-1.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	A	W	-1.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 149.00/664.00 (22.44%)

**Max Score:** 630.00

**Rank:** 40

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 23.65

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D		L	0.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 136 (**Correct:** 57 **Incorrect:** 79) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 149.00

**Total Positive Marks:** 228.00 **Total Negative Marks:** 79.00

PHY	CHEM	BOT	ZOO	Total
16.00	29.00	39.00	65.00	149.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UDAY KUKADE ( ID No. 47440 )

**Your Score:** 141.00/664.00 (21.23%)

**Max Score:** 630.00

**Rank:** 41

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 22.38

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A		L	0.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C		L	0.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B	D	W	-1.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UDAY KUKADE ( ID No. 47440 )

**Your Score:** 141.00/664.00 (21.23%)

**Max Score:** 630.00

**Rank:** 41

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 22.38

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UDAY KUKADE ( ID No. 47440 )

**Your Score:** 141.00/664.00 (21.23%)

**Max Score:** 630.00

**Rank:** 41

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 22.38

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C		L	0.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B		L	0.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B		L	0.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C		L	0.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UDAY KUKADE ( ID No. 47440 )

**Your Score:** 141.00/664.00 (21.23%)

**Max Score:** 630.00

**Rank:** 41

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 22.38

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D		L	0.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A		L	0.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 59 (**Correct:** 40 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 141.00

**Total Positive Marks:** 160.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
7.00	39.00	6.00	89.00	141.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VISHNU GAIKWAD ( ID No. 47489 )

**Your Score:** 68.00/664.00 (10.24%)

**Max Score:** 630.00

**Rank:** 42

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 10.79

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A		L	0.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C		L	0.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VISHNU GAIKWAD ( ID No. 47489 )

**Your Score:** 68.00/664.00 (10.24%)

**Max Score:** 630.00

**Rank:** 42

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 10.79

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A		L	0.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C		L	0.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D		L	0.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C		L	0.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D		L	0.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VISHNU GAIKWAD ( ID No. 47489 )

**Your Score:** 68.00/664.00 (10.24%)

**Max Score:** 630.00

**Rank:** 42

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 10.79

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D		L	0.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	A	W	-1.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A	D	W	-1.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A		L	0.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C		L	0.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	A	W	-1.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C		L	0.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	B	R	4.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	C	W	-1.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VISHNU GAIKWAD ( ID No. 47489 )

**Your Score:** 68.00/664.00 (10.24%)

**Max Score:** 630.00

**Rank:** 42

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 10.79

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A		L	0.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A		L	0.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D		L	0.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 77 (**Correct:** 29 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 68.00

**Total Positive Marks:** 116.00 **Total Negative Marks:** 48.00

PHY	CHEM	BOT	ZOO	Total
3.00	15.00	30.00	20.00	68.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 50.00/664.00 (7.53%)

**Max Score:** 630.00

**Rank:** 43

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 7.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	86.05	51.16	34.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
2	86.05	69.77	16.28	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	81.40	51.16	30.23	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	88.37	55.81	32.56	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
6	62.79	27.91	34.88	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	79.07	37.21	41.86	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	60.47	25.58	34.88	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	86.05	62.79	23.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
11	23.26	4.65	18.60	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
12	69.77	32.56	37.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
14	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
15	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
16	65.12	62.79	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	86.05	74.42	11.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	67.44	32.56	34.88	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
20	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		B	C	0.00
21	58.14	41.86	16.28	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
23	65.12	30.23	34.88	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
24	79.07	55.81	23.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	88.37	74.42	13.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	83.72	69.77	13.95	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	69.77	51.16	18.60	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	88.37	44.19	44.19	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	76.74	58.14	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	34.88	16.28	18.60	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
32	79.07	76.74	2.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	88.37	81.40	6.98	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	69.77	60.47	9.30	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		C	C	0.00
36	58.14	53.49	4.65	PHY	TOP10	4.00	1.00	A		L	0.00
37	67.44	48.84	18.60	PHY	TOP10	4.00	1.00	C		L	0.00
38	55.81	44.19	11.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	25.58	16.28	9.30	PHY	TOP10	4.00	1.00	C		L	0.00
40	79.07	62.79	16.28	PHY	TOP10	4.00	1.00	A	C	W	-1.00
41	60.47	46.51	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
42	79.07	58.14	20.93	PHY	TOP10	4.00	1.00	C		L	0.00
43	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00		D	C	0.00
44	46.51	32.56	13.95	PHY	TOP10	4.00	1.00	D		L	0.00
45	46.51	30.23	16.28	PHY	TOP10	4.00	1.00	D		L	0.00
46	53.49	18.60	34.88	PHY	TOP10	4.00	1.00	D		L	0.00
47	100.00	100.00	0.00	PHY	CANCEL0	0.00	0.00			C	0.00
48	46.51	39.53	6.98	PHY	TOP10	4.00	1.00	C		L	0.00
49	4.65	2.33	2.33	PHY	TOP10	4.00	1.00	A		L	0.00
50	62.79	41.86	20.93	PHY	TOP10	4.00	1.00	B		L	0.00
51	88.37	67.44	20.93	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	55.81	18.60	37.21	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
53	55.81	27.91	27.91	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 50.00/664.00 (7.53%)

**Max Score:** 630.00

**Rank:** 43

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 7.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.37	81.40	6.98	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	65.12	44.19	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	65.12	55.81	9.30	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	60.47	58.14	2.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
58	74.42	55.81	18.60	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	48.84	34.88	13.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	79.07	69.77	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	86.05	65.12	20.93	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	95.35	60.47	34.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	74.42	44.19	30.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	81.40	62.79	18.60	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	95.35	86.05	9.30	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	90.70	46.51	44.19	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	72.09	30.23	41.86	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
70	62.79	23.26	39.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
71	81.40	46.51	34.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	53.49	27.91	25.58	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	79.07	46.51	32.56	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	81.40	60.47	20.93	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
76	72.09	13.95	58.14	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00			C	0.00
78	53.49	32.56	20.93	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	41.86	34.88	6.98	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	65.12	16.28	48.84	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	65.12	23.26	41.86	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	81.40	76.74	4.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	65.12	51.16	13.95	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	69.77	51.16	18.60	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		D	C	0.00
86	41.86	32.56	9.30	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	72.09	53.49	18.60	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
88	41.86	27.91	13.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	58.14	44.19	13.95	CHEM	TOP10	4.00	1.00	B		L	0.00
90	53.49	41.86	11.63	CHEM	TOP10	4.00	1.00	A		L	0.00
91	100.00	100.00	0.00	CHEM	CANCEL0	0.00	0.00		B	C	0.00
92	34.88	25.58	9.30	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
93	51.16	16.28	34.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	48.84	44.19	4.65	CHEM	TOP10	4.00	1.00	D		L	0.00
95	41.86	20.93	20.93	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
96	86.05	72.09	13.95	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
97	69.77	60.47	9.30	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	37.21	30.23	6.98	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	46.51	44.19	2.33	CHEM	TOP10	4.00	1.00	D		L	0.00
100	69.77	34.88	34.88	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	95.35	58.14	37.21	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	95.35	74.42	20.93	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
104	95.35	88.37	6.98	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	95.35	67.44	27.91	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	95.35	76.74	18.60	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 50.00/664.00 (7.53%)

**Max Score:** 630.00

**Rank:** 43

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 7.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	76.74	30.23	46.51	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	95.35	81.40	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	79.07	53.49	25.58	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	95.35	86.05	9.30	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
111	90.70	83.72	6.98	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	90.70	74.42	16.28	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	83.72	69.77	13.95	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	65.12	32.56	32.56	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	93.02	72.09	20.93	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
116	86.05	39.53	46.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
117	83.72	72.09	11.63	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
118	86.05	37.21	48.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	86.05	76.74	9.30	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	93.02	79.07	13.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	93.02	81.40	11.63	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
122	81.40	58.14	23.26	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	76.74	44.19	32.56	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
124	93.02	83.72	9.30	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
125	93.02	62.79	30.23	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
126	62.79	27.91	34.88	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	74.42	46.51	27.91	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	86.05	53.49	32.56	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	79.07	51.16	27.91	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	83.72	41.86	41.86	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	88.37	67.44	20.93	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	88.37	81.40	6.98	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
134	90.70	65.12	25.58	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	93.02	86.05	6.98	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	76.74	58.14	18.60	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	74.42	48.84	25.58	BOT	TOP10	4.00	1.00	C		L	0.00
138	88.37	83.72	4.65	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	67.44	58.14	9.30	BOT	TOP10	4.00	1.00	A		L	0.00
140	34.88	13.95	20.93	BOT	TOP10	4.00	1.00	D		L	0.00
141	48.84	32.56	16.28	BOT	TOP10	4.00	1.00	C	D	W	-1.00
142	88.37	86.05	2.33	BOT	TOP10	4.00	1.00	C		L	0.00
143	20.93	4.65	16.28	BOT	TOP10	4.00	1.00	A	D	W	-1.00
144	72.09	58.14	13.95	BOT	TOP10	4.00	1.00	C	A	W	-1.00
145	74.42	53.49	20.93	BOT	TOP10	4.00	1.00	B	C	W	-1.00
146	62.79	44.19	18.60	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	51.16	34.88	16.28	BOT	TOP10	4.00	1.00	C	B	W	-1.00
148	23.26	11.63	11.63	BOT	TOP10	4.00	1.00	B	C	W	-1.00
149	93.02	88.37	4.65	BOT	TOP10	4.00	1.00	C		L	0.00
150	53.49	44.19	9.30	BOT	TOP10	4.00	1.00	A	D	W	-1.00
151	97.67	86.05	11.63	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	76.74	23.26	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	95.35	83.72	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	86.05	55.81	30.23	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
156	86.05	51.16	34.88	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
158	93.02	72.09	20.93	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	97.67	34.88	62.79	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 50.00/664.00 (7.53%)

**Max Score:** 630.00

**Rank:** 43

**Min Score:** 50.00

**TEST:** MMT-03 (NB-15 NEET) ( ID: 30 DT: 04-Dec-2022 )

**Percentile:** 7.94

**Avg Score:** 360.51

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	97.67	90.70	6.98	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
162	90.70	69.77	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
163	97.67	79.07	18.60	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	62.79	60.47	2.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.37	46.51	41.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	93.02	81.40	11.63	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	95.35	60.47	34.88	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	97.67	83.72	13.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	100.00	90.70	9.30	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	95.35	79.07	16.28	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	93.02	83.72	9.30	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	100.00	79.07	20.93	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	90.70	53.49	37.21	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	90.70	72.09	18.60	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
177	86.05	74.42	11.63	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	79.07	67.44	11.63	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	95.35	81.40	13.95	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
180	93.02	79.07	13.95	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
181	51.16	44.19	6.98	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
182	100.00	67.44	32.56	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	72.09	41.86	30.23	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
184	83.72	48.84	34.88	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	97.67	76.74	20.93	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	67.44	51.16	16.28	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	79.07	74.42	4.65	ZOO	TOP10	4.00	1.00	D		L	0.00
188	97.67	97.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	72.09	46.51	25.58	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	86.05	72.09	13.95	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	27.91	20.93	6.98	ZOO	TOP10	4.00	1.00	A		L	0.00
192	76.74	58.14	18.60	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
193	18.60	6.98	11.63	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	69.77	53.49	16.28	ZOO	TOP10	4.00	1.00	B		L	0.00
195	41.86	20.93	20.93	ZOO	TOP10	4.00	1.00	B		L	0.00
196	69.77	65.12	4.65	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	11.63	2.33	9.30	ZOO	TOP10	4.00	1.00	B		L	0.00
198	72.09	62.79	9.30	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	60.47	44.19	16.28	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	62.79	53.49	9.30	ZOO	TOP10	4.00	1.00	B	C	W	-1.00

**Total Question:** 200 **Attempted:** 120 (**Correct:** 34 **Incorrect:** 86) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 50.00

**Total Positive Marks:** 136.00 **Total Negative Marks:** 86.00

PHY	CHEM	BOT	ZOO	Total
11.00	3.00	10.00	26.00	50.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%