

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 663.00/717.00 (92.47%)

Max Score: 663.00

Rank: 1

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 100.00

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	A	R	4.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	B	R	4.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	D	L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 663.00/717.00 (92.47%)

Max Score: 663.00

Rank: 1

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 100.00

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 663.00/717.00 (92.47%)

Max Score: 663.00

Rank: 1

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 100.00

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 663.00/717.00 (92.47%)

Max Score: 663.00

Rank: 1

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 100.00

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 177 (**Correct:** 167 **Incorrect:** 10) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 663.00

Total Positive Marks: 673.00 **Total Negative Marks:** 10.00

PHY	CHEM	BOT	ZOO	Total
152.00	156.00	180.00	175.00	663.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 632.00/717.00 (88.15%)

Max Score: 663.00

Rank: 2

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 95.32

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	AC	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	D	R	4.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 632.00/717.00 (88.15%)

Max Score: 663.00

Rank: 2

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 95.32

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	AD	W	-1.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 632.00/717.00 (88.15%)

Max Score: 663.00

Rank: 2

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 95.32

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 632.00/717.00 (88.15%)

Max Score: 663.00

Rank: 2

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 95.32

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 178 (**Correct:** 161 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 632.00

Total Positive Marks: 649.00 **Total Negative Marks:** 17.00

PHY	CHEM	BOT	ZOO	Total
142.00	135.00	175.00	180.00	632.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 598.00/717.00 (83.40%)

Max Score: 663.00

Rank: 3

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 90.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	D	R	4.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 598.00/717.00 (83.40%)

Max Score: 663.00

Rank: 3

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 90.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 598.00/717.00 (83.40%)

Max Score: 663.00

Rank: 3

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 90.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 598.00/717.00 (83.40%)

Max Score: 663.00

Rank: 3

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 90.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	A	W	-1.00

Total Question: 200 **Attempted:** 167 (**Correct:** 152 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 598.00

Total Positive Marks: 613.00 **Total Negative Marks:** 15.00

PHY	CHEM	BOT	ZOO	Total
127.00	138.00	166.00	167.00	598.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 560.00/717.00 (78.10%)

Max Score: 663.00

Rank: 4

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 84.46

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	C	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	B	W	-1.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	D	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 560.00/717.00 (78.10%)

Max Score: 663.00

Rank: 4

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 84.46

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 560.00/717.00 (78.10%)

Max Score: 663.00

Rank: 4

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 84.46

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 560.00/717.00 (78.10%)

Max Score: 663.00

Rank: 4

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 84.46

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 170 (**Correct:** 145 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 560.00

Total Positive Marks: 585.00 **Total Negative Marks:** 25.00

PHY	CHEM	BOT	ZOO	Total
116.00	123.00	160.00	161.00	560.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 551.00/717.00 (76.85%)

Max Score: 663.00

Rank: 5

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 83.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	C	R	4.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	A	R	4.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	B	R	4.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 551.00/717.00 (76.85%)

Max Score: 663.00

Rank: 5

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 83.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 551.00/717.00 (76.85%)

Max Score: 663.00

Rank: 5

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 83.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 551.00/717.00 (76.85%)

Max Score: 663.00

Rank: 5

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 83.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 174 (**Correct:** 144 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 551.00

Total Positive Marks: 581.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
121.00	105.00	170.00	155.00	551.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 514.00/717.00 (71.69%)

Max Score: 663.00

Rank: 6

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 77.53

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	C	R	4.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	D	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	A	R	4.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	B	R	4.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 514.00/717.00 (71.69%)

Max Score: 663.00

Rank: 6

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 77.53

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	AC	W	-1.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 514.00/717.00 (71.69%)

Max Score: 663.00

Rank: 6

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 77.53

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C		L	0.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 514.00/717.00 (71.69%)

Max Score: 663.00

Rank: 6

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 77.53

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 166 (**Correct:** 135 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 514.00

Total Positive Marks: 545.00 **Total Negative Marks:** 31.00

PHY	CHEM	BOT	ZOO	Total
92.00	118.00	147.00	157.00	514.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 498.00/717.00 (69.46%)

Max Score: 663.00

Rank: 7

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 75.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	B	R	4.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	C	W	-1.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	D	R	4.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 498.00/717.00 (69.46%)

Max Score: 663.00

Rank: 7

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 75.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 498.00/717.00 (69.46%)

Max Score: 663.00

Rank: 7

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 75.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	C	W	-1.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 498.00/717.00 (69.46%)

Max Score: 663.00

Rank: 7

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 75.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 150 (**Correct:** 128 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 498.00

Total Positive Marks: 520.00 **Total Negative Marks:** 22.00

PHY	CHEM	BOT	ZOO	Total
81.00	112.00	139.00	166.00	498.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 479.00/717.00 (66.81%)

Max Score: 663.00

Rank: 8

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 72.25

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	A	R	4.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	D	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 479.00/717.00 (66.81%)

Max Score: 663.00

Rank: 8

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 72.25

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 479.00/717.00 (66.81%)

Max Score: 663.00

Rank: 8

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 72.25

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 479.00/717.00 (66.81%)

Max Score: 663.00

Rank: 8

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 72.25

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	L	0.00

Total Question: 200 **Attempted:** 156 (**Correct:** 126 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 479.00

Total Positive Marks: 509.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
70.00	92.00	161.00	156.00	479.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 472.00/717.00 (65.83%)

Max Score: 663.00

Rank: 9

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 71.19

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	A	W	-1.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	B	R	4.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	D	L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 472.00/717.00 (65.83%)

Max Score: 663.00

Rank: 9

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 71.19

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 472.00/717.00 (65.83%)

Max Score: 663.00

Rank: 9

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 71.19

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C		L	0.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	B	W	-1.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	D	W	-1.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 472.00/717.00 (65.83%)

Max Score: 663.00

Rank: 9

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 71.19

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 166 (**Correct:** 126 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 472.00

Total Positive Marks: 512.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
99.00	126.00	115.00	132.00	472.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 467.00/717.00 (65.13%)

Max Score: 663.00

Rank: 10

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 70.44

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	A	W	-1.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	D	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	A	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	D	R	4.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 467.00/717.00 (65.13%)

Max Score: 663.00

Rank: 10

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 70.44

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 467.00/717.00 (65.13%)

Max Score: 663.00

Rank: 10

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 70.44

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 467.00/717.00 (65.13%)

Max Score: 663.00

Rank: 10

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 70.44

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 163 (**Correct:** 125 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 467.00

Total Positive Marks: 505.00 **Total Negative Marks:** 38.00

PHY	CHEM	BOT	ZOO	Total
73.00	92.00	152.00	150.00	467.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 463.00/717.00 (64.57%)

Max Score: 663.00

Rank: 11

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 69.83

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	A	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 463.00/717.00 (64.57%)

Max Score: 663.00

Rank: 11

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 69.83

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 463.00/717.00 (64.57%)

Max Score: 663.00

Rank: 11

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 69.83

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	C	W	-1.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 463.00/717.00 (64.57%)

Max Score: 663.00

Rank: 11

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 69.83

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 152 (**Correct:** 122 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 463.00

Total Positive Marks: 493.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
104.00	73.00	142.00	144.00	463.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 441.00/717.00 (61.51%)

Max Score: 663.00

Rank: 12

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 66.52

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	A	W	-1.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	A	W	-1.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	C	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	D	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	A	W	-1.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	B	W	-1.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 441.00/717.00 (61.51%)

Max Score: 663.00

Rank: 12

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 66.52

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 441.00/717.00 (61.51%)

Max Score: 663.00

Rank: 12

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 66.52

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 441.00/717.00 (61.51%)

Max Score: 663.00

Rank: 12

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 66.52

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 167 (**Correct:** 120 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 441.00

Total Positive Marks: 488.00 **Total Negative Marks:** 47.00

PHY	CHEM	BOT	ZOO	Total
66.00	85.00	155.00	135.00	441.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 433.00/717.00 (60.39%)

Max Score: 663.00

Rank: 13

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 65.31

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	C	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	A	R	4.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	A	W	-1.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 433.00/717.00 (60.39%)

Max Score: 663.00

Rank: 13

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 65.31

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 433.00/717.00 (60.39%)

Max Score: 663.00

Rank: 13

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 65.31

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	C	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 433.00/717.00 (60.39%)

Max Score: 663.00

Rank: 13

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 65.31

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 135 (**Correct:** 112 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 433.00

Total Positive Marks: 456.00 **Total Negative Marks:** 23.00

PHY	CHEM	BOT	ZOO	Total
43.00	85.00	148.00	157.00	433.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 420.00/717.00 (58.58%)

Max Score: 663.00

Rank: 14

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 63.35

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	A	W	-1.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	D	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	A	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	BD	W	-1.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	A	W	-1.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 420.00/717.00 (58.58%)

Max Score: 663.00

Rank: 14

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 63.35

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 420.00/717.00 (58.58%)

Max Score: 663.00

Rank: 14

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 63.35

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	C	W	-1.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 420.00/717.00 (58.58%)

Max Score: 663.00

Rank: 14

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 63.35

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 153 (**Correct:** 113 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 420.00

Total Positive Marks: 460.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
63.00	65.00	165.00	127.00	420.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 398.00/717.00 (55.51%)

Max Score: 663.00

Rank: 15

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 60.03

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	C	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	D	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	B	R	4.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 398.00/717.00 (55.51%)

Max Score: 663.00

Rank: 15

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 60.03

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 398.00/717.00 (55.51%)

Max Score: 663.00

Rank: 15

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 60.03

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 398.00/717.00 (55.51%)

Max Score: 663.00

Rank: 15

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 60.03

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 130 (**Correct:** 104 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 398.00

Total Positive Marks: 424.00 **Total Negative Marks:** 26.00

PHY	CHEM	BOT	ZOO	Total
57.00	49.00	154.00	138.00	398.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 385.00/717.00 (53.70%)

Max Score: 663.00

Rank: 16

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 58.07

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	D	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	D	R	4.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 385.00/717.00 (53.70%)

Max Score: 663.00

Rank: 16

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 58.07

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 385.00/717.00 (53.70%)

Max Score: 663.00

Rank: 16

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 58.07

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C		L	0.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 385.00/717.00 (53.70%)

Max Score: 663.00

Rank: 16

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 58.07

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 138 (**Correct:** 103 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 385.00

Total Positive Marks: 420.00 **Total Negative Marks:** 35.00

PHY	CHEM	BOT	ZOO	Total
69.00	65.00	119.00	132.00	385.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 374.00/717.00 (52.16%)

Max Score: 663.00

Rank: 17

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 56.41

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 374.00/717.00 (52.16%)

Max Score: 663.00

Rank: 17

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 56.41

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 374.00/717.00 (52.16%)

Max Score: 663.00

Rank: 17

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 56.41

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 374.00/717.00 (52.16%)

Max Score: 663.00

Rank: 17

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 56.41

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 114 (**Correct:** 96 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 374.00

Total Positive Marks: 392.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
66.00	49.00	115.00	144.00	374.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 366.00/717.00 (51.05%)

Max Score: 663.00

Rank: 18

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 55.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A	B	W	-1.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	B	W	-1.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	A	W	-1.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	D	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	C	W	-1.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	D	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	A	W	-1.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 366.00/717.00 (51.05%)

Max Score: 663.00

Rank: 18

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 55.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 366.00/717.00 (51.05%)

Max Score: 663.00

Rank: 18

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 55.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	D	W	-1.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	C	W	-1.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 366.00/717.00 (51.05%)

Max Score: 663.00

Rank: 18

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 55.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 169 (**Correct:** 106 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 366.00

Total Positive Marks: 429.00 **Total Negative Marks:** 63.00

PHY	CHEM	BOT	ZOO	Total
51.00	75.00	135.00	105.00	366.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 331.00/717.00 (46.16%)

Max Score: 663.00

Rank: 19

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.92

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	D	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 331.00/717.00 (46.16%)

Max Score: 663.00

Rank: 19

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.92

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	CD	W	-1.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 331.00/717.00 (46.16%)

Max Score: 663.00

Rank: 19

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.92

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	C	W	-1.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	C	W	-1.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 331.00/717.00 (46.16%)

Max Score: 663.00

Rank: 19

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.92

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	BC	W	-1.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	A	W	-1.00

Total Question: 200 **Attempted:** 142 (**Correct:** 93 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 331.00

Total Positive Marks: 380.00 **Total Negative Marks:** 49.00

PHY	CHEM	BOT	ZOO	Total
53.00	43.00	128.00	107.00	331.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 330.00/717.00 (46.03%)

Max Score: 663.00

Rank: 20

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.77

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	D	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 330.00/717.00 (46.03%)

Max Score: 663.00

Rank: 20

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.77

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 330.00/717.00 (46.03%)

Max Score: 663.00

Rank: 20

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.77

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	AC	W	-1.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 330.00/717.00 (46.03%)

Max Score: 663.00

Rank: 20

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.77

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 113 (**Correct:** 87 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 330.00

Total Positive Marks: 356.00 **Total Negative Marks:** 26.00

PHY	CHEM	BOT	ZOO	Total
54.00	13.00	137.00	126.00	330.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 327.00/717.00 (45.61%)

Max Score: 663.00

Rank: 21

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.32

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	D	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	A	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	D	R	4.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 327.00/717.00 (45.61%)

Max Score: 663.00

Rank: 21

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.32

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C		L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 327.00/717.00 (45.61%)

Max Score: 663.00

Rank: 21

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.32

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	B	W	-1.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA SHAILESH MAHALLE (ID No. 47441)

Your Score: 327.00/717.00 (45.61%)

Max Score: 663.00

Rank: 21

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 49.32

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 141 (**Correct:** 92 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 327.00

Total Positive Marks: 376.00 **Total Negative Marks:** 49.00

PHY	CHEM	BOT	ZOO	Total
67.00	67.00	72.00	121.00	327.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA KANERI (ID No. 48564)

Your Score: 299.00/717.00 (41.70%)

Max Score: 663.00

Rank: 22

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 45.10

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA KANERI (ID No. 48564)

Your Score: 299.00/717.00 (41.70%)

Max Score: 663.00

Rank: 22

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 45.10

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C		L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA KANERI (ID No. 48564)

Your Score: 299.00/717.00 (41.70%)

Max Score: 663.00

Rank: 22

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 45.10

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C		L	0.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHUMIKA KANERI (ID No. 48564)

Your Score: 299.00/717.00 (41.70%)

Max Score: 663.00

Rank: 22

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 45.10

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 94 (**Correct:** 77 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 299.00

Total Positive Marks: 316.00 **Total Negative Marks:** 17.00

PHY	CHEM	BOT	ZOO	Total
65.00	91.00	67.00	76.00	299.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEEPTANSHU PRAKASH MAHORE (ID No. 47442)

Your Score: 282.00/717.00 (39.33%)

Max Score: 663.00

Rank: 23

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 42.53

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A	C	W	-1.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	A	W	-1.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	C	W	-1.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	D	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEEPTANSHU PRAKASH MAHORE (ID No. 47442)

Your Score: 282.00/717.00 (39.33%)

Max Score: 663.00

Rank: 23

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 42.53

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C		L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEEPTANSHU PRAKASH MAHORE (ID No. 47442)

Your Score: 282.00/717.00 (39.33%)

Max Score: 663.00

Rank: 23

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 42.53

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	B	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D	A	W	-1.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	C	W	-1.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	D	W	-1.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	D	W	-1.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEEPTANSHU PRAKASH MAHORE (ID No. 47442)

Your Score: 282.00/717.00 (39.33%)

Max Score: 663.00

Rank: 23

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 42.53

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 178 (**Correct:** 91 **Incorrect:** 87) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 282.00

Total Positive Marks: 369.00 **Total Negative Marks:** 87.00

PHY	CHEM	BOT	ZOO	Total
62.00	80.00	65.00	75.00	282.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 250.00/717.00 (34.87%)

Max Score: 663.00

Rank: 24

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 37.71

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	D	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 250.00/717.00 (34.87%)

Max Score: 663.00

Rank: 24

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 37.71

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C		L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 250.00/717.00 (34.87%)

Max Score: 663.00

Rank: 24

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 37.71

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D	B	W	-1.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	C	W	-1.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	C	W	-1.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARVESH SUDHAKAR YEUL (ID No. 47491)

Your Score: 250.00/717.00 (34.87%)

Max Score: 663.00

Rank: 24

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 37.71

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	L	0.00

Total Question: 200 **Attempted:** 130 (**Correct:** 75 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 250.00

Total Positive Marks: 305.00 **Total Negative Marks:** 55.00

PHY	CHEM	BOT	ZOO	Total
35.00	40.00	79.00	96.00	250.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 247.00/717.00 (34.45%)

Max Score: 663.00

Rank: 25

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 37.25

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 247.00/717.00 (34.45%)

Max Score: 663.00

Rank: 25

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 37.25

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 247.00/717.00 (34.45%)

Max Score: 663.00

Rank: 25

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 37.25

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 247.00/717.00 (34.45%)

Max Score: 663.00

Rank: 25

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 37.25

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 91 (**Correct:** 66 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 247.00

Total Positive Marks: 272.00 **Total Negative Marks:** 25.00

PHY	CHEM	BOT	ZOO	Total
61.00	28.00	90.00	68.00	247.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 240.00/717.00 (33.47%)

Max Score: 663.00

Rank: 26

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 36.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	A	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	B	W	-1.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	D	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	A	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	C	W	-1.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	C	L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 240.00/717.00 (33.47%)

Max Score: 663.00

Rank: 26

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 36.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 240.00/717.00 (33.47%)

Max Score: 663.00

Rank: 26

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 36.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	B	W	-1.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	C	W	-1.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	C	W	-1.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	C	W	-1.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 240.00/717.00 (33.47%)

Max Score: 663.00

Rank: 26

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 36.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	L	0.00

Total Question: 200 **Attempted:** 144 (**Correct:** 75 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 240.00

Total Positive Marks: 308.00 **Total Negative Marks:** 68.00

PHY	CHEM	BOT	ZOO	Total
32.00	55.00	68.00	85.00	240.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 240.00/717.00 (33.47%)

Max Score: 663.00

Rank: 26

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 36.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	B	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 240.00/717.00 (33.47%)

Max Score: 663.00

Rank: 26

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 36.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 240.00/717.00 (33.47%)

Max Score: 663.00

Rank: 26

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 36.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C		L	0.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	D	W	-1.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 240.00/717.00 (33.47%)

Max Score: 663.00

Rank: 26

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 36.20

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 80 (**Correct:** 63 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 240.00

Total Positive Marks: 257.00 **Total Negative Marks:** 17.00

PHY	CHEM	BOT	ZOO	Total
50.00	8.00	126.00	56.00	240.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA MADAN CHARHATE (ID No. 47438)

Your Score: 217.00/717.00 (30.26%)

Max Score: 663.00

Rank: 27

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 32.73

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	AB	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	C	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA MADAN CHARHATE (ID No. 47438)

Your Score: 217.00/717.00 (30.26%)

Max Score: 663.00

Rank: 27

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 32.73

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C		L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	CD	W	-1.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA MADAN CHARHATE (ID No. 47438)

Your Score: 217.00/717.00 (30.26%)

Max Score: 663.00

Rank: 27

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 32.73

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	CD	W	-1.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	D	W	-1.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA MADAN CHARHATE (ID No. 47438)

Your Score: 217.00/717.00 (30.26%)

Max Score: 663.00

Rank: 27

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 32.73

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	AD	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	AD	W	-1.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 96 (**Correct:** 61 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 217.00

Total Positive Marks: 252.00 **Total Negative Marks:** 35.00

PHY	CHEM	BOT	ZOO	Total
52.00	40.00	57.00	68.00	217.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 206.00/717.00 (28.73%)

Max Score: 663.00

Rank: 28

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 31.07

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	A	R	4.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	D	R	4.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	C	W	-1.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	D	R	4.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 206.00/717.00 (28.73%)

Max Score: 663.00

Rank: 28

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 31.07

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	BD	W	-1.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 206.00/717.00 (28.73%)

Max Score: 663.00

Rank: 28

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 31.07

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	D	W	-1.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 206.00/717.00 (28.73%)

Max Score: 663.00

Rank: 28

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 31.07

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 127 (**Correct:** 65 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 206.00

Total Positive Marks: 268.00 **Total Negative Marks:** 62.00

PHY	CHEM	BOT	ZOO	Total
69.00	28.00	57.00	52.00	206.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 196.00/717.00 (27.34%)

Max Score: 663.00

Rank: 29

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.56

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	D	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 196.00/717.00 (27.34%)

Max Score: 663.00

Rank: 29

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.56

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 196.00/717.00 (27.34%)

Max Score: 663.00

Rank: 29

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.56

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	B	W	-1.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUJAL VINOD UMEKAR (ID No. 47505)

Your Score: 196.00/717.00 (27.34%)

Max Score: 663.00

Rank: 29

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.56

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 102 (**Correct:** 58 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 196.00

Total Positive Marks: 240.00 **Total Negative Marks:** 44.00

PHY	CHEM	BOT	ZOO	Total
19.00	41.00	48.00	88.00	196.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA SANJAY KALMEGH (ID No. 47439)

Your Score: 194.00/717.00 (27.06%)

Max Score: 663.00

Rank: 30

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.26

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	C	R	4.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	B	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	C	W	-1.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	C	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	D	W	-1.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	B	W	-1.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA SANJAY KALMEGH (ID No. 47439)

Your Score: 194.00/717.00 (27.06%)

Max Score: 663.00

Rank: 30

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.26

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA SANJAY KALMEGH (ID No. 47439)

Your Score: 194.00/717.00 (27.06%)

Max Score: 663.00

Rank: 30

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.26

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	B	W	-1.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D	A	W	-1.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	A	W	-1.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA SANJAY KALMEGH (ID No. 47439)

Your Score: 194.00/717.00 (27.06%)

Max Score: 663.00

Rank: 30

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.26

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 125 (**Correct:** 62 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 194.00

Total Positive Marks: 256.00 **Total Negative Marks:** 62.00

PHY	CHEM	BOT	ZOO	Total
31.00	31.00	75.00	57.00	194.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DWARKESH MUKUND KITUKALE (ID No. 47444)

Your Score: 193.00/717.00 (26.92%)

Max Score: 663.00

Rank: 31

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DWARKESH MUKUND KITUKALE (ID No. 47444)

Your Score: 193.00/717.00 (26.92%)

Max Score: 663.00

Rank: 31

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DWARKESH MUKUND KITUKALE (ID No. 47444)

Your Score: 193.00/717.00 (26.92%)

Max Score: 663.00

Rank: 31

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	BD	W	-1.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C		L	0.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B	D	W	-1.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DWARKESH MUKUND KITUKALE (ID No. 47444)

Your Score: 193.00/717.00 (26.92%)

Max Score: 663.00

Rank: 31

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 29.11

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 90 (**Correct:** 55 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 193.00

Total Positive Marks: 228.00 **Total Negative Marks:** 35.00

PHY	CHEM	BOT	ZOO	Total
15.00	41.00	75.00	62.00	193.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 167.00/717.00 (23.29%)

Max Score: 663.00

Rank: 32

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 25.19

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	B	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 167.00/717.00 (23.29%)

Max Score: 663.00

Rank: 32

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 25.19

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 167.00/717.00 (23.29%)

Max Score: 663.00

Rank: 32

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 25.19

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	C	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 167.00/717.00 (23.29%)

Max Score: 663.00

Rank: 32

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 25.19

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 86 (**Correct:** 49 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 167.00

Total Positive Marks: 204.00 **Total Negative Marks:** 37.00

PHY	CHEM	BOT	ZOO	Total
34.00	6.00	70.00	57.00	167.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 138.00/717.00 (19.25%)

Max Score: 663.00

Rank: 33

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 20.81

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 138.00/717.00 (19.25%)

Max Score: 663.00

Rank: 33

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 20.81

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 138.00/717.00 (19.25%)

Max Score: 663.00

Rank: 33

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 20.81

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C		L	0.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 138.00/717.00 (19.25%)

Max Score: 663.00

Rank: 33

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 20.81

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 55 (**Correct:** 37 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 138.00

Total Positive Marks: 156.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
36.00	58.00	37.00	7.00	138.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA SHRIKRUSHNA BERAD (ID No. 48463)

Your Score: 126.00/717.00 (17.57%)

Max Score: 663.00

Rank: 34

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 19.00

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A	D	W	-1.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	A	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA SHRIKRUSHNA BERAD (ID No. 48463)

Your Score: 126.00/717.00 (17.57%)

Max Score: 663.00

Rank: 34

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 19.00

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA SHRIKRUSHNA BERAD (ID No. 48463)

Your Score: 126.00/717.00 (17.57%)

Max Score: 663.00

Rank: 34

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 19.00

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	B	R	4.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA SHRIKRUSHNA BERAD (ID No. 48463)

Your Score: 126.00/717.00 (17.57%)

Max Score: 663.00

Rank: 34

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 19.00

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 72 (**Correct:** 38 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 126.00

Total Positive Marks: 160.00 **Total Negative Marks:** 34.00

PHY	CHEM	BOT	ZOO	Total
13.00	16.00	63.00	34.00	126.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEET SHARAD KULAT (ID No. 47504)

Your Score: 120.00/717.00 (16.74%)

Max Score: 663.00

Rank: 35

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 18.10

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	D	W	-1.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	A	W	-1.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	B	R	4.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEET SHARAD KULAT (ID No. 47504)

Your Score: 120.00/717.00 (16.74%)

Max Score: 663.00

Rank: 35

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 18.10

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEET SHARAD KULAT (ID No. 47504)

Your Score: 120.00/717.00 (16.74%)

Max Score: 663.00

Rank: 35

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 18.10

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	D	W	-1.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEET SHARAD KULAT (ID No. 47504)

Your Score: 120.00/717.00 (16.74%)

Max Score: 663.00

Rank: 35

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 18.10

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 130 (**Correct:** 49 **Incorrect:** 81) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 120.00

Total Positive Marks: 201.00 **Total Negative Marks:** 81.00

PHY	CHEM	BOT	ZOO	Total
31.00	-4.00	40.00	53.00	120.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 115.00/717.00 (16.04%)

Max Score: 663.00

Rank: 36

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 17.35

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A	C	W	-1.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	B	R	4.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B	C	W	-1.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C	C	R	4.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C	D	W	-1.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D	C	W	-1.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A	B	W	-1.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B	A	W	-1.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D	C	W	-1.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B	B	L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D	C	L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 115.00/717.00 (16.04%)

Max Score: 663.00

Rank: 36

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 17.35

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 115.00/717.00 (16.04%)

Max Score: 663.00

Rank: 36

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 17.35

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A	B	W	-1.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C	A	W	-1.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D	B	W	-1.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A	C	W	-1.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B	A	W	-1.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHINI SUDHAKAR TELANG (ID No. 50118)

Your Score: 115.00/717.00 (16.04%)

Max Score: 663.00

Rank: 36

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 17.35

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	C	L	0.00

Total Question: 200 **Attempted:** 145 (**Correct:** 51 **Incorrect:** 94) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 115.00

Total Positive Marks: 209.00 **Total Negative Marks:** 94.00

PHY	CHEM	BOT	ZOO	Total
23.00	4.00	47.00	41.00	115.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 68.00/717.00 (9.48%)

Max Score: 663.00

Rank: 37

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 10.26

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B	C	W	-1.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 68.00/717.00 (9.48%)

Max Score: 663.00

Rank: 37

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 10.26

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 68.00/717.00 (9.48%)

Max Score: 663.00

Rank: 37

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 10.26

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	D	R	4.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITRALI VILAS GAWAI (ID No. 47642)

Your Score: 68.00/717.00 (9.48%)

Max Score: 663.00

Rank: 37

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 10.26

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

Total Question: 200 **Attempted:** 65 (**Correct:** 25 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 108.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
6.00	2.00	36.00	24.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VISHNU GAIKWAD (ID No. 47489)

Your Score: 46.00/717.00 (6.42%)

Max Score: 663.00

Rank: 38

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 6.94

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VISHNU GAIKWAD (ID No. 47489)

Your Score: 46.00/717.00 (6.42%)

Max Score: 663.00

Rank: 38

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 6.94

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C		L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VISHNU GAIKWAD (ID No. 47489)

Your Score: 46.00/717.00 (6.42%)

Max Score: 663.00

Rank: 38

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 6.94

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D	C	W	-1.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VISHNU GAIKWAD (ID No. 47489)

Your Score: 46.00/717.00 (6.42%)

Max Score: 663.00

Rank: 38

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 6.94

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 37 (**Correct:** 15 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 68.00 **Total Negative Marks:** 22.00

PHY	CHEM	BOT	ZOO	Total
8.00	12.00	8.00	18.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 8.00/717.00 (1.12%)

Max Score: 663.00

Rank: 39

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 1.21

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	65.00	12.50	52.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	87.50	70.00	17.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	65.00	50.00	15.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	30.00	22.50	7.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	80.00	67.50	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
6	85.00	72.50	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	82.50	62.50	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	70.00	55.00	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
9	87.50	77.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	40.00	30.00	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	32.50	47.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
12	65.00	45.00	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	75.00	22.50	52.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	32.50	20.00	12.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	75.00	17.50	57.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	82.50	52.50	30.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	82.50	72.50	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	65.00	42.50	22.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	57.50	37.50	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	70.00	52.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	60.00	30.00	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	57.50	40.00	17.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	42.50	37.50	5.00	PHY	TWO ANS 1	1.00	0.00	AD		L	0.00
24	67.50	52.50	15.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	47.50	25.00	22.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	60.00	35.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	22.50	17.50	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	60.00	25.00	35.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	40.00	7.50	32.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	62.50	20.00	42.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
32	22.50	7.50	15.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	57.50	27.50	30.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	45.00	25.00	20.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	50.00	32.50	17.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	A		L	0.00
37	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
38	47.50	15.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
39	52.50	20.00	32.50	PHY	TOP9	4.00	1.00	B		L	0.00
40	5.00	0.00	5.00	PHY	TOP9	4.00	1.00	A		L	0.00
41	10.00	7.50	2.50	PHY	TOP9	4.00	1.00	B		L	0.00
42	30.00	7.50	22.50	PHY	TOP9	4.00	1.00	C		L	0.00
43	60.00	50.00	10.00	PHY	TOP9	4.00	1.00	C		L	0.00
44	75.00	47.50	27.50	PHY	TOP9	4.00	1.00	A		L	0.00
45	47.50	37.50	10.00	PHY	TOP9	4.00	1.00	D		L	0.00
46	42.50	12.50	30.00	PHY	TOP9	4.00	1.00	A		L	0.00
47	42.50	17.50	25.00	PHY	TOP9	4.00	1.00	B		L	0.00
48	47.50	27.50	20.00	PHY	TOP9	4.00	1.00	D		L	0.00
49	30.00	22.50	7.50	PHY	TOP9	4.00	1.00	B		L	0.00
50	25.00	17.50	7.50	PHY	TOP9	4.00	1.00	D		L	0.00
51	95.00	35.00	60.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	90.00	60.00	30.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	62.50	47.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 8.00/717.00 (1.12%)

Max Score: 663.00

Rank: 39

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 1.21

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	77.50	52.50	25.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	82.50	70.00	12.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	57.50	42.50	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	90.00	67.50	22.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	65.00	62.50	2.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	50.00	32.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	87.50	62.50	25.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	65.00	55.00	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
63	80.00	62.50	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
64	80.00	57.50	22.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	87.50	70.00	17.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
66	67.50	50.00	17.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
67	57.50	22.50	35.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	37.50	32.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	67.50	47.50	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	52.50	47.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	67.50	40.00	27.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
72	35.00	20.00	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	65.00	50.00	15.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	40.00	22.50	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	37.50	22.50	15.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	35.00	17.50	17.50	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	52.50	17.50	35.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	57.50	47.50	10.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	35.00	27.50	7.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	32.50	15.00	17.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	42.50	27.50	15.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
82	55.00	47.50	7.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	42.50	37.50	5.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	70.00	32.50	37.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	60.00	20.00	40.00	CHEM	TOP10	4.00	1.00	B		L	0.00
87	25.00	2.50	22.50	CHEM	TOP10	4.00	1.00	A		L	0.00
88	42.50	22.50	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
89	60.00	32.50	27.50	CHEM	TOP10	4.00	1.00	A		L	0.00
90	37.50	22.50	15.00	CHEM	TOP10	4.00	1.00	B		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	D		L	0.00
92	50.00	10.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
93	65.00	55.00	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
94	70.00	40.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
95	45.00	12.50	32.50	CHEM	TOP10	4.00	1.00	D		L	0.00
96	65.00	0.00	65.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	47.50	2.50	45.00	CHEM	TOP10	4.00	1.00	A		L	0.00
98	30.00	0.00	30.00	CHEM	TOP10	4.00	1.00	A		L	0.00
99	67.50	62.50	5.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	72.50	20.00	52.50	CHEM	TOP10	4.00	1.00	C		L	0.00
101	92.50	75.00	17.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
102	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
103	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
104	97.50	95.00	2.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
105	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	95.00	77.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 8.00/717.00 (1.12%)

Max Score: 663.00

Rank: 39

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 1.21

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	60.00	45.00	15.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	97.50	75.00	22.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
109	90.00	57.50	32.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
111	95.00	65.00	30.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
112	77.50	37.50	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
113	80.00	55.00	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
114	85.00	72.50	12.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	80.00	62.50	17.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	90.00	77.50	12.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
117	87.50	65.00	22.50	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
118	97.50	85.00	12.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	90.00	55.00	35.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	80.00	52.50	27.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	57.50	52.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	72.50	67.50	5.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	57.50	45.00	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	85.00	75.00	10.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
125	62.50	40.00	22.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	82.50	57.50	25.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	65.00	45.00	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	75.00	65.00	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	85.00	80.00	5.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	67.50	57.50	10.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	62.50	55.00	7.50	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	72.50	52.50	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	77.50	57.50	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	75.00	57.50	17.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	52.50	12.50	40.00	BOT	TOP10	4.00	1.00	A		L	0.00
137	80.00	75.00	5.00	BOT	TOP10	4.00	1.00	C		L	0.00
138	77.50	70.00	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
139	22.50	17.50	5.00	BOT	TOP10	4.00	1.00	D		L	0.00
140	62.50	52.50	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
141	30.00	12.50	17.50	BOT	TOP10	4.00	1.00	B		L	0.00
142	60.00	50.00	10.00	BOT	TOP10	4.00	1.00	A		L	0.00
143	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	D		L	0.00
144	45.00	42.50	2.50	BOT	TOP10	4.00	1.00	B		L	0.00
145	40.00	32.50	7.50	BOT	TOP10	4.00	1.00	C		L	0.00
146	35.00	25.00	10.00	BOT	TOP10	4.00	1.00	D		L	0.00
147	45.00	35.00	10.00	BOT	TOP10	4.00	1.00	C		L	0.00
148	72.50	50.00	22.50	BOT	TOP10	4.00	1.00	A		L	0.00
149	52.50	50.00	2.50	BOT	TOP10	4.00	1.00	A		L	0.00
150	62.50	35.00	27.50	BOT	TOP10	4.00	1.00	B		L	0.00
151	85.00	77.50	7.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	85.00	32.50	52.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	77.50	62.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	90.00	67.50	22.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	77.50	50.00	27.50	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	80.00	55.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
158	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	75.00	35.00	40.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 8.00/717.00 (1.12%)

Max Score: 663.00

Rank: 39

Min Score: 8.00

TEST: MMT-04 (NB-15 NEET) (ID: 34 DT: 04-Jan-2023)

Percentile: 1.21

Avg Score: 326.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	70.00	60.00	10.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	82.50	72.50	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
162	90.00	62.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
163	87.50	62.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
164	80.00	75.00	5.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	80.00	70.00	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
166	72.50	50.00	22.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	67.50	52.50	15.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	77.50	70.00	7.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
169	62.50	37.50	25.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	72.50	52.50	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	70.00	55.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
172	67.50	40.00	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	75.00	62.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	65.00	37.50	27.50	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
175	80.00	65.00	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	70.00	57.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	75.00	47.50	27.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	80.00	67.50	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	72.50	57.50	15.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
180	82.50	70.00	12.50	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
181	62.50	42.50	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
182	77.50	60.00	17.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	77.50	67.50	10.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	90.00	57.50	32.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	87.50	72.50	15.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
186	35.00	30.00	5.00	ZOO	TOP10	4.00	1.00	A		L	0.00
187	65.00	57.50	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
188	67.50	52.50	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
189	50.00	37.50	12.50	ZOO	TOP10	4.00	1.00	D		L	0.00
190	42.50	27.50	15.00	ZOO	TOP10	4.00	1.00	A		L	0.00
191	62.50	52.50	10.00	ZOO	TOP10	4.00	1.00	A		L	0.00
192	37.50	30.00	7.50	ZOO	TOP10	4.00	1.00	B		L	0.00
193	42.50	40.00	2.50	ZOO	TOP10	4.00	1.00	C		L	0.00
194	77.50	70.00	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
195	80.00	65.00	15.00	ZOO	TOP10	4.00	1.00	C		L	0.00
196	67.50	45.00	22.50	ZOO	TOP10	4.00	1.00	D		L	0.00
197	12.50	10.00	2.50	ZOO	TOP10	4.00	1.00	B		L	0.00
198	70.00	70.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
199	75.00	67.50	7.50	ZOO	TOP10	4.00	1.00	A		L	0.00
200	32.50	25.00	7.50	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 0 (**Correct:** 0 **Incorrect:** 0) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 8.00

Total Positive Marks: 8.00 **Total Negative Marks:**

PHY	CHEM	BOT	ZOO	Total
8.00	0.00	0.00	0.00	8.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%