

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 700.00/720.00 (97.22%)

**Max Score:** 700.00

**Rank:** 1

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 100.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 700.00/720.00 (97.22%)

**Max Score:** 700.00

**Rank:** 1

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 100.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A		L	0.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	A	L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 700.00/720.00 (97.22%)

**Max Score:** 700.00

**Rank:** 1

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 100.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 700.00/720.00 (97.22%)

**Max Score:** 700.00

**Rank:** 1

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 100.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B		L	0.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 177 (**Correct:** 173 **Incorrect:** 4) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 700.00

**Total Positive Marks:** 704.00 **Total Negative Marks:** 4.00

PHY	CHEM	BOT	ZOO	Total
165.00	180.00	180.00	175.00	<b>700.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 651.00/720.00 (90.42%)

**Max Score:** 700.00

**Rank:** 2

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 93.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 651.00/720.00 (90.42%)

**Max Score:** 700.00

**Rank:** 2

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 93.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 651.00/720.00 (90.42%)

**Max Score:** 700.00

**Rank:** 2

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 93.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	A	W	-1.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 651.00/720.00 (90.42%)

**Max Score:** 700.00

**Rank:** 2

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 93.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 176 (**Correct:** 163 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 651.00

**Total Positive Marks:** 664.00 **Total Negative Marks:** 13.00

PHY	CHEM	BOT	ZOO	Total
151.00	160.00	175.00	165.00	651.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 610.00/720.00 (84.72%)

**Max Score:** 700.00

**Rank:** 3

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 87.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	B	W	-1.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 610.00/720.00 (84.72%)

**Max Score:** 700.00

**Rank:** 3

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 87.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 610.00/720.00 (84.72%)

**Max Score:** 700.00

**Rank:** 3

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 87.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 610.00/720.00 (84.72%)

**Max Score:** 700.00

**Rank:** 3

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 87.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B	B	L	0.00

**Total Question:** 200 **Attempted:** 172 (**Correct:** 154 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 610.00

**Total Positive Marks:** 628.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
124.00	156.00	165.00	165.00	<b>610.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 599.00/720.00 (83.19%)

**Max Score:** 700.00

**Rank:** 4

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	B	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 599.00/720.00 (83.19%)

**Max Score:** 700.00

**Rank:** 4

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 599.00/720.00 (83.19%)

**Max Score:** 700.00

**Rank:** 4

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	C	W	-1.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 599.00/720.00 (83.19%)

**Max Score:** 700.00

**Rank:** 4

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B		L	0.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 163 (**Correct:** 150 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 599.00

**Total Positive Marks:** 612.00 **Total Negative Marks:** 13.00

PHY	CHEM	BOT	ZOO	Total
145.00	139.00	159.00	156.00	<b>599.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 598.00/720.00 (83.06%)

**Max Score:** 700.00

**Rank:** 5

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	C	W	-1.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	B	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 598.00/720.00 (83.06%)

**Max Score:** 700.00

**Rank:** 5

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 598.00/720.00 (83.06%)

**Max Score:** 700.00

**Rank:** 5

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 598.00/720.00 (83.06%)

**Max Score:** 700.00

**Rank:** 5

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 169 (**Correct:** 151 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 598.00

**Total Positive Marks:** 616.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
117.00	156.00	170.00	155.00	598.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 596.00/720.00 (82.78%)

**Max Score:** 700.00

**Rank:** 6

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	B	W	-1.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	C	W	-1.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	D	W	-1.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 596.00/720.00 (82.78%)

**Max Score:** 700.00

**Rank:** 6

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 596.00/720.00 (82.78%)

**Max Score:** 700.00

**Rank:** 6

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 596.00/720.00 (82.78%)

**Max Score:** 700.00

**Rank:** 6

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 85.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 166 (**Correct:** 150 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 596.00

**Total Positive Marks:** 612.00 **Total Negative Marks:** 16.00

PHY	CHEM	BOT	ZOO	Total
121.00	125.00	170.00	180.00	596.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 578.00/720.00 (80.28%)

**Max Score:** 700.00

**Rank:** 7

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 82.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	A	W	-1.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 578.00/720.00 (80.28%)

**Max Score:** 700.00

**Rank:** 7

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 82.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	AC	W	-1.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 578.00/720.00 (80.28%)

**Max Score:** 700.00

**Rank:** 7

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 82.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D		L	0.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 578.00/720.00 (80.28%)

**Max Score:** 700.00

**Rank:** 7

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 82.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B		L	0.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 174 (**Correct:** 148 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 578.00

**Total Positive Marks:** 604.00 **Total Negative Marks:** 26.00

PHY	CHEM	BOT	ZOO	Total
108.00	125.00	175.00	170.00	578.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 556.00/720.00 (77.22%)

**Max Score:** 700.00

**Rank:** 8

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 79.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	A	W	-1.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	A	W	-1.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	B	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	C	R	4.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 556.00/720.00 (77.22%)

**Max Score:** 700.00

**Rank:** 8

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 79.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 556.00/720.00 (77.22%)

**Max Score:** 700.00

**Rank:** 8

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 79.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A		L	0.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 556.00/720.00 (77.22%)

**Max Score:** 700.00

**Rank:** 8

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 79.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B		L	0.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 171 (**Correct:** 143 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 556.00

**Total Positive Marks:** 584.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
127.00	113.00	146.00	170.00	556.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 538.00/720.00 (74.72%)

**Max Score:** 700.00

**Rank:** 9

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 76.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	B	W	-1.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	D	W	-1.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	B	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	D	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 538.00/720.00 (74.72%)

**Max Score:** 700.00

**Rank:** 9

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 76.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 538.00/720.00 (74.72%)

**Max Score:** 700.00

**Rank:** 9

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 76.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 538.00/720.00 (74.72%)

**Max Score:** 700.00

**Rank:** 9

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 76.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B	B	L	0.00

**Total Question:** 200 **Attempted:** 174 (**Correct:** 140 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 538.00

**Total Positive Marks:** 572.00 **Total Negative Marks:** 34.00

PHY	CHEM	BOT	ZOO	Total
102.00	106.00	150.00	180.00	538.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 537.00/720.00 (74.58%)

**Max Score:** 700.00

**Rank:** 10

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 76.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	B	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	B	L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 537.00/720.00 (74.58%)

**Max Score:** 700.00

**Rank:** 10

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 76.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 537.00/720.00 (74.58%)

**Max Score:** 700.00

**Rank:** 10

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 76.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	BD	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	A	W	-1.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 537.00/720.00 (74.58%)

**Max Score:** 700.00

**Rank:** 10

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 76.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 160 (**Correct:** 137 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 537.00

**Total Positive Marks:** 560.00 **Total Negative Marks:** 23.00

PHY	CHEM	BOT	ZOO	Total
116.00	112.00	152.00	157.00	537.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 700.00

**Rank:** 11

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 74.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	B	W	-1.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	A	W	-1.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 700.00

**Rank:** 11

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 74.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 700.00

**Rank:** 11

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 74.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 521.00/720.00 (72.36%)

**Max Score:** 700.00

**Rank:** 11

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 74.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 146 (**Correct:** 131 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 521.00

**Total Positive Marks:** 536.00 **Total Negative Marks:** 15.00

PHY	CHEM	BOT	ZOO	Total
108.00	94.00	162.00	157.00	521.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 514.00/720.00 (71.39%)

**Max Score:** 700.00

**Rank:** 12

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 73.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	B	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 514.00/720.00 (71.39%)

**Max Score:** 700.00

**Rank:** 12

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 73.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 514.00/720.00 (71.39%)

**Max Score:** 700.00

**Rank:** 12

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 73.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 514.00/720.00 (71.39%)

**Max Score:** 700.00

**Rank:** 12

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 73.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 168 (**Correct:** 134 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 514.00

**Total Positive Marks:** 548.00 **Total Negative Marks:** 34.00

PHY	CHEM	BOT	ZOO	Total
107.00	99.00	147.00	161.00	514.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 700.00

**Rank:** 13

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 70.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	B	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 700.00

**Rank:** 13

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 70.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 700.00

**Rank:** 13

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 70.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	A	W	-1.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 495.00/720.00 (68.75%)

**Max Score:** 700.00

**Rank:** 13

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 70.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B		L	0.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 157 (**Correct:** 128 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 495.00

**Total Positive Marks:** 524.00 **Total Negative Marks:** 29.00

PHY	CHEM	BOT	ZOO	Total
113.00	101.00	131.00	150.00	495.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 485.00/720.00 (67.36%)

**Max Score:** 700.00

**Rank:** 14

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 69.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC		L	0.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 485.00/720.00 (67.36%)

**Max Score:** 700.00

**Rank:** 14

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 69.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 485.00/720.00 (67.36%)

**Max Score:** 700.00

**Rank:** 14

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 69.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D		L	0.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 485.00/720.00 (67.36%)

**Max Score:** 700.00

**Rank:** 14

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 69.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 147 (**Correct:** 124 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 485.00

**Total Positive Marks:** 508.00 **Total Negative Marks:** 23.00

PHY	CHEM	BOT	ZOO	Total
77.00	121.00	132.00	155.00	485.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 700.00

**Rank:** 15

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 68.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	C	W	-1.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 700.00

**Rank:** 15

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 68.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B		L	0.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 700.00

**Rank:** 15

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 68.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	B	W	-1.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	BD	W	-1.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 480.00/720.00 (66.67%)

**Max Score:** 700.00

**Rank:** 15

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 68.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 162 (**Correct:** 126 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 480.00

**Total Positive Marks:** 516.00 **Total Negative Marks:** 36.00

PHY	CHEM	BOT	ZOO	Total
99.00	98.00	150.00	133.00	480.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 462.00/720.00 (64.17%)

**Max Score:** 700.00

**Rank:** 16

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 66.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D		L	0.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	D	W	-1.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	B	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	C	R	4.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	B	W	-1.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 462.00/720.00 (64.17%)

**Max Score:** 700.00

**Rank:** 16

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 66.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 462.00/720.00 (64.17%)

**Max Score:** 700.00

**Rank:** 16

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 66.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 462.00/720.00 (64.17%)

**Max Score:** 700.00

**Rank:** 16

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 66.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B		L	0.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 140 (**Correct:** 118 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 462.00

**Total Positive Marks:** 484.00 **Total Negative Marks:** 22.00

PHY	CHEM	BOT	ZOO	Total
74.00	71.00	170.00	147.00	462.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 456.00/720.00 (63.33%)

**Max Score:** 700.00

**Rank:** 17

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 65.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C	D	W	-1.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A	D	W	-1.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	D	W	-1.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 456.00/720.00 (63.33%)

**Max Score:** 700.00

**Rank:** 17

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 65.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 456.00/720.00 (63.33%)

**Max Score:** 700.00

**Rank:** 17

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 65.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	C	W	-1.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	A	W	-1.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

Your Score: 456.00/720.00 (63.33%)

Max Score: 700.00

Rank: 17

Min Score: 58.00

TEST: MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

Percentile: 65.14

Avg Score: 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 Attempted: 161 (Correct: 121 Incorrect: 40) Score Rate: 0.00 Strike Rate: 0.00

Total: 456.00

Total Positive Marks: 496.00 Total Negative Marks: 40.00

PHY	CHEM	BOT	ZOO	Total
109.00	100.00	124.00	123.00	456.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 447.00/720.00 (62.08%)

**Max Score:** 700.00

**Rank:** 18

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 63.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC		L	0.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	AD	W	-1.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D		L	0.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	D	W	-1.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 447.00/720.00 (62.08%)

**Max Score:** 700.00

**Rank:** 18

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 63.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 447.00/720.00 (62.08%)

**Max Score:** 700.00

**Rank:** 18

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 63.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	A	R	4.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	D	W	-1.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	C	W	-1.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 447.00/720.00 (62.08%)

**Max Score:** 700.00

**Rank:** 18

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 63.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 140 (**Correct:** 115 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 447.00

**Total Positive Marks:** 472.00 **Total Negative Marks:** 25.00

PHY	CHEM	BOT	ZOO	Total
65.00	78.00	138.00	166.00	447.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 433.00/720.00 (60.14%)

**Max Score:** 700.00

**Rank:** 19

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 61.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC		L	0.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	D	W	-1.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 433.00/720.00 (60.14%)

**Max Score:** 700.00

**Rank:** 19

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 61.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 433.00/720.00 (60.14%)

**Max Score:** 700.00

**Rank:** 19

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 61.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	D	W	-1.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	C	W	-1.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 433.00/720.00 (60.14%)

**Max Score:** 700.00

**Rank:** 19

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 61.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 144 (**Correct:** 113 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 433.00

**Total Positive Marks:** 464.00 **Total Negative Marks:** 31.00

PHY	CHEM	BOT	ZOO	Total
57.00	79.00	135.00	162.00	433.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 430.00/720.00 (59.72%)

**Max Score:** 700.00

**Rank:** 20

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 61.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C	D	W	-1.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	C	W	-1.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	B	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 430.00/720.00 (59.72%)

**Max Score:** 700.00

**Rank:** 20

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 61.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	C	L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 430.00/720.00 (59.72%)

**Max Score:** 700.00

**Rank:** 20

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 61.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	D	W	-1.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 430.00/720.00 (59.72%)

**Max Score:** 700.00

**Rank:** 20

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 61.43

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 167 (**Correct:** 117 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 430.00

**Total Positive Marks:** 480.00 **Total Negative Marks:** 50.00

PHY	CHEM	BOT	ZOO	Total
111.00	50.00	145.00	124.00	430.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 411.00/720.00 (57.08%)

**Max Score:** 700.00

**Rank:** 21

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 58.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	B	W	-1.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	B	W	-1.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	C	W	-1.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	B	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 411.00/720.00 (57.08%)

**Max Score:** 700.00

**Rank:** 21

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 58.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 411.00/720.00 (57.08%)

**Max Score:** 700.00

**Rank:** 21

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 58.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	B	W	-1.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	B	W	-1.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	C	W	-1.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	A	W	-1.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 411.00/720.00 (57.08%)

**Max Score:** 700.00

**Rank:** 21

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 58.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 166 (**Correct:** 113 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 411.00

**Total Positive Marks:** 464.00 **Total Negative Marks:** 53.00

PHY	CHEM	BOT	ZOO	Total
80.00	79.00	127.00	125.00	411.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 384.00/720.00 (53.33%)

**Max Score:** 700.00

**Rank:** 22

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 54.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC		L	0.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	C	W	-1.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 384.00/720.00 (53.33%)

**Max Score:** 700.00

**Rank:** 22

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 54.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B		L	0.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	A	R	4.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 384.00/720.00 (53.33%)

**Max Score:** 700.00

**Rank:** 22

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 54.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 384.00/720.00 (53.33%)

**Max Score:** 700.00

**Rank:** 22

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 54.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B		L	0.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	D	L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 123 (**Correct:** 99 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 384.00

**Total Positive Marks:** 408.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
70.00	46.00	147.00	121.00	<b>384.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 364.00/720.00 (50.56%)

**Max Score:** 700.00

**Rank:** 23

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 52.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	C	W	-1.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	D	W	-1.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 364.00/720.00 (50.56%)

**Max Score:** 700.00

**Rank:** 23

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 52.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 364.00/720.00 (50.56%)

**Max Score:** 700.00

**Rank:** 23

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 52.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B		L	0.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	B	W	-1.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 364.00/720.00 (50.56%)

**Max Score:** 700.00

**Rank:** 23

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 52.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B		L	0.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 148 (**Correct:** 100 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 364.00

**Total Positive Marks:** 412.00 **Total Negative Marks:** 48.00

PHY	CHEM	BOT	ZOO	Total
86.00	68.00	136.00	74.00	364.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 700.00

**Rank:** 24

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 51.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	D	W	-1.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D		L	0.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	B	W	-1.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 700.00

**Rank:** 24

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 51.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	AC	W	-1.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	BC	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 700.00

**Rank:** 24

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 51.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	B	W	-1.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	C	L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 700.00

**Rank:** 24

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 51.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 163 (**Correct:** 102 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 359.00

**Total Positive Marks:** 420.00 **Total Negative Marks:** 61.00

PHY	CHEM	BOT	ZOO	Total
71.00	27.00	115.00	146.00	<b>359.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 349.00/720.00 (48.47%)

**Max Score:** 700.00

**Rank:** 25

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 49.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC		L	0.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D		L	0.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D		L	0.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR ( ID No. 47512 )

Your Score: 349.00/720.00 (48.47%)

Max Score: 700.00

Rank: 25

Min Score: 58.00

TEST: MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

Percentile: 49.86

Avg Score: 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B		L	0.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 349.00/720.00 (48.47%)

**Max Score:** 700.00

**Rank:** 25

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 49.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	B	W	-1.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	C	W	-1.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	D	W	-1.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	B	W	-1.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	D	W	-1.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D		L	0.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	D	W	-1.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 349.00/720.00 (48.47%)

**Max Score:** 700.00

**Rank:** 25

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 49.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B		L	0.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 118 (**Correct:** 91 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 349.00

**Total Positive Marks:** 376.00 **Total Negative Marks:** 27.00

PHY	CHEM	BOT	ZOO	Total
79.00	17.00	97.00	156.00	349.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 344.00/720.00 (47.78%)

**Max Score:** 700.00

**Rank:** 26

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 49.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C	D	W	-1.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	B	W	-1.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	B	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	D	L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 344.00/720.00 (47.78%)

**Max Score:** 700.00

**Rank:** 26

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 49.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	D	R	4.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 344.00/720.00 (47.78%)

**Max Score:** 700.00

**Rank:** 26

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 49.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	CD	W	-1.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 344.00/720.00 (47.78%)

**Max Score:** 700.00

**Rank:** 26

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 49.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	AD	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 143 (**Correct:** 95 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 344.00

**Total Positive Marks:** 392.00 **Total Negative Marks:** 48.00

PHY	CHEM	BOT	ZOO	Total
67.00	79.00	93.00	105.00	344.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 298.00/720.00 (41.39%)

**Max Score:** 700.00

**Rank:** 27

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 42.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D		L	0.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 298.00/720.00 (41.39%)

**Max Score:** 700.00

**Rank:** 27

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 42.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B		L	0.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A		L	0.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 298.00/720.00 (41.39%)

**Max Score:** 700.00

**Rank:** 27

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 42.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	B	W	-1.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	A	W	-1.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	A	W	-1.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 298.00/720.00 (41.39%)

**Max Score:** 700.00

**Rank:** 27

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 42.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B		L	0.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B	A	W	-1.00

**Total Question:** 200 **Attempted:** 139 (**Correct:** 85 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 298.00

**Total Positive Marks:** 352.00 **Total Negative Marks:** 54.00

PHY	CHEM	BOT	ZOO	Total
54.00	42.00	113.00	89.00	298.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 277.00/720.00 (38.47%)

**Max Score:** 700.00

**Rank:** 28

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 39.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	D	W	-1.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	C	W	-1.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 277.00/720.00 (38.47%)

**Max Score:** 700.00

**Rank:** 28

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 39.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B		L	0.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A		L	0.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 277.00/720.00 (38.47%)

**Max Score:** 700.00

**Rank:** 28

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 39.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	D	W	-1.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	A	W	-1.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D		L	0.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 277.00/720.00 (38.47%)

**Max Score:** 700.00

**Rank:** 28

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 39.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B		L	0.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 105 (**Correct:** 74 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 277.00

**Total Positive Marks:** 308.00 **Total Negative Marks:** 31.00

PHY	CHEM	BOT	ZOO	Total
61.00	28.00	103.00	85.00	277.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 264.00/720.00 (36.67%)

**Max Score:** 700.00

**Rank:** 29

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 37.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D		L	0.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 264.00/720.00 (36.67%)

**Max Score:** 700.00

**Rank:** 29

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 37.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B		L	0.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 264.00/720.00 (36.67%)

**Max Score:** 700.00

**Rank:** 29

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 37.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	C	W	-1.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	C	W	-1.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	C	W	-1.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	A	W	-1.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 264.00/720.00 (36.67%)

**Max Score:** 700.00

**Rank:** 29

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 37.71

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B	D	W	-1.00

**Total Question:** 200 **Attempted:** 123 (**Correct:** 75 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 264.00

**Total Positive Marks:** 312.00 **Total Negative Marks:** 48.00

PHY	CHEM	BOT	ZOO	Total
52.00	29.00	97.00	86.00	264.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 259.00/720.00 (35.97%)

**Max Score:** 700.00

**Rank:** 30

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 37.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	B	W	-1.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	B	W	-1.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	C	W	-1.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	C	R	4.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	C	R	4.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D		L	0.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 259.00/720.00 (35.97%)

**Max Score:** 700.00

**Rank:** 30

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 37.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B		L	0.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A		L	0.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 259.00/720.00 (35.97%)

**Max Score:** 700.00

**Rank:** 30

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 37.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	D	W	-1.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	C	W	-1.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	B	W	-1.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 259.00/720.00 (35.97%)

**Max Score:** 700.00

**Rank:** 30

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 37.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B		L	0.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D		L	0.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 113 (**Correct:** 72 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 259.00

**Total Positive Marks:** 300.00 **Total Negative Marks:** 41.00

PHY	CHEM	BOT	ZOO	Total
38.00	24.00	119.00	78.00	259.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 211.00/720.00 (29.31%)

**Max Score:** 700.00

**Rank:** 31

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 30.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	A	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D		L	0.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 211.00/720.00 (29.31%)

**Max Score:** 700.00

**Rank:** 31

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 30.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 211.00/720.00 (29.31%)

**Max Score:** 700.00

**Rank:** 31

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 30.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	C	W	-1.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	C	W	-1.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D		L	0.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	B	W	-1.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEET SHARAD KULAT ( ID No. 47504 )

**Your Score:** 211.00/720.00 (29.31%)

**Max Score:** 700.00

**Rank:** 31

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 30.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 141 (**Correct:** 68 **Incorrect:** 73) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 211.00

**Total Positive Marks:** 284.00 **Total Negative Marks:** 73.00

PHY	CHEM	BOT	ZOO	Total
68.00	30.00	47.00	66.00	211.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 207.00/720.00 (28.75%)

**Max Score:** 700.00

**Rank:** 32

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 29.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	B	W	-1.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	B	W	-1.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	B	W	-1.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D		L	0.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 207.00/720.00 (28.75%)

**Max Score:** 700.00

**Rank:** 32

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 29.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A		L	0.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 207.00/720.00 (28.75%)

**Max Score:** 700.00

**Rank:** 32

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 29.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A		L	0.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	D	W	-1.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C		L	0.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	A	W	-1.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C		L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY SUNIL KHIRALKAR ( ID No. 47507 )

**Your Score:** 207.00/720.00 (28.75%)

**Max Score:** 700.00

**Rank:** 32

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 29.57

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B		L	0.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B		L	0.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 90 (**Correct:** 57 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 207.00

**Total Positive Marks:** 240.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
29.00	11.00	78.00	89.00	207.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 198.00/720.00 (27.50%)

**Max Score:** 700.00

**Rank:** 33

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 28.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C	A	W	-1.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	A	W	-1.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A	B	W	-1.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	C	W	-1.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D		L	0.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 198.00/720.00 (27.50%)

**Max Score:** 700.00

**Rank:** 33

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 28.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B		L	0.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C		L	0.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 198.00/720.00 (27.50%)

**Max Score:** 700.00

**Rank:** 33

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 28.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	C	W	-1.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A		L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	A	W	-1.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 198.00/720.00 (27.50%)

**Max Score:** 700.00

**Rank:** 33

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 28.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B		L	0.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 129 (**Correct:** 63 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 198.00

**Total Positive Marks:** 264.00 **Total Negative Marks:** 66.00

PHY	CHEM	BOT	ZOO	Total
46.00	19.00	70.00	63.00	198.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UDAY KUKADE ( ID No. 47440 )

**Your Score:** 182.00/720.00 (25.28%)

**Max Score:** 700.00

**Rank:** 34

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 26.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	B	W	-1.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C	B	W	-1.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A	B	W	-1.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C	A	W	-1.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	B	W	-1.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	C	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A	B	L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	C	L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	C	L	0.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	B	L	0.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	B	L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UDAY KUKADE ( ID No. 47440 )

**Your Score:** 182.00/720.00 (25.28%)

**Max Score:** 700.00

**Rank:** 34

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 26.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	C	L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	B	L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	C	L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	D	L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	A	L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UDAY KUKADE ( ID No. 47440 )

**Your Score:** 182.00/720.00 (25.28%)

**Max Score:** 700.00

**Rank:** 34

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 26.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	CD	W	-1.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	C	W	-1.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A	B	W	-1.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	D	W	-1.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	C	W	-1.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	C	W	-1.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	B	W	-1.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	B	L	0.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	C	L	0.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	L	0.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	B	L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	C	L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH UDAY KUKADE ( ID No. 47440 )

**Your Score:** 182.00/720.00 (25.28%)

**Max Score:** 700.00

**Rank:** 34

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 26.00

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	C	L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	B	L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	C	L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B	A	L	0.00

**Total Question:** 200 **Attempted:** 175 (**Correct:** 69 **Incorrect:** 106) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 182.00

**Total Positive Marks:** 288.00 **Total Negative Marks:** 106.00

PHY	CHEM	BOT	ZOO	Total
45.00	26.00	16.00	95.00	182.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 155.00/720.00 (21.53%)

**Max Score:** 700.00

**Rank:** 35

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 22.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC		L	0.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D		L	0.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C	C	R	4.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 155.00/720.00 (21.53%)

**Max Score:** 700.00

**Rank:** 35

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 22.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B		L	0.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D		L	0.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D		L	0.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	A	R	4.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D		L	0.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 155.00/720.00 (21.53%)

**Max Score:** 700.00

**Rank:** 35

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 22.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A		L	0.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B		L	0.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	D	W	-1.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	C	W	-1.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	B	W	-1.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	D	W	-1.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 155.00/720.00 (21.53%)

**Max Score:** 700.00

**Rank:** 35

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 22.14

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B		L	0.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B		L	0.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B	B	R	4.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	B	R	4.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B		L	0.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 112 (**Correct:** 51 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 155.00

**Total Positive Marks:** 216.00 **Total Negative Marks:** 61.00

PHY	CHEM	BOT	ZOO	Total
49.00	14.00	28.00	64.00	155.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 125.00/720.00 (17.36%)

**Max Score:** 700.00

**Rank:** 36

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 17.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC	C	R	4.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A	B	W	-1.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C	A	W	-1.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A	D	W	-1.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D		L	0.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C		L	0.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A		L	0.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D		L	0.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A		L	0.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 125.00/720.00 (17.36%)

**Max Score:** 700.00

**Rank:** 36

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 17.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C		L	0.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D		L	0.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A		L	0.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A		L	0.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A		L	0.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 125.00/720.00 (17.36%)

**Max Score:** 700.00

**Rank:** 36

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 17.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	A	R	4.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	D	W	-1.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D		L	0.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D		L	0.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	A	W	-1.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B	A	W	-1.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D		L	0.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 125.00/720.00 (17.36%)

**Max Score:** 700.00

**Rank:** 36

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 17.86

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C		L	0.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A	A	R	4.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 147 (**Correct:** 52 **Incorrect:** 95) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 125.00

**Total Positive Marks:** 220.00 **Total Negative Marks:** 95.00

PHY	CHEM	BOT	ZOO	Total
20.00	8.00	45.00	52.00	125.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 58.00/720.00 (8.06%)

**Max Score:** 700.00

**Rank:** 37

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 8.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	64.86	54.05	10.81	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
2	86.49	72.97	13.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
3	83.78	75.68	8.11	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	81.08	54.05	27.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
5	91.89	72.97	18.92	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	91.89	78.38	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	48.65	35.14	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
8	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
9	51.35	13.51	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	72.97	37.84	35.14	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	72.97	48.65	24.32	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
12	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
13	70.27	59.46	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	94.59	83.78	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	62.16	32.43	29.73	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	89.19	67.57	21.62	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	21.62	10.81	10.81	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	72.97	70.27	2.70	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	81.08	67.57	13.51	PHY	FOR TWO ANS4	4.00	1.00	AC		L	0.00
21	70.27	51.35	18.92	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	43.24	29.73	13.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	45.95	8.11	37.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	78.38	32.43	45.95	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	78.38	29.73	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	78.38	56.76	21.62	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	67.57	54.05	13.51	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
28	86.49	75.68	10.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	86.49	67.57	18.92	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	75.68	54.05	21.62	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
31	67.57	45.95	21.62	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
32	48.65	13.51	35.14	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	54.05	18.92	35.14	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	59.46	8.11	51.35	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
35	64.86	16.22	48.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	18.92	5.41	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
37	32.43	18.92	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
38	83.78	72.97	10.81	PHY	TOP10	4.00	1.00	A		L	0.00
39	81.08	67.57	13.51	PHY	TOP10	4.00	1.00	C		L	0.00
40	10.81	0.00	10.81	PHY	TOP10	4.00	1.00	A	C	W	-1.00
41	81.08	70.27	10.81	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	54.05	32.43	21.62	PHY	TOP10	4.00	1.00	B		L	0.00
43	51.35	43.24	8.11	PHY	TOP10	4.00	1.00	C		L	0.00
44	54.05	37.84	16.22	PHY	TOP10	4.00	1.00	C	B	W	-1.00
45	56.76	27.03	29.73	PHY	TOP10	4.00	1.00	A	D	W	-1.00
46	16.22	8.11	8.11	PHY	TOP10	4.00	1.00	A		L	0.00
47	37.84	10.81	27.03	PHY	TOP10	4.00	1.00	C		L	0.00
48	78.38	70.27	8.11	PHY	TOP10	4.00	1.00	D	A	W	-1.00
49	81.08	72.97	8.11	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	43.24	24.32	18.92	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	78.38	51.35	27.03	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
52	94.59	72.97	21.62	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	48.65	10.81	37.84	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 58.00/720.00 (8.06%)

**Max Score:** 700.00

**Rank:** 37

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 8.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	86.49	67.57	18.92	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
55	78.38	27.03	51.35	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	56.76	35.14	21.62	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
57	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
58	83.78	48.65	35.14	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
59	64.86	40.54	24.32	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	86.49	45.95	40.54	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	59.46	21.62	37.84	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	54.05	32.43	21.62	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	78.38	64.86	13.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	70.27	62.16	8.11	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	72.97	45.95	27.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	67.57	29.73	37.84	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	59.46	48.65	10.81	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
69	54.05	37.84	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	62.16	32.43	29.73	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
71	81.08	54.05	27.03	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
72	91.89	64.86	27.03	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	75.68	43.24	32.43	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
74	72.97	48.65	24.32	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
76	64.86	64.86	0.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
77	62.16	43.24	18.92	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	83.78	83.78	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	75.68	59.46	16.22	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	83.78	67.57	16.22	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
81	89.19	18.92	70.27	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	67.57	35.14	32.43	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	67.57	51.35	16.22	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	83.78	56.76	27.03	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
85	83.78	62.16	21.62	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
86	75.68	45.95	29.73	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	62.16	56.76	5.41	CHEM	TOP10	4.00	1.00	B		L	0.00
88	51.35	45.95	5.41	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	59.46	27.03	32.43	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
90	43.24	32.43	10.81	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
91	72.97	13.51	59.46	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
92	72.97	62.16	10.81	CHEM	TOP10	4.00	1.00	B		L	0.00
93	83.78	64.86	18.92	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	72.97	56.76	16.22	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
95	62.16	27.03	35.14	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
96	35.14	16.22	18.92	CHEM	TOP10	4.00	1.00	C		L	0.00
97	40.54	32.43	8.11	CHEM	TOP10	4.00	1.00	A		L	0.00
98	35.14	18.92	16.22	CHEM	TOP10	4.00	1.00	A		L	0.00
99	27.03	2.70	24.32	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
100	24.32	0.00	24.32	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
101	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
102	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
103	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
104	89.19	43.24	45.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	81.08	18.92	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	100.00	72.97	27.03	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 58.00/720.00 (8.06%)

**Max Score:** 700.00

**Rank:** 37

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 8.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	100.00	78.38	21.62	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
108	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	100.00	86.49	13.51	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
110	81.08	48.65	32.43	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
111	100.00	83.78	16.22	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	94.59	86.49	8.11	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	91.89	81.08	10.81	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	86.49	67.57	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	97.30	78.38	18.92	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	94.59	78.38	16.22	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
118	75.68	27.03	48.65	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
119	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	91.89	48.65	43.24	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
121	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
122	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	97.30	83.78	13.51	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
124	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	72.97	48.65	24.32	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
126	89.19	64.86	24.32	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.30	64.86	32.43	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
128	97.30	86.49	10.81	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
129	91.89	70.27	21.62	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
130	94.59	75.68	18.92	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	100.00	89.19	10.81	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	91.89	59.46	32.43	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
133	89.19	67.57	21.62	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
134	94.59	81.08	13.51	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
135	70.27	45.95	24.32	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	91.89	78.38	13.51	BOT	TOP10	4.00	1.00	A	B	W	-1.00
137	48.65	32.43	16.22	BOT	TOP10	4.00	1.00	A		L	0.00
138	94.59	70.27	24.32	BOT	TOP10	4.00	1.00	B	D	W	-1.00
139	62.16	43.24	18.92	BOT	TOP10	4.00	1.00	D		L	0.00
140	59.46	54.05	5.41	BOT	TOP10	4.00	1.00	D	A	W	-1.00
141	64.86	54.05	10.81	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	43.24	35.14	8.11	BOT	TOP10	4.00	1.00	D	D	R	4.00
143	70.27	45.95	24.32	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	72.97	54.05	18.92	BOT	TOP10	4.00	1.00	B		L	0.00
145	86.49	64.86	21.62	BOT	TOP10	4.00	1.00	D	C	W	-1.00
146	51.35	43.24	8.11	BOT	TOP10	4.00	1.00	A	C	W	-1.00
147	83.78	83.78	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	43.24	27.03	16.22	BOT	TOP10	4.00	1.00	C	D	W	-1.00
149	51.35	37.84	13.51	BOT	TOP10	4.00	1.00	B		L	0.00
150	35.14	29.73	5.41	BOT	TOP10	4.00	1.00	D	B	W	-1.00
151	100.00	72.97	27.03	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
152	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	83.78	72.97	10.81	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	91.89	48.65	43.24	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
155	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
156	91.89	70.27	21.62	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	86.49	64.86	21.62	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	97.30	81.08	16.22	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	94.59	86.49	8.11	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 58.00/720.00 (8.06%)

**Max Score:** 700.00

**Rank:** 37

**Min Score:** 58.00

**TEST:** MMT-05 NB-15 NEET) ( ID: 39 DT: 01-Feb-2023 )

**Percentile:** 8.29

**Avg Score:** 408.95

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	94.59	89.19	5.41	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
161	97.30	89.19	8.11	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	97.30	83.78	13.51	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
163	100.00	94.59	5.41	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	91.89	81.08	10.81	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	91.89	83.78	8.11	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	100.00	81.08	18.92	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
168	86.49	67.57	18.92	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
169	97.30	91.89	5.41	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
170	91.89	51.35	40.54	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	78.38	29.73	48.65	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
172	94.59	29.73	64.86	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	86.49	54.05	32.43	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
174	91.89	86.49	5.41	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
175	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
176	94.59	70.27	24.32	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
177	81.08	67.57	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	97.30	75.68	21.62	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	94.59	75.68	18.92	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
180	86.49	72.97	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	75.68	62.16	13.51	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	83.78	62.16	21.62	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	94.59	72.97	21.62	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
184	94.59	81.08	13.51	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	89.19	78.38	10.81	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	86.49	75.68	10.81	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
187	51.35	43.24	8.11	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
188	86.49	83.78	2.70	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	75.68	67.57	8.11	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	75.68	64.86	10.81	ZOO	TOP10	4.00	1.00	C	C	R	4.00
191	83.78	72.97	10.81	ZOO	TOP10	4.00	1.00	C		L	0.00
192	62.16	43.24	18.92	ZOO	TOP10	4.00	1.00	B		L	0.00
193	78.38	54.05	24.32	ZOO	TOP10	4.00	1.00	B		L	0.00
194	56.76	54.05	2.70	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	70.27	64.86	5.41	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	72.97	64.86	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
197	51.35	45.95	5.41	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
198	54.05	45.95	8.11	ZOO	TOP10	4.00	1.00	A		L	0.00
199	54.05	43.24	10.81	ZOO	TOP10	4.00	1.00	A		L	0.00
200	16.22	8.11	8.11	ZOO	TOP10	4.00	1.00	B	D	W	-1.00

**Total Question:** 200 **Attempted:** 119 (**Correct:** 33 **Incorrect:** 86) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 58.00

**Total Positive Marks:** 144.00 **Total Negative Marks:** 86.00

PHY	CHEM	BOT	ZOO	Total
24.00	2.00	7.00	25.00	58.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%