

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 680.00/720.00 (94.44%)

**Max Score:** 680.00

**Rank:** 1

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 100.00

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D		L	0.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 680.00/720.00 (94.44%)

**Max Score:** 680.00

**Rank:** 1

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 100.00

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 680.00/720.00 (94.44%)

**Max Score:** 680.00

**Rank:** 1

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 100.00

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 680.00/720.00 (94.44%)

**Max Score:** 680.00

**Rank:** 1

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 100.00

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 180 (**Correct:** 172 **Incorrect:** 8) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 680.00

**Total Positive Marks:** 688.00 **Total Negative Marks:** 8.00

PHY	CHEM	BOT	ZOO	Total
170.00	165.00	175.00	170.00	<b>680.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 637.00/720.00 (88.47%)

**Max Score:** 680.00

**Rank:** 2

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 93.68

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 637.00/720.00 (88.47%)

**Max Score:** 680.00

**Rank:** 2

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 93.68

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 637.00/720.00 (88.47%)

**Max Score:** 680.00

**Rank:** 2

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 93.68

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 637.00/720.00 (88.47%)

**Max Score:** 680.00

**Rank:** 2

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 93.68

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 178 (**Correct:** 163 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 637.00

**Total Positive Marks:** 652.00 **Total Negative Marks:** 15.00

PHY	CHEM	BOT	ZOO	Total
155.00	152.00	165.00	165.00	<b>637.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 605.00/720.00 (84.03%)

**Max Score:** 680.00

**Rank:** 3

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 88.97

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	AB	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 605.00/720.00 (84.03%)

**Max Score:** 680.00

**Rank:** 3

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 88.97

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 605.00/720.00 (84.03%)

**Max Score:** 680.00

**Rank:** 3

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 88.97

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B		L	0.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A		L	0.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** CHAITANYA KIRIT KADHI ( ID No. 47253 )

**Your Score:** 605.00/720.00 (84.03%)

**Max Score:** 680.00

**Rank:** 3

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 88.97

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	D	R	4.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 175 (**Correct:** 156 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 605.00

**Total Positive Marks:** 624.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
138.00	137.00	165.00	165.00	<b>605.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 576.00/720.00 (80.00%)

**Max Score:** 680.00

**Rank:** 4

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 84.71

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 576.00/720.00 (80.00%)

**Max Score:** 680.00

**Rank:** 4

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 84.71

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 576.00/720.00 (80.00%)

**Max Score:** 680.00

**Rank:** 4

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 84.71

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 576.00/720.00 (80.00%)

**Max Score:** 680.00

**Rank:** 4

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 84.71

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	C	R	4.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 174 (**Correct:** 150 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 576.00

**Total Positive Marks:** 600.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
136.00	125.00	155.00	160.00	576.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 545.00/720.00 (75.69%)

**Max Score:** 680.00

**Rank:** 5

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 80.15

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 545.00/720.00 (75.69%)

**Max Score:** 680.00

**Rank:** 5

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 80.15

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 545.00/720.00 (75.69%)

**Max Score:** 680.00

**Rank:** 5

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 80.15

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A		L	0.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 545.00/720.00 (75.69%)

**Max Score:** 680.00

**Rank:** 5

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 80.15

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	D	R	4.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 160 (**Correct:** 141 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 545.00

**Total Positive Marks:** 564.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
126.00	112.00	146.00	161.00	545.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 539.00/720.00 (74.86%)

**Max Score:** 680.00

**Rank:** 6

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 79.26

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D		L	0.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	C	W	-1.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 539.00/720.00 (74.86%)

**Max Score:** 680.00

**Rank:** 6

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 79.26

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 539.00/720.00 (74.86%)

**Max Score:** 680.00

**Rank:** 6

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 79.26

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A		L	0.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 539.00/720.00 (74.86%)

**Max Score:** 680.00

**Rank:** 6

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 79.26

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	C	R	4.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	D	R	4.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 166 (**Correct:** 141 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 539.00

**Total Positive Marks:** 564.00 **Total Negative Marks:** 25.00

PHY	CHEM	BOT	ZOO	Total
117.00	100.00	151.00	171.00	<b>539.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 518.00/720.00 (71.94%)

**Max Score:** 680.00

**Rank:** 7

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 76.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 518.00/720.00 (71.94%)

**Max Score:** 680.00

**Rank:** 7

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 76.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 518.00/720.00 (71.94%)

**Max Score:** 680.00

**Rank:** 7

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 76.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	AD	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A		L	0.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 518.00/720.00 (71.94%)

**Max Score:** 680.00

**Rank:** 7

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 76.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 162 (**Correct:** 136 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 518.00

**Total Positive Marks:** 544.00 **Total Negative Marks:** 26.00

PHY	CHEM	BOT	ZOO	Total
139.00	117.00	142.00	120.00	518.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 514.00/720.00 (71.39%)

**Max Score:** 680.00

**Rank:** 8

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 75.59

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	D	W	-1.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 514.00/720.00 (71.39%)

**Max Score:** 680.00

**Rank:** 8

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 75.59

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 514.00/720.00 (71.39%)

**Max Score:** 680.00

**Rank:** 8

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 75.59

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A		L	0.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 514.00/720.00 (71.39%)

**Max Score:** 680.00

**Rank:** 8

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 75.59

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C		L	0.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	D	R	4.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 161 (**Correct:** 135 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 514.00

**Total Positive Marks:** 540.00 **Total Negative Marks:** 26.00

PHY	CHEM	BOT	ZOO	Total
88.00	101.00	160.00	165.00	514.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 489.00/720.00 (67.92%)

**Max Score:** 680.00

**Rank:** 9

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 71.91

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 489.00/720.00 (67.92%)

**Max Score:** 680.00

**Rank:** 9

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 71.91

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 489.00/720.00 (67.92%)

**Max Score:** 680.00

**Rank:** 9

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 71.91

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	C	L	0.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 489.00/720.00 (67.92%)

**Max Score:** 680.00

**Rank:** 9

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 71.91

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	C	R	4.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 161 (**Correct:** 130 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 489.00

**Total Positive Marks:** 520.00 **Total Negative Marks:** 31.00

PHY	CHEM	BOT	ZOO	Total
122.00	82.00	143.00	142.00	489.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 484.00/720.00 (67.22%)

**Max Score:** 680.00

**Rank:** 10

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 71.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 484.00/720.00 (67.22%)

**Max Score:** 680.00

**Rank:** 10

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 71.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 484.00/720.00 (67.22%)

**Max Score:** 680.00

**Rank:** 10

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 71.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A		L	0.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	L	0.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 484.00/720.00 (67.22%)

**Max Score:** 680.00

**Rank:** 10

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 71.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	BD	W	-1.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	B	L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	L	0.00

**Total Question:** 200 **Attempted:** 171 (**Correct:** 131 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 484.00

**Total Positive Marks:** 524.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
100.00	109.00	145.00	130.00	484.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 466.00/720.00 (64.72%)

**Max Score:** 680.00

**Rank:** 11

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 68.53

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	B	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 466.00/720.00 (64.72%)

**Max Score:** 680.00

**Rank:** 11

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 68.53

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	A	R	4.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 466.00/720.00 (64.72%)

**Max Score:** 680.00

**Rank:** 11

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 68.53

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B		L	0.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 466.00/720.00 (64.72%)

**Max Score:** 680.00

**Rank:** 11

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 68.53

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	D	R	4.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 144 (**Correct:** 122 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 466.00

**Total Positive Marks:** 488.00 **Total Negative Marks:** 22.00

PHY	CHEM	BOT	ZOO	Total
78.00	98.00	143.00	147.00	466.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 463.00/720.00 (64.31%)

**Max Score:** 680.00

**Rank:** 12

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 68.09

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 463.00/720.00 (64.31%)

**Max Score:** 680.00

**Rank:** 12

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 68.09

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 463.00/720.00 (64.31%)

**Max Score:** 680.00

**Rank:** 12

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 68.09

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK SAHEBRAO ROTHKAR ( ID No. 47490 )

**Your Score:** 463.00/720.00 (64.31%)

**Max Score:** 680.00

**Rank:** 12

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 68.09

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	C	R	4.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 142 (**Correct:** 121 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 463.00

**Total Positive Marks:** 484.00 **Total Negative Marks:** 21.00

PHY	CHEM	BOT	ZOO	Total
77.00	87.00	143.00	156.00	463.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 443.00/720.00 (61.53%)

**Max Score:** 680.00

**Rank:** 13

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 65.15

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D		L	0.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	B	W	-1.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 443.00/720.00 (61.53%)

**Max Score:** 680.00

**Rank:** 13

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 65.15

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 443.00/720.00 (61.53%)

**Max Score:** 680.00

**Rank:** 13

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 65.15

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	BD	W	-1.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	AD	W	-1.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 443.00/720.00 (61.53%)

**Max Score:** 680.00

**Rank:** 13

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 65.15

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	C	R	4.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 142 (**Correct:** 117 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 443.00

**Total Positive Marks:** 468.00 **Total Negative Marks:** 25.00

PHY	CHEM	BOT	ZOO	Total
74.00	83.00	134.00	152.00	443.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 441.00/720.00 (61.25%)

**Max Score:** 680.00

**Rank:** 14

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 64.85

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	B	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	B	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

Your Score: 441.00/720.00 (61.25%)

Max Score: 680.00

Rank: 14

Min Score: 12.00

TEST: MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

Percentile: 64.85

Avg Score: 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B		L	0.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 441.00/720.00 (61.25%)

**Max Score:** 680.00

**Rank:** 14

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 64.85

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 441.00/720.00 (61.25%)

**Max Score:** 680.00

**Rank:** 14

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 64.85

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 149 (**Correct:** 118 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 441.00

**Total Positive Marks:** 472.00 **Total Negative Marks:** 31.00

PHY	CHEM	BOT	ZOO	Total
66.00	70.00	145.00	160.00	441.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 415.00/720.00 (57.64%)

**Max Score:** 680.00

**Rank:** 15

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 61.03

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C	D	W	-1.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 415.00/720.00 (57.64%)

**Max Score:** 680.00

**Rank:** 15

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 61.03

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 415.00/720.00 (57.64%)

**Max Score:** 680.00

**Rank:** 15

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 61.03

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	B	W	-1.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 415.00/720.00 (57.64%)

**Max Score:** 680.00

**Rank:** 15

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 61.03

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	D	R	4.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 155 (**Correct:** 114 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 415.00

**Total Positive Marks:** 456.00 **Total Negative Marks:** 41.00

PHY	CHEM	BOT	ZOO	Total
80.00	78.00	126.00	131.00	415.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA ( ID No. 47443 )

Your Score: 412.00/720.00 (57.22%)

Max Score: 680.00

Rank: 16

Min Score: 12.00

TEST: MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

Percentile: 60.59

Avg Score: 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	B	W	-1.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA ( ID No. 47443 )

Your Score: 412.00/720.00 (57.22%)

Max Score: 680.00

Rank: 16

Min Score: 12.00

TEST: MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

Percentile: 60.59

Avg Score: 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 412.00/720.00 (57.22%)

**Max Score:** 680.00

**Rank:** 16

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 60.59

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 412.00/720.00 (57.22%)

**Max Score:** 680.00

**Rank:** 16

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 60.59

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C		L	0.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	D	R	4.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 133 (**Correct:** 109 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 412.00

**Total Positive Marks:** 436.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
50.00	129.00	90.00	143.00	412.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 407.00/720.00 (56.53%)

**Max Score:** 680.00

**Rank:** 17

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 59.85

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	C	W	-1.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 407.00/720.00 (56.53%)

**Max Score:** 680.00

**Rank:** 17

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 59.85

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 407.00/720.00 (56.53%)

**Max Score:** 680.00

**Rank:** 17

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 59.85

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 407.00/720.00 (56.53%)

**Max Score:** 680.00

**Rank:** 17

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 59.85

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 158 (**Correct:** 113 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 407.00

**Total Positive Marks:** 452.00 **Total Negative Marks:** 45.00

PHY	CHEM	BOT	ZOO	Total
81.00	70.00	135.00	121.00	407.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 395.00/720.00 (54.86%)

**Max Score:** 680.00

**Rank:** 18

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 58.09

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	C	W	-1.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 395.00/720.00 (54.86%)

**Max Score:** 680.00

**Rank:** 18

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 58.09

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 395.00/720.00 (54.86%)

**Max Score:** 680.00

**Rank:** 18

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 58.09

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A		L	0.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI KISHOR PURI ( ID No. 47508 )

**Your Score:** 395.00/720.00 (54.86%)

**Max Score:** 680.00

**Rank:** 18

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 58.09

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	C	R	4.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 145 (**Correct:** 108 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 395.00

**Total Positive Marks:** 432.00 **Total Negative Marks:** 37.00

PHY	CHEM	BOT	ZOO	Total
45.00	70.00	143.00	137.00	<b>395.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 385.00/720.00 (53.47%)

**Max Score:** 680.00

**Rank:** 19

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 56.62

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	D	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	D	W	-1.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 385.00/720.00 (53.47%)

**Max Score:** 680.00

**Rank:** 19

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 56.62

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 385.00/720.00 (53.47%)

**Max Score:** 680.00

**Rank:** 19

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 56.62

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 385.00/720.00 (53.47%)

**Max Score:** 680.00

**Rank:** 19

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 56.62

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 165 (**Correct:** 110 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 385.00

**Total Positive Marks:** 440.00 **Total Negative Marks:** 55.00

PHY	CHEM	BOT	ZOO	Total
70.00	58.00	141.00	116.00	<b>385.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 680.00

**Rank:** 20

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 55.44

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	D	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	D	W	-1.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 680.00

**Rank:** 20

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 55.44

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 680.00

**Rank:** 20

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 55.44

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 377.00/720.00 (52.36%)

**Max Score:** 680.00

**Rank:** 20

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 55.44

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C		L	0.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	D	R	4.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 153 (**Correct:** 106 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 377.00

**Total Positive Marks:** 424.00 **Total Negative Marks:** 47.00

PHY	CHEM	BOT	ZOO	Total
83.00	63.00	123.00	108.00	<b>377.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 363.00/720.00 (50.42%)

**Max Score:** 680.00

**Rank:** 21

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 53.38

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C	D	W	-1.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 363.00/720.00 (50.42%)

**Max Score:** 680.00

**Rank:** 21

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 53.38

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

Your Score: 363.00/720.00 (50.42%)

Max Score: 680.00

Rank: 21

Min Score: 12.00

TEST: MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

Percentile: 53.38

Avg Score: 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	B	R	4.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B		L	0.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A		L	0.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	A	W	-1.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SWANANDI PRAMOD GAWANDE ( ID No. 47506 )

**Your Score:** 363.00/720.00 (50.42%)

**Max Score:** 680.00

**Rank:** 21

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 53.38

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 147 (**Correct:** 102 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 363.00

**Total Positive Marks:** 408.00 **Total Negative Marks:** 45.00

PHY	CHEM	BOT	ZOO	Total
43.00	91.00	103.00	126.00	<b>363.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 350.00/720.00 (48.61%)

**Max Score:** 680.00

**Rank:** 22

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 51.47

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 350.00/720.00 (48.61%)

**Max Score:** 680.00

**Rank:** 22

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 51.47

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 350.00/720.00 (48.61%)

**Max Score:** 680.00

**Rank:** 22

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 51.47

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SEHAL ANIL HIRALKAR ( ID No. 47493 )

**Your Score:** 350.00/720.00 (48.61%)

**Max Score:** 680.00

**Rank:** 22

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 51.47

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C		L	0.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 105 (**Correct:** 91 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 350.00

**Total Positive Marks:** 364.00 **Total Negative Marks:** 14.00

PHY	CHEM	BOT	ZOO	Total
45.00	77.00	119.00	109.00	350.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEEPTANSHU PRAKASH MAHORE ( ID No. 47442 )

**Your Score:** 325.00/720.00 (45.14%)

**Max Score:** 680.00

**Rank:** 23

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 47.79

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	A	W	-1.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	D	W	-1.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	C	W	-1.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEEPTANSHU PRAKASH MAHORE ( ID No. 47442 )

**Your Score:** 325.00/720.00 (45.14%)

**Max Score:** 680.00

**Rank:** 23

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 47.79

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEEPTANSHU PRAKASH MAHORE ( ID No. 47442 )

**Your Score:** 325.00/720.00 (45.14%)

**Max Score:** 680.00

**Rank:** 23

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 47.79

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A		L	0.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	D	W	-1.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	B	W	-1.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	B	W	-1.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEEPTANSHU PRAKASH MAHORE ( ID No. 47442 )

**Your Score:** 325.00/720.00 (45.14%)

**Max Score:** 680.00

**Rank:** 23

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 47.79

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 180 (**Correct:** 101 **Incorrect:** 79) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 325.00

**Total Positive Marks:** 404.00 **Total Negative Marks:** 79.00

PHY	CHEM	BOT	ZOO	Total
55.00	60.00	105.00	105.00	325.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 680.00

**Rank:** 24

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 46.76

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 680.00

**Rank:** 24

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 46.76

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B		L	0.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 680.00

**Rank:** 24

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 46.76

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	B	W	-1.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	D	W	-1.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 318.00/720.00 (44.17%)

**Max Score:** 680.00

**Rank:** 24

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 46.76

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	C	R	4.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 117 (**Correct:** 87 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 318.00

**Total Positive Marks:** 348.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
36.00	43.00	123.00	116.00	<b>318.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 314.00/720.00 (43.61%)

**Max Score:** 680.00

**Rank:** 25

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 46.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D		L	0.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	B	W	-1.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	D	W	-1.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 314.00/720.00 (43.61%)

**Max Score:** 680.00

**Rank:** 25

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 46.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	A	R	4.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 314.00/720.00 (43.61%)

**Max Score:** 680.00

**Rank:** 25

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 46.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	A	W	-1.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 314.00/720.00 (43.61%)

**Max Score:** 680.00

**Rank:** 25

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 46.18

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 166 (**Correct:** 96 **Incorrect:** 70) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 314.00

**Total Positive Marks:** 384.00 **Total Negative Marks:** 70.00

PHY	CHEM	BOT	ZOO	Total
58.00	36.00	111.00	109.00	314.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 312.00/720.00 (43.33%)

**Max Score:** 680.00

**Rank:** 26

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 45.88

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 312.00/720.00 (43.33%)

**Max Score:** 680.00

**Rank:** 26

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 45.88

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B		L	0.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 312.00/720.00 (43.33%)

**Max Score:** 680.00

**Rank:** 26

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 45.88

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	A	W	-1.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 312.00/720.00 (43.33%)

**Max Score:** 680.00

**Rank:** 26

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 45.88

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C		L	0.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 163 (**Correct:** 95 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 312.00

**Total Positive Marks:** 380.00 **Total Negative Marks:** 68.00

PHY	CHEM	BOT	ZOO	Total
36.00	46.00	105.00	125.00	312.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 295.00/720.00 (40.97%)

**Max Score:** 680.00

**Rank:** 27

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 43.38

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D		L	0.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	C	W	-1.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C	C	R	4.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 295.00/720.00 (40.97%)

**Max Score:** 680.00

**Rank:** 27

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 43.38

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 295.00/720.00 (40.97%)

**Max Score:** 680.00

**Rank:** 27

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 43.38

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	D	W	-1.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B		L	0.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 295.00/720.00 (40.97%)

**Max Score:** 680.00

**Rank:** 27

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 43.38

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	AC	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 145 (**Correct:** 88 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 295.00

**Total Positive Marks:** 352.00 **Total Negative Marks:** 57.00

PHY	CHEM	BOT	ZOO	Total
68.00	100.00	76.00	51.00	295.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 258.00/720.00 (35.83%)

**Max Score:** 680.00

**Rank:** 28

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 37.94

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	D	W	-1.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	B	W	-1.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 258.00/720.00 (35.83%)

**Max Score:** 680.00

**Rank:** 28

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 37.94

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 258.00/720.00 (35.83%)

**Max Score:** 680.00

**Rank:** 28

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 37.94

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	B	W	-1.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 258.00/720.00 (35.83%)

**Max Score:** 680.00

**Rank:** 28

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 37.94

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	B	R	4.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 142 (**Correct:** 80 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 258.00

**Total Positive Marks:** 320.00 **Total Negative Marks:** 62.00

PHY	CHEM	BOT	ZOO	Total
44.00	29.00	93.00	92.00	258.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 680.00

**Rank:** 29

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 37.35

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	B	W	-1.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 680.00

**Rank:** 29

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 37.35

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 680.00

**Rank:** 29

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 37.35

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A		L	0.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	A	W	-1.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	C	W	-1.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	A	W	-1.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 254.00/720.00 (35.28%)

**Max Score:** 680.00

**Rank:** 29

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 37.35

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 121 (**Correct:** 75 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 254.00

**Total Positive Marks:** 300.00 **Total Negative Marks:** 46.00

PHY	CHEM	BOT	ZOO	Total
41.00	48.00	91.00	74.00	254.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 680.00

**Rank:** 30

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 36.91

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D		L	0.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 680.00

**Rank:** 30

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 36.91

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B		L	0.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: ATHARVA MADAN CHARHATE ( ID No. 47438 )

Your Score: 251.00/720.00 (34.86%)

Max Score: 680.00

Rank: 30

Min Score: 12.00

TEST: MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

Percentile: 36.91

Avg Score: 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	D	W	-1.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	D	W	-1.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA MADAN CHARHATE ( ID No. 47438 )

**Your Score:** 251.00/720.00 (34.86%)

**Max Score:** 680.00

**Rank:** 30

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 36.91

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 119 (**Correct:** 74 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 251.00

**Total Positive Marks:** 296.00 **Total Negative Marks:** 45.00

PHY	CHEM	BOT	ZOO	Total
68.00	60.00	72.00	51.00	251.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 220.00/720.00 (30.56%)

**Max Score:** 680.00

**Rank:** 31

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 32.35

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D		L	0.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 220.00/720.00 (30.56%)

**Max Score:** 680.00

**Rank:** 31

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 32.35

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	BD	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B		L	0.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B		L	0.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 220.00/720.00 (30.56%)

**Max Score:** 680.00

**Rank:** 31

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 32.35

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B	D	W	-1.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B		L	0.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DWARKESH MUKUND KITUKALE ( ID No. 47444 )

**Your Score:** 220.00/720.00 (30.56%)

**Max Score:** 680.00

**Rank:** 31

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 32.35

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C		L	0.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 95 (**Correct:** 63 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 220.00

**Total Positive Marks:** 252.00 **Total Negative Marks:** 32.00

PHY	CHEM	BOT	ZOO	Total
54.00	40.00	76.00	50.00	220.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 201.00/720.00 (27.92%)

**Max Score:** 680.00

**Rank:** 32

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 29.56

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 201.00/720.00 (27.92%)

**Max Score:** 680.00

**Rank:** 32

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 29.56

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B		L	0.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B		L	0.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 201.00/720.00 (27.92%)

**Max Score:** 680.00

**Rank:** 32

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 29.56

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	D	W	-1.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	A	W	-1.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	B	W	-1.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B		L	0.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 201.00/720.00 (27.92%)

**Max Score:** 680.00

**Rank:** 32

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 29.56

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	CD	W	-1.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C		L	0.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 201.00

**Total Positive Marks:** 240.00 **Total Negative Marks:** 39.00

PHY	CHEM	BOT	ZOO	Total
39.00	19.00	71.00	72.00	201.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 196.00/720.00 (27.22%)

**Max Score:** 680.00

**Rank:** 33

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 28.82

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D		L	0.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 196.00/720.00 (27.22%)

**Max Score:** 680.00

**Rank:** 33

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 28.82

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 196.00/720.00 (27.22%)

**Max Score:** 680.00

**Rank:** 33

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 28.82

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B		L	0.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA SANJAY KALMEGH ( ID No. 47439 )

**Your Score:** 196.00/720.00 (27.22%)

**Max Score:** 680.00

**Rank:** 33

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 28.82

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	AD	W	-1.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 114 (**Correct:** 62 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 196.00

**Total Positive Marks:** 248.00 **Total Negative Marks:** 52.00

PHY	CHEM	BOT	ZOO	Total
42.00	28.00	56.00	70.00	196.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 187.00/720.00 (25.97%)

**Max Score:** 680.00

**Rank:** 34

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 27.50

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 187.00/720.00 (25.97%)

**Max Score:** 680.00

**Rank:** 34

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 27.50

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B		L	0.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 187.00/720.00 (25.97%)

**Max Score:** 680.00

**Rank:** 34

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 27.50

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	C	W	-1.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 187.00/720.00 (25.97%)

**Max Score:** 680.00

**Rank:** 34

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 27.50

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 103 (**Correct:** 58 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 187.00

**Total Positive Marks:** 232.00 **Total Negative Marks:** 45.00

PHY	CHEM	BOT	ZOO	Total
35.00	5.00	87.00	60.00	187.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 170.00/720.00 (23.61%)

**Max Score:** 680.00

**Rank:** 35

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 25.00

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	B	W	-1.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	B	W	-1.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 170.00/720.00 (23.61%)

**Max Score:** 680.00

**Rank:** 35

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 25.00

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 170.00/720.00 (23.61%)

**Max Score:** 680.00

**Rank:** 35

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 25.00

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	C	W	-1.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	D	W	-1.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA SHAILESH MAHALLE ( ID No. 47441 )

**Your Score:** 170.00/720.00 (23.61%)

**Max Score:** 680.00

**Rank:** 35

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 25.00

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C		L	0.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	D	W	-1.00

**Total Question:** 200 **Attempted:** 95 (**Correct:** 53 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 170.00

**Total Positive Marks:** 212.00 **Total Negative Marks:** 42.00

PHY	CHEM	BOT	ZOO	Total
17.00	28.00	80.00	45.00	170.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: ( ID No. 1\_NO\_NAME )

Your Score: 163.00/720.00 (22.64%)

Max Score: 680.00

Rank: 36

Min Score: 12.00

TEST: MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

Percentile: 23.97

Avg Score: 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	D	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	D	W	-1.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A	D	W	-1.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: ( ID No. 1\_NO\_NAME )

Your Score: 163.00/720.00 (22.64%)

Max Score: 680.00

Rank: 36

Min Score: 12.00

TEST: MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

Percentile: 23.97

Avg Score: 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	A	R	4.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B		L	0.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: ( ID No. 1\_NO\_NAME )

Your Score: 163.00/720.00 (22.64%)

Max Score: 680.00

Rank: 36

Min Score: 12.00

TEST: MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

Percentile: 23.97

Avg Score: 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	A	W	-1.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	A	W	-1.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	B	W	-1.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B		L	0.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	A	W	-1.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	C	W	-1.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	B	W	-1.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: ( ID No. 1\_NO\_NAME )

Your Score: 163.00/720.00 (22.64%)

Max Score: 680.00

Rank: 36

Min Score: 12.00

TEST: MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

Percentile: 23.97

Avg Score: 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	D	R	4.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	C	R	4.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	L	0.00

Total Question: 200 Attempted: 147 (Correct: 62 Incorrect: 85) Score Rate: 0.00 Strike Rate: 0.00

Total: 163.00

Total Positive Marks: 248.00 Total Negative Marks: 85.00

PHY	CHEM	BOT	ZOO	Total
11.00	48.00	28.00	76.00	163.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 108.00/720.00 (15.00%)

**Max Score:** 680.00

**Rank:** 37

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 15.88

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	C	W	-1.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D	C	W	-1.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	D	W	-1.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	B	W	-1.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C	D	W	-1.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A	C	W	-1.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	D	L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 108.00/720.00 (15.00%)

**Max Score:** 680.00

**Rank:** 37

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 15.88

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C	B	L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 108.00/720.00 (15.00%)

**Max Score:** 680.00

**Rank:** 37

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 15.88

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C	A	W	-1.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	C	W	-1.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A		L	0.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	A	W	-1.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	C	W	-1.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHINI SUDHAKAR TELANG ( ID No. 50118 )

**Your Score:** 108.00/720.00 (15.00%)

**Max Score:** 680.00

**Rank:** 37

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 15.88

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	C	R	4.00

**Total Question:** 200 **Attempted:** 172 (**Correct:** 56 **Incorrect:** 116) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 108.00

**Total Positive Marks:** 224.00 **Total Negative Marks:** 116.00

PHY	CHEM	BOT	ZOO	Total
20.00	26.00	40.00	22.00	108.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 105.00/720.00 (14.58%)

**Max Score:** 680.00

**Rank:** 38

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 15.44

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B	C	W	-1.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A	C	W	-1.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A	B	W	-1.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C	B	W	-1.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A	C	W	-1.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 105.00/720.00 (14.58%)

**Max Score:** 680.00

**Rank:** 38

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 15.44

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A		L	0.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B		L	0.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 105.00/720.00 (14.58%)

**Max Score:** 680.00

**Rank:** 38

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 15.44

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D	D	R	4.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A	D	W	-1.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C	A	W	-1.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B	C	W	-1.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C	B	W	-1.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A	D	W	-1.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C	A	W	-1.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHUMIKA KANERI ( ID No. 48564 )

**Your Score:** 105.00/720.00 (14.58%)

**Max Score:** 680.00

**Rank:** 38

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 15.44

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C	B	W	-1.00

**Total Question:** 200 **Attempted:** 95 (**Correct:** 40 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 105.00

**Total Positive Marks:** 160.00 **Total Negative Marks:** 55.00

PHY	CHEM	BOT	ZOO	Total
3.00	16.00	62.00	24.00	105.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 12.00/720.00 (1.67%)

**Max Score:** 680.00

**Rank:** 39

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 1.76

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	84.62	66.67	17.95	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
2	74.36	64.10	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	38.46	28.21	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	41.03	7.69	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	61.54	30.77	30.77	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	71.79	58.97	12.82	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	87.18	76.92	10.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	76.92	61.54	15.38	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	66.67	38.46	28.21	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
10	76.92	74.36	2.56	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	82.05	74.36	7.69	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	76.92	56.41	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	79.49	20.51	58.97	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	71.79	61.54	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	69.23	43.59	25.64	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	41.03	28.21	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	35.90	15.38	20.51	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
18	61.54	41.03	20.51	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
19	58.97	38.46	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
20	53.85	25.64	28.21	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	46.15	25.64	20.51	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.41	41.03	15.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
23	66.67	12.82	53.85	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	69.23	28.21	41.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
25	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	46.15	23.08	23.08	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
27	51.28	41.03	10.26	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
28	74.36	66.67	7.69	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	43.59	33.33	10.26	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.41	38.46	17.95	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	56.41	25.64	30.77	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	43.59	30.77	12.82	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	71.79	43.59	28.21	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
34	51.28	23.08	28.21	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	35.90	25.64	10.26	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	48.72	23.08	25.64	PHY	TOP10	4.00	1.00	B		L	0.00
37	61.54	51.28	10.26	PHY	TOP10	4.00	1.00	A		L	0.00
38	51.28	25.64	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
39	61.54	35.90	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
40	76.92	64.10	12.82	PHY	TOP10	4.00	1.00	D		L	0.00
41	48.72	35.90	12.82	PHY	TOP10	4.00	1.00	A		L	0.00
42	84.62	76.92	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
43	51.28	33.33	17.95	PHY	TOP10	4.00	1.00	B		L	0.00
44	69.23	48.72	20.51	PHY	TOP10	4.00	1.00	A		L	0.00
45	41.03	35.90	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
46	64.10	46.15	17.95	PHY	TOP10	4.00	1.00	A		L	0.00
47	10.26	2.56	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
48	56.41	30.77	25.64	PHY	TOP10	4.00	1.00	A		L	0.00
49	64.10	35.90	28.21	PHY	TOP10	4.00	1.00	A		L	0.00
50	38.46	33.33	5.13	PHY	TOP10	4.00	1.00	C		L	0.00
51	89.74	84.62	5.13	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	92.31	71.79	20.51	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	84.62	56.41	28.21	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 12.00/720.00 (1.67%)

**Max Score:** 680.00

**Rank:** 39

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 1.76

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	82.05	69.23	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	87.18	35.90	51.28	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	87.18	51.28	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	87.18	74.36	12.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	82.05	56.41	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
59	48.72	25.64	23.08	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
60	79.49	43.59	35.90	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	74.36	28.21	46.15	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	58.97	33.33	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	76.92	61.54	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	79.49	69.23	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	61.54	25.64	35.90	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
66	74.36	17.95	56.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	48.72	30.77	17.95	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	46.15	33.33	12.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
69	82.05	25.64	56.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	82.05	71.79	10.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.18	71.79	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	35.90	25.64	10.26	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
73	33.33	28.21	5.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	46.15	20.51	25.64	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	66.67	12.82	53.85	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	51.28	30.77	20.51	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	25.64	10.26	15.38	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	76.92	69.23	7.69	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	82.05	76.92	5.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
80	64.10	46.15	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
81	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	41.03	15.38	25.64	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
83	66.67	35.90	30.77	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
84	61.54	43.59	17.95	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	35.90	12.82	23.08	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	61.54	48.72	12.82	CHEM	TOP10	4.00	1.00	B		L	0.00
87	51.28	43.59	7.69	CHEM	TOP10	4.00	1.00	A		L	0.00
88	64.10	5.13	58.97	CHEM	TOP10	4.00	1.00	A		L	0.00
89	71.79	61.54	10.26	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	79.49	69.23	10.26	CHEM	TOP10	4.00	1.00	B		L	0.00
91	41.03	28.21	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
92	33.33	17.95	15.38	CHEM	TOP10	4.00	1.00	B		L	0.00
93	46.15	23.08	23.08	CHEM	TOP10	4.00	1.00	A		L	0.00
94	35.90	17.95	17.95	CHEM	TOP10	4.00	1.00	C		L	0.00
95	87.18	79.49	7.69	CHEM	TOP10	4.00	1.00	B		L	0.00
96	74.36	28.21	46.15	CHEM	TOP10	4.00	1.00	A		L	0.00
97	71.79	58.97	12.82	CHEM	TOP10	4.00	1.00	A		L	0.00
98	74.36	69.23	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
99	7.69	2.56	5.13	CHEM	TOP10	4.00	1.00	A		L	0.00
100	17.95	12.82	5.13	CHEM	TOP10	4.00	1.00	C		L	0.00
101	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
102	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
103	97.44	97.44	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
104	94.87	79.49	15.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
105	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	94.87	69.23	25.64	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 12.00/720.00 (1.67%)

**Max Score:** 680.00

**Rank:** 39

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 1.76

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	89.74	71.79	17.95	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	94.87	66.67	28.21	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
109	94.87	58.97	35.90	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	97.44	92.31	5.13	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	97.44	69.23	28.21	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
113	92.31	71.79	20.51	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
114	58.97	33.33	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	56.41	33.33	23.08	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	87.18	74.36	12.82	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
118	87.18	61.54	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
119	74.36	48.72	25.64	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
120	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
121	66.67	48.72	17.95	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	79.49	64.10	15.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
123	89.74	64.10	25.64	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
124	92.31	84.62	7.69	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	84.62	28.21	56.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	84.62	46.15	38.46	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	97.44	56.41	41.03	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	79.49	71.79	7.69	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
129	84.62	51.28	33.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
130	92.31	66.67	25.64	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
131	97.44	87.18	10.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
132	89.74	51.28	38.46	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	92.31	82.05	10.26	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	89.74	15.38	74.36	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	94.87	87.18	7.69	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	51.28	41.03	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
137	58.97	51.28	7.69	BOT	TOP10	4.00	1.00	D		L	0.00
138	87.18	82.05	5.13	BOT	TOP10	4.00	1.00	A		L	0.00
139	69.23	56.41	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
140	48.72	33.33	15.38	BOT	TOP10	4.00	1.00	B		L	0.00
141	71.79	38.46	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
142	38.46	30.77	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
143	28.21	17.95	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.92	53.85	23.08	BOT	TOP10	4.00	1.00	B		L	0.00
145	76.92	64.10	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
146	33.33	20.51	12.82	BOT	TOP10	4.00	1.00	C		L	0.00
147	74.36	69.23	5.13	BOT	TOP10	4.00	1.00	B		L	0.00
148	79.49	69.23	10.26	BOT	TOP10	4.00	1.00	A		L	0.00
149	74.36	64.10	10.26	BOT	TOP10	4.00	1.00	C		L	0.00
150	76.92	69.23	7.69	BOT	TOP10	4.00	1.00	A		L	0.00
151	97.44	71.79	25.64	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	97.44	69.23	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	97.44	74.36	23.08	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
154	76.92	23.08	53.85	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	89.74	64.10	25.64	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
156	97.44	94.87	2.56	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
157	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
158	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	87.18	66.67	20.51	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 12.00/720.00 (1.67%)

**Max Score:** 680.00

**Rank:** 39

**Min Score:** 12.00

**TEST:** MMT-06 (NB-15 NEET) ( ID: 46 DT: 03-Mar-2023 )

**Percentile:** 1.76

**Avg Score:** 363.92

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	84.62	51.28	33.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	87.18	48.72	38.46	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
162	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
163	87.18	74.36	12.82	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
164	92.31	69.23	23.08	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	94.87	74.36	20.51	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
167	94.87	92.31	2.56	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
168	92.31	74.36	17.95	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
169	58.97	35.90	23.08	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
170	64.10	38.46	25.64	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	94.87	87.18	7.69	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	74.36	46.15	28.21	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
173	87.18	56.41	30.77	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	87.18	79.49	7.69	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	94.87	53.85	41.03	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	76.92	25.64	51.28	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	87.18	64.10	23.08	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	92.31	89.74	2.56	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	94.87	79.49	15.38	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
181	89.74	69.23	20.51	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	84.62	71.79	12.82	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	89.74	84.62	5.13	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	84.62	79.49	5.13	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	92.31	76.92	15.38	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
186	79.49	66.67	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
187	28.21	17.95	10.26	ZOO	TOP10	4.00	1.00	C		L	0.00
188	69.23	43.59	25.64	ZOO	TOP10	4.00	1.00	B		L	0.00
189	56.41	43.59	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
190	74.36	71.79	2.56	ZOO	TOP10	4.00	1.00	D		L	0.00
191	38.46	30.77	7.69	ZOO	TOP10	4.00	1.00	B		L	0.00
192	48.72	41.03	7.69	ZOO	TOP10	4.00	1.00	D		L	0.00
193	76.92	53.85	23.08	ZOO	TOP10	4.00	1.00	C		L	0.00
194	43.59	20.51	23.08	ZOO	TOP10	4.00	1.00	D		L	0.00
195	74.36	46.15	28.21	ZOO	TOP10	4.00	1.00	D		L	0.00
196	33.33	33.33	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
197	69.23	56.41	12.82	ZOO	TOP10	4.00	1.00	D		L	0.00
198	30.77	20.51	10.26	ZOO	TOP10	4.00	1.00	B		L	0.00
199	64.10	35.90	28.21	ZOO	TOP10	4.00	1.00	C		L	0.00
200	66.67	30.77	35.90	ZOO	TOP10	4.00	1.00	C		L	0.00

**Total Question:** 200 **Attempted:** 3 (**Correct:** 3 **Incorrect:** 0) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 12.00

**Total Positive Marks:** 12.00 **Total Negative Marks:**

PHY	CHEM	BOT	ZOO	Total
0.00	12.00	0.00	0.00	12.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%