

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 686.00/720.00 (95.28%)

Max Score: 686.00

Rank: 1

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 100.00

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A	A	R	4.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 686.00/720.00 (95.28%)

Max Score: 686.00

Rank: 1

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 100.00

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 686.00/720.00 (95.28%)

Max Score: 686.00

Rank: 1

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 100.00

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	B	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 686.00/720.00 (95.28%)

Max Score: 686.00

Rank: 1

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 100.00

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 175 (**Correct:** 169 **Incorrect:** 6) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 686.00

Total Positive Marks: 692.00 **Total Negative Marks:** 6.00

PHY	CHEM	BOT	ZOO	Total
166.00	170.00	175.00	175.00	686.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 650.00/720.00 (90.28%)

Max Score: 686.00

Rank: 2

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 94.75

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 650.00/720.00 (90.28%)

Max Score: 686.00

Rank: 2

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 94.75

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 650.00/720.00 (90.28%)

Max Score: 686.00

Rank: 2

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 94.75

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	D	R	4.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C		L	0.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 650.00/720.00 (90.28%)

Max Score: 686.00

Rank: 2

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 94.75

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C		L	0.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 176 (**Correct:** 162 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 650.00

Total Positive Marks: 664.00 **Total Negative Marks:** 14.00

PHY	CHEM	BOT	ZOO	Total
150.00	155.00	175.00	170.00	650.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 610.00/720.00 (84.72%)

Max Score: 686.00

Rank: 3

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 88.92

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C		L	0.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 610.00/720.00 (84.72%)

Max Score: 686.00

Rank: 3

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 88.92

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 610.00/720.00 (84.72%)

Max Score: 686.00

Rank: 3

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 88.92

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00		B	C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B		L	0.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	R	4.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 610.00/720.00 (84.72%)

Max Score: 686.00

Rank: 3

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 88.92

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D		L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 176 (**Correct:** 154 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 610.00

Total Positive Marks: 632.00 **Total Negative Marks:** 22.00

PHY	CHEM	BOT	ZOO	Total
130.00	150.00	170.00	160.00	610.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 610.00/720.00 (84.72%)

Max Score: 686.00

Rank: 3

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 88.92

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	D	W	-1.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 610.00/720.00 (84.72%)

Max Score: 686.00

Rank: 3

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 88.92

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D		L	0.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 610.00/720.00 (84.72%)

Max Score: 686.00

Rank: 3

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 88.92

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	D	R	4.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	C	R	4.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	D	W	-1.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A		L	0.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 610.00/720.00 (84.72%)

Max Score: 686.00

Rank: 3

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 88.92

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 171 (**Correct:** 153 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 610.00

Total Positive Marks: 628.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
137.00	143.00	150.00	180.00	610.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 582.00/720.00 (80.83%)

Max Score: 686.00

Rank: 4

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 84.84

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	A	W	-1.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 582.00/720.00 (80.83%)

Max Score: 686.00

Rank: 4

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 84.84

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 582.00/720.00 (80.83%)

Max Score: 686.00

Rank: 4

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 84.84

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 582.00/720.00 (80.83%)

Max Score: 686.00

Rank: 4

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 84.84

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D		L	0.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 169 (**Correct:** 147 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 582.00

Total Positive Marks: 604.00 **Total Negative Marks:** 22.00

PHY	CHEM	BOT	ZOO	Total
101.00	145.00	161.00	175.00	582.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 541.00/720.00 (75.14%)

Max Score: 686.00

Rank: 5

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 78.86

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	C	W	-1.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A	C	W	-1.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	C	W	-1.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 541.00/720.00 (75.14%)

Max Score: 686.00

Rank: 5

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 78.86

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 541.00/720.00 (75.14%)

Max Score: 686.00

Rank: 5

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 78.86

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	D	R	4.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A		L	0.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	C	W	-1.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 541.00/720.00 (75.14%)

Max Score: 686.00

Rank: 5

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 78.86

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D		L	0.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 165 (**Correct:** 138 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 541.00

Total Positive Marks: 568.00 **Total Negative Marks:** 27.00

PHY	CHEM	BOT	ZOO	Total
128.00	125.00	142.00	146.00	541.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 536.00/720.00 (74.44%)

Max Score: 686.00

Rank: 6

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 78.13

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A	C	W	-1.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 536.00/720.00 (74.44%)

Max Score: 686.00

Rank: 6

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 78.13

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 536.00/720.00 (74.44%)

Max Score: 686.00

Rank: 6

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 78.13

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	B	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	C	R	4.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	A	W	-1.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 536.00/720.00 (74.44%)

Max Score: 686.00

Rank: 6

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 78.13

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D		L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	A	W	-1.00

Total Question: 200 **Attempted:** 165 (**Correct:** 137 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 536.00

Total Positive Marks: 564.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
124.00	114.00	156.00	142.00	536.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 515.00/720.00 (71.53%)

Max Score: 686.00

Rank: 7

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 75.07

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	C	W	-1.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	B	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	A	W	-1.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 515.00/720.00 (71.53%)

Max Score: 686.00

Rank: 7

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 75.07

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 515.00/720.00 (71.53%)

Max Score: 686.00

Rank: 7

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 75.07

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	B	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	C	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C		L	0.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	C	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 515.00/720.00 (71.53%)

Max Score: 686.00

Rank: 7

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 75.07

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A		L	0.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 176 (**Correct:** 135 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 515.00

Total Positive Marks: 556.00 **Total Negative Marks:** 41.00

PHY	CHEM	BOT	ZOO	Total
115.00	110.00	125.00	165.00	515.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 511.00/720.00 (70.97%)

Max Score: 686.00

Rank: 8

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 74.49

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	D	W	-1.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 511.00/720.00 (70.97%)

Max Score: 686.00

Rank: 8

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 74.49

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 511.00/720.00 (70.97%)

Max Score: 686.00

Rank: 8

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 74.49

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 511.00/720.00 (70.97%)

Max Score: 686.00

Rank: 8

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 74.49

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A		L	0.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C		L	0.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 160 (**Correct:** 131 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 511.00

Total Positive Marks: 540.00 **Total Negative Marks:** 29.00

PHY	CHEM	BOT	ZOO	Total
114.00	109.00	151.00	137.00	511.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 504.00/720.00 (70.00%)

Max Score: 686.00

Rank: 9

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 73.47

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 504.00/720.00 (70.00%)

Max Score: 686.00

Rank: 9

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 73.47

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 504.00/720.00 (70.00%)

Max Score: 686.00

Rank: 9

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 73.47

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	D	R	4.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	D	W	-1.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	A	W	-1.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 504.00/720.00 (70.00%)

Max Score: 686.00

Rank: 9

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 73.47

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C		L	0.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 Attempted: 152 (Correct: 128 Incorrect: 24) Score Rate: 0.00 Strike Rate: 0.00

Total: 504.00

Total Positive Marks: 528.00 Total Negative Marks: 24.00

PHY	CHEM	BOT	ZOO	Total
98.00	122.00	132.00	152.00	504.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 479.00/720.00 (66.53%)

Max Score: 686.00

Rank: 10

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 69.83

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 479.00/720.00 (66.53%)

Max Score: 686.00

Rank: 10

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 69.83

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	AD	W	-1.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 479.00/720.00 (66.53%)

Max Score: 686.00

Rank: 10

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 69.83

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	B	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 479.00/720.00 (66.53%)

Max Score: 686.00

Rank: 10

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 69.83

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	BC	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 162 (**Correct:** 125 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 479.00

Total Positive Marks: 516.00 **Total Negative Marks:** 37.00

PHY	CHEM	BOT	ZOO	Total
110.00	89.00	137.00	143.00	479.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 472.00/720.00 (65.56%)

Max Score: 686.00

Rank: 11

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 68.80

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 472.00/720.00 (65.56%)

Max Score: 686.00

Rank: 11

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 68.80

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D		L	0.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 472.00/720.00 (65.56%)

Max Score: 686.00

Rank: 11

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 68.80

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	D	R	4.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	B	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B		L	0.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 472.00/720.00 (65.56%)

Max Score: 686.00

Rank: 11

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 68.80

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D		L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 149 (**Correct:** 121 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 472.00

Total Positive Marks: 500.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
77.00	106.00	147.00	142.00	472.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 470.00/720.00 (65.28%)

Max Score: 686.00

Rank: 12

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 68.51

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	B	W	-1.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 470.00/720.00 (65.28%)

Max Score: 686.00

Rank: 12

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 68.51

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 470.00/720.00 (65.28%)

Max Score: 686.00

Rank: 12

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 68.51

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	D	R	4.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 470.00/720.00 (65.28%)

Max Score: 686.00

Rank: 12

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 68.51

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C		L	0.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C		L	0.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	D	W	-1.00

Total Question: 200 **Attempted:** 156 (**Correct:** 122 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 470.00

Total Positive Marks: 504.00 **Total Negative Marks:** 34.00

PHY	CHEM	BOT	ZOO	Total
85.00	94.00	140.00	151.00	470.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 459.00/720.00 (63.75%)

Max Score: 686.00

Rank: 13

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 66.91

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	B	W	-1.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 459.00/720.00 (63.75%)

Max Score: 686.00

Rank: 13

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 66.91

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 459.00/720.00 (63.75%)

Max Score: 686.00

Rank: 13

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 66.91

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	D	R	4.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	C	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	D	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B		L	0.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 459.00/720.00 (63.75%)

Max Score: 686.00

Rank: 13

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 66.91

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 167 (**Correct:** 122 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 459.00

Total Positive Marks: 504.00 **Total Negative Marks:** 45.00

PHY	CHEM	BOT	ZOO	Total
112.00	109.00	103.00	135.00	459.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 448.00/720.00 (62.22%)

Max Score: 686.00

Rank: 14

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 65.31

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C		L	0.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	C	W	-1.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 448.00/720.00 (62.22%)

Max Score: 686.00

Rank: 14

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 65.31

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	AC	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 448.00/720.00 (62.22%)

Max Score: 686.00

Rank: 14

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 65.31

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00		C	C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A		L	0.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 448.00/720.00 (62.22%)

Max Score: 686.00

Rank: 14

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 65.31

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 Attempted: 148 (Correct: 116 Incorrect: 32) Score Rate: 0.00 Strike Rate: 0.00

Total: 448.00

Total Positive Marks: 480.00 Total Negative Marks: 32.00

PHY	CHEM	BOT	ZOO	Total
94.00	88.00	118.00	148.00	448.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 432.00/720.00 (60.00%)

Max Score: 686.00

Rank: 15

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 62.97

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 432.00/720.00 (60.00%)

Max Score: 686.00

Rank: 15

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 62.97

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 432.00/720.00 (60.00%)

Max Score: 686.00

Rank: 15

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 62.97

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	C	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	B	W	-1.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	D	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	D	W	-1.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 432.00/720.00 (60.00%)

Max Score: 686.00

Rank: 15

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 62.97

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 164 (**Correct:** 116 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 432.00

Total Positive Marks: 480.00 **Total Negative Marks:** 48.00

PHY	CHEM	BOT	ZOO	Total
112.00	72.00	121.00	127.00	432.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 419.00/720.00 (58.19%)

Max Score: 686.00

Rank: 16

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 61.08

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A	B	W	-1.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	A	W	-1.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 419.00/720.00 (58.19%)

Max Score: 686.00

Rank: 16

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 61.08

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 419.00/720.00 (58.19%)

Max Score: 686.00

Rank: 16

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 61.08

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	B	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	B	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	A	W	-1.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	A	W	-1.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 419.00/720.00 (58.19%)

Max Score: 686.00

Rank: 16

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 61.08

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D		L	0.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C		L	0.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 152 (**Correct:** 111 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 419.00

Total Positive Marks: 460.00 **Total Negative Marks:** 41.00

PHY	CHEM	BOT	ZOO	Total
61.00	115.00	115.00	128.00	419.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 415.00/720.00 (57.64%)

Max Score: 686.00

Rank: 17

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 60.50

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	D	W	-1.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 415.00/720.00 (57.64%)

Max Score: 686.00

Rank: 17

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 60.50

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B		L	0.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B		L	0.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A		L	0.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D		L	0.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 415.00/720.00 (57.64%)

Max Score: 686.00

Rank: 17

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 60.50

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	D	R	4.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C		L	0.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A		L	0.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	R	4.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 415.00/720.00 (57.64%)

Max Score: 686.00

Rank: 17

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 60.50

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	C	L	0.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	D	L	0.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	B	L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	D	L	0.00

Total Question: 200 **Attempted:** 141 (**Correct:** 108 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 415.00

Total Positive Marks: 448.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
96.00	109.00	143.00	67.00	415.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 395.00/720.00 (54.86%)

Max Score: 686.00

Rank: 18

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 57.58

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A	C	W	-1.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	D	W	-1.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 395.00/720.00 (54.86%)

Max Score: 686.00

Rank: 18

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 57.58

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A		L	0.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 395.00/720.00 (54.86%)

Max Score: 686.00

Rank: 18

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 57.58

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	D	R	4.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	B	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A		L	0.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	D	W	-1.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	R	4.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 395.00/720.00 (54.86%)

Max Score: 686.00

Rank: 18

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 57.58

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C		L	0.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 156 (**Correct:** 107 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 395.00

Total Positive Marks: 444.00 **Total Negative Marks:** 49.00

PHY	CHEM	BOT	ZOO	Total
66.00	106.00	99.00	124.00	395.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 395.00/720.00 (54.86%)

Max Score: 686.00

Rank: 18

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 57.58

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 395.00/720.00 (54.86%)

Max Score: 686.00

Rank: 18

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 57.58

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D		L	0.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 395.00/720.00 (54.86%)

Max Score: 686.00

Rank: 18

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 57.58

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	D	R	4.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	C	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	D	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B		L	0.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 395.00/720.00 (54.86%)

Max Score: 686.00

Rank: 18

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 57.58

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C		L	0.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 116 (**Correct:** 99 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 395.00

Total Positive Marks: 412.00 **Total Negative Marks:** 17.00

PHY	CHEM	BOT	ZOO	Total
63.00	57.00	122.00	153.00	395.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 357.00/720.00 (49.58%)

Max Score: 686.00

Rank: 19

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 52.04

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 357.00/720.00 (49.58%)

Max Score: 686.00

Rank: 19

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 52.04

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 357.00/720.00 (49.58%)

Max Score: 686.00

Rank: 19

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 52.04

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	B	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	B	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	D	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	A	W	-1.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B		L	0.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 357.00/720.00 (49.58%)

Max Score: 686.00

Rank: 19

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 52.04

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A		L	0.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	D	W	-1.00

Total Question: 200 **Attempted:** 119 (**Correct:** 92 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 357.00

Total Positive Marks: 384.00 **Total Negative Marks:** 27.00

PHY	CHEM	BOT	ZOO	Total
97.00	63.00	80.00	117.00	357.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 353.00/720.00 (49.03%)

Max Score: 686.00

Rank: 20

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 51.46

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 353.00/720.00 (49.03%)

Max Score: 686.00

Rank: 20

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 51.46

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D		L	0.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 353.00/720.00 (49.03%)

Max Score: 686.00

Rank: 20

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 51.46

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	A	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	A	W	-1.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	L	0.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 353.00/720.00 (49.03%)

Max Score: 686.00

Rank: 20

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 51.46

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D		L	0.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C		L	0.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	A	L	0.00

Total Question: 200 **Attempted:** 148 (**Correct:** 97 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 353.00

Total Positive Marks: 404.00 **Total Negative Marks:** 51.00

PHY	CHEM	BOT	ZOO	Total
87.00	67.00	107.00	92.00	353.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 348.00/720.00 (48.33%)

Max Score: 686.00

Rank: 21

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 50.73

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 348.00/720.00 (48.33%)

Max Score: 686.00

Rank: 21

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 50.73

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A		L	0.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D		L	0.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 348.00/720.00 (48.33%)

Max Score: 686.00

Rank: 21

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 50.73

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	BC	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	A	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	C	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	A	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	A	W	-1.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A		L	0.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	A	W	-1.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	A	W	-1.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 348.00/720.00 (48.33%)

Max Score: 686.00

Rank: 21

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 50.73

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D		L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 133 (**Correct:** 93 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 348.00

Total Positive Marks: 388.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
71.00	70.00	60.00	147.00	348.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 329.00/720.00 (45.69%)

Max Score: 686.00

Rank: 22

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 47.96

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	C	W	-1.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	A	W	-1.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 329.00/720.00 (45.69%)

Max Score: 686.00

Rank: 22

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 47.96

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B		L	0.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A		L	0.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 329.00/720.00 (45.69%)

Max Score: 686.00

Rank: 22

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 47.96

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	C	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	D	R	4.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	A	W	-1.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 329.00/720.00 (45.69%)

Max Score: 686.00

Rank: 22

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 47.96

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A		L	0.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D		L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00

Total Question: 200 **Attempted:** 122 (**Correct:** 87 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 329.00

Total Positive Marks: 364.00 **Total Negative Marks:** 35.00

PHY	CHEM	BOT	ZOO	Total
57.00	35.00	106.00	131.00	329.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 321.00/720.00 (44.58%)

Max Score: 686.00

Rank: 23

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 46.79

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	D	W	-1.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	C	W	-1.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	C	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	D	W	-1.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 321.00/720.00 (44.58%)

Max Score: 686.00

Rank: 23

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 46.79

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 321.00/720.00 (44.58%)

Max Score: 686.00

Rank: 23

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 46.79

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	A	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	C	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	A	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A		L	0.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	A	W	-1.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	A	W	-1.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	A	W	-1.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	A	W	-1.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 321.00/720.00 (44.58%)

Max Score: 686.00

Rank: 23

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 46.79

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D		L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	B	L	0.00

Total Question: 200 **Attempted:** 140 (**Correct:** 89 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 321.00

Total Positive Marks: 372.00 **Total Negative Marks:** 51.00

PHY	CHEM	BOT	ZOO	Total
93.00	35.00	65.00	128.00	321.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 313.00/720.00 (43.47%)

Max Score: 686.00

Rank: 24

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 45.63

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	D	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	C	W	-1.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	C	W	-1.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	A	W	-1.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	B	L	0.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 313.00/720.00 (43.47%)

Max Score: 686.00

Rank: 24

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 45.63

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	B	R	4.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 313.00/720.00 (43.47%)

Max Score: 686.00

Rank: 24

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 45.63

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	A	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	C	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00		D	C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	D	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A		L	0.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B	D	W	-1.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	C	W	-1.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	A	W	-1.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 313.00/720.00 (43.47%)

Max Score: 686.00

Rank: 24

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 45.63

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A		L	0.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C		L	0.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D		L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	D	W	-1.00

Total Question: 200 **Attempted:** 173 (**Correct:** 94 **Incorrect:** 79) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 313.00

Total Positive Marks: 392.00 **Total Negative Marks:** 79.00

PHY	CHEM	BOT	ZOO	Total
75.00	46.00	70.00	122.00	313.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 294.00/720.00 (40.83%)

Max Score: 686.00

Rank: 25

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 42.86

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	A	W	-1.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 294.00/720.00 (40.83%)

Max Score: 686.00

Rank: 25

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 42.86

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B		L	0.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A		L	0.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D		L	0.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 294.00/720.00 (40.83%)

Max Score: 686.00

Rank: 25

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 42.86

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	CD	W	-1.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	B	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	D	W	-1.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D	D	R	4.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 294.00/720.00 (40.83%)

Max Score: 686.00

Rank: 25

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 42.86

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	B	R	4.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A		L	0.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C		L	0.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C		L	0.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 102 (**Correct:** 76 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 294.00

Total Positive Marks: 320.00 **Total Negative Marks:** 26.00

PHY	CHEM	BOT	ZOO	Total
64.00	32.00	110.00	88.00	294.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 260.00/720.00 (36.11%)

Max Score: 686.00

Rank: 26

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 37.90

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	C	W	-1.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A	C	W	-1.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	C	R	4.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	A	W	-1.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 260.00/720.00 (36.11%)

Max Score: 686.00

Rank: 26

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 37.90

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	A	R	4.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A	A	L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 260.00/720.00 (36.11%)

Max Score: 686.00

Rank: 26

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 37.90

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	C	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D		L	0.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00		D	C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	B	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	A	W	-1.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	R	4.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	D	W	-1.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 260.00/720.00 (36.11%)

Max Score: 686.00

Rank: 26

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 37.90

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D		L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	D	W	-1.00

Total Question: 200 **Attempted:** 141 (**Correct:** 77 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 260.00

Total Positive Marks: 324.00 **Total Negative Marks:** 64.00

PHY	CHEM	BOT	ZOO	Total
48.00	40.00	69.00	103.00	260.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 260.00/720.00 (36.11%)

Max Score: 686.00

Rank: 26

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 37.90

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	D	W	-1.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D		L	0.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	D	W	-1.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D	B	W	-1.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	A	W	-1.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 260.00/720.00 (36.11%)

Max Score: 686.00

Rank: 26

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 37.90

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	A	R	4.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A		L	0.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D		L	0.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 260.00/720.00 (36.11%)

Max Score: 686.00

Rank: 26

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 37.90

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	B	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	B	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	A	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	D	W	-1.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	C	R	4.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	B	L	0.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	A	L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 260.00/720.00 (36.11%)

Max Score: 686.00

Rank: 26

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 37.90

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C		L	0.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C	C	R	4.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	D	R	4.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B		L	0.00

Total Question: 200 **Attempted:** 146 (**Correct:** 78 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 260.00

Total Positive Marks: 328.00 **Total Negative Marks:** 68.00

PHY	CHEM	BOT	ZOO	Total
65.00	19.00	84.00	92.00	260.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 229.00/720.00 (31.81%)

Max Score: 686.00

Rank: 27

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 33.38

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C		L	0.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 229.00/720.00 (31.81%)

Max Score: 686.00

Rank: 27

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 33.38

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B		L	0.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B		L	0.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 229.00/720.00 (31.81%)

Max Score: 686.00

Rank: 27

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 33.38

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	B	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	D	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C		L	0.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	A	W	-1.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B		L	0.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 229.00/720.00 (31.81%)

Max Score: 686.00

Rank: 27

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 33.38

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A		L	0.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	D	W	-1.00

Total Question: 200 **Attempted:** 102 (**Correct:** 63 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 229.00

Total Positive Marks: 268.00 **Total Negative Marks:** 39.00

PHY	CHEM	BOT	ZOO	Total
41.00	15.00	75.00	98.00	229.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 204.00/720.00 (28.33%)

Max Score: 686.00

Rank: 28

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 29.74

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C		L	0.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 204.00/720.00 (28.33%)

Max Score: 686.00

Rank: 28

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 29.74

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B		L	0.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A		L	0.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B		L	0.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A		L	0.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C		L	0.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	A	R	4.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D	D	R	4.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 204.00/720.00 (28.33%)

Max Score: 686.00

Rank: 28

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 29.74

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D		L	0.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	B	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C	D	W	-1.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C		L	0.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	B	R	4.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	A	W	-1.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B		L	0.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C	C	R	4.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A		L	0.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 204.00/720.00 (28.33%)

Max Score: 686.00

Rank: 28

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 29.74

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B		L	0.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A		L	0.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C		L	0.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C		L	0.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	D	W	-1.00

Total Question: 200 **Attempted:** 97 (**Correct:** 57 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 204.00

Total Positive Marks: 244.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
34.00	17.00	65.00	88.00	204.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 97.00/720.00 (13.47%)

Max Score: 686.00

Rank: 29

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 14.14

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	90.63	15.63	75.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	90.63	62.50	28.13	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	96.88	81.25	15.63	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	96.88	43.75	53.13	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
5	68.75	37.50	31.25	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
6	71.88	56.25	15.63	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
7	68.75	53.13	15.63	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
8	75.00	59.38	15.63	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	87.50	46.88	40.63	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
10	68.75	56.25	12.50	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
11	50.00	34.38	15.63	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
12	90.63	75.00	15.63	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
13	81.25	65.63	15.63	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	87.50	43.75	43.75	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
15	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	68.75	25.00	43.75	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
17	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
18	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
19	56.25	43.75	12.50	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
20	71.88	37.50	34.38	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
21	81.25	37.50	43.75	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
22	56.25	31.25	25.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
24	59.38	59.38	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	78.13	53.13	25.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
26	68.75	40.63	28.13	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
27	25.00	0.00	25.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
28	90.63	78.13	12.50	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
29	90.63	87.50	3.13	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	75.00	40.63	34.38	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	81.25	50.00	31.25	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
32	84.38	71.88	12.50	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
33	96.88	78.13	18.75	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	50.00	28.13	21.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	87.50	75.00	12.50	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
36	12.50	3.13	9.38	PHY	TOP10	4.00	1.00	A		L	0.00
37	87.50	68.75	18.75	PHY	TOP10	4.00	1.00	C	A	W	-1.00
38	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
39	59.38	53.13	6.25	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	87.50	75.00	12.50	PHY	TOP10	4.00	1.00	D	B	W	-1.00
41	81.25	65.63	15.63	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	84.38	84.38	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
43	15.63	0.00	15.63	PHY	TOP10	4.00	1.00	B		L	0.00
44	28.13	21.88	6.25	PHY	TOP10	4.00	1.00	A		L	0.00
45	75.00	68.75	6.25	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.13	9.38	43.75	PHY	TOP10	4.00	1.00	D		L	0.00
47	43.75	40.63	3.13	PHY	TOP10	4.00	1.00	A		L	0.00
48	68.75	56.25	12.50	PHY	TOP10	4.00	1.00	C		L	0.00
49	18.75	0.00	18.75	PHY	TOP10	4.00	1.00	B		L	0.00
50	78.13	65.63	12.50	PHY	TOP10	4.00	1.00	C	C	R	4.00
51	78.13	71.88	6.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
52	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	90.63	40.63	50.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 97.00/720.00 (13.47%)

Max Score: 686.00

Rank: 29

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 14.14

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	46.88	53.13	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
56	56.25	34.38	21.88	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	59.38	28.13	31.25	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	78.13	65.63	12.50	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	96.88	75.00	21.88	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	71.88	37.50	34.38	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	34.38	18.75	15.63	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
62	84.38	78.13	6.25	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	75.00	62.50	12.50	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
64	81.25	62.50	18.75	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	56.25	37.50	18.75	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	43.75	12.50	31.25	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	81.25	65.63	15.63	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
68	65.63	53.13	12.50	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	90.63	78.13	12.50	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
70	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
71	87.50	37.50	50.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	68.75	50.00	18.75	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
73	65.63	18.75	46.88	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
74	68.75	59.38	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
75	59.38	40.63	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	37.50	21.88	15.63	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
78	78.13	62.50	15.63	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
79	78.13	59.38	18.75	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	81.25	53.13	28.13	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	53.13	31.25	21.88	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	75.00	56.25	18.75	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
83	75.00	65.63	9.38	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
84	84.38	71.88	12.50	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	90.63	59.38	31.25	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
86	90.63	87.50	3.13	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	53.13	46.88	6.25	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
88	84.38	68.75	15.63	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
89	59.38	50.00	9.38	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
90	43.75	9.38	34.38	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
91	31.25	31.25	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
92	87.50	56.25	31.25	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	40.63	18.75	21.88	CHEM	TOP10	4.00	1.00	B		L	0.00
94	56.25	15.63	40.63	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	18.75	12.50	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
96	25.00	18.75	6.25	CHEM	TOP10	4.00	1.00	B		L	0.00
97	84.38	65.63	18.75	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
98	59.38	40.63	18.75	CHEM	TOP10	4.00	1.00	D		L	0.00
99	71.88	59.38	12.50	CHEM	TOP10	4.00	1.00	D		L	0.00
100	25.00	25.00	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
101	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
102	96.88	84.38	12.50	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	90.63	84.38	6.25	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
104	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
105	100.00	65.63	34.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	90.63	59.38	31.25	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 97.00/720.00 (13.47%)

Max Score: 686.00

Rank: 29

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 14.14

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.75	59.38	34.38	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
108	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
109	93.75	56.25	37.50	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	100.00	68.75	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	84.38	25.00	59.38	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
113	96.88	81.25	15.63	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	96.88	43.75	53.13	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
115	93.75	84.38	9.38	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
116	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	75.00	25.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
118	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	100.00	93.75	6.25	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	87.50	78.13	9.38	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
121	87.50	71.88	15.63	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
122	93.75	81.25	12.50	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
123	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	87.50	28.13	59.38	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
125	100.00	90.63	9.38	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
126	90.63	81.25	9.38	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
127	96.88	65.63	31.25	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
128	96.88	62.50	34.38	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
129	100.00	71.88	28.13	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	100.00	96.88	3.13	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
131	65.63	31.25	34.38	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
132	78.13	56.25	21.88	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
133	84.38	71.88	12.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
134	90.63	75.00	15.63	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
135	75.00	62.50	12.50	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
136	68.75	28.13	40.63	BOT	TOP9	4.00	1.00	D	C	W	-1.00
137	56.25	6.25	50.00	BOT	TOP9	4.00	1.00	D	B	W	-1.00
138	100.00	100.00	0.00	BOT	BONUS4	4.00	0.00			C	4.00
139	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
140	43.75	6.25	37.50	BOT	TOP9	4.00	1.00	C		L	0.00
141	84.38	75.00	9.38	BOT	TOP9	4.00	1.00	C	C	R	4.00
142	75.00	71.88	3.13	BOT	TOP9	4.00	1.00	A	A	R	4.00
143	87.50	75.00	12.50	BOT	TOP9	4.00	1.00	B	A	W	-1.00
144	31.25	18.75	12.50	BOT	TOP9	4.00	1.00	B		L	0.00
145	50.00	43.75	6.25	BOT	TOP9	4.00	1.00	D		L	0.00
146	71.88	46.88	25.00	BOT	TOP9	4.00	1.00	C		L	0.00
147	93.75	68.75	25.00	BOT	TOP9	4.00	1.00	C	B	W	-1.00
148	71.88	53.13	18.75	BOT	TOP9	4.00	1.00	B	A	W	-1.00
149	62.50	56.25	6.25	BOT	TOP9	4.00	1.00	C		L	0.00
150	15.63	9.38	6.25	BOT	TOP9	4.00	1.00	A	D	W	-1.00
151	90.63	40.63	50.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	84.38	15.63	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
153	90.63	71.88	18.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
154	100.00	87.50	12.50	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
156	93.75	81.25	12.50	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
157	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	93.75	6.25	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY SUNIL KHIRALKAR (ID No. 47507)

Your Score: 97.00/720.00 (13.47%)

Max Score: 686.00

Rank: 29

Min Score: 97.00

TEST: MMT-08 (NEET) (ID: 717 DT: 30-Jun-2023)

Percentile: 14.14

Avg Score: 421.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	96.88	68.75	28.13	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	65.63	34.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
163	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
164	87.50	78.13	9.38	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
165	100.00	71.88	28.13	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
166	96.88	96.88	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	93.75	65.63	28.13	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	90.63	90.63	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
169	96.88	78.13	18.75	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	96.88	87.50	9.38	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
171	59.38	43.75	15.63	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.75	78.13	15.63	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
174	87.50	81.25	6.25	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	93.75	84.38	9.38	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
176	90.63	78.13	12.50	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
177	65.63	46.88	18.75	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	75.00	59.38	15.63	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
179	100.00	56.25	43.75	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
180	78.13	59.38	18.75	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
181	96.88	53.13	43.75	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
182	100.00	75.00	25.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
183	100.00	90.63	9.38	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
184	84.38	65.63	18.75	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
185	100.00	68.75	31.25	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
186	87.50	81.25	6.25	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
187	81.25	81.25	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	62.50	59.38	3.13	ZOO	TOP10	4.00	1.00	B		L	0.00
189	40.63	37.50	3.13	ZOO	TOP10	4.00	1.00	C		L	0.00
190	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
191	75.00	56.25	18.75	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
192	75.00	68.75	6.25	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	71.88	65.63	6.25	ZOO	TOP10	4.00	1.00	C		L	0.00
194	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
195	40.63	21.88	18.75	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
196	43.75	28.13	15.63	ZOO	TOP10	4.00	1.00	C		L	0.00
197	84.38	84.38	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
198	78.13	68.75	9.38	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
199	65.63	56.25	9.38	ZOO	TOP10	4.00	1.00	D		L	0.00
200	46.88	21.88	25.00	ZOO	TOP10	4.00	1.00	B	A	W	-1.00

Total Question: 200 **Attempted:** 164 (**Correct:** 49 **Incorrect:** 115) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 97.00

Total Positive Marks: 212.00 **Total Negative Marks:** 115.00

PHY	CHEM	BOT	ZOO	Total
30.00	27.00	11.00	29.00	97.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%