

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 100.00

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 100.00

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 100.00

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATHAMESH PRAMOD KALE (ID No. 47456)

Your Score: 660.00/720.00 (91.67%)

Max Score: 660.00

Rank: 1

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 100.00

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 178 (**Correct:** 166 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 660.00

Total Positive Marks: 672.00 **Total Negative Marks:** 12.00

PHY	CHEM	BOT	ZOO	Total
150.00	165.00	170.00	175.00	660.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 650.00/720.00 (90.28%)

Max Score: 660.00

Rank: 2

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 98.48

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A		L	0.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 650.00/720.00 (90.28%)

Max Score: 660.00

Rank: 2

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 98.48

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 650.00/720.00 (90.28%)

Max Score: 660.00

Rank: 2

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 98.48

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 650.00/720.00 (90.28%)

Max Score: 660.00

Rank: 2

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 98.48

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 178 (**Correct:** 164 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 650.00

Total Positive Marks: 664.00 **Total Negative Marks:** 14.00

PHY	CHEM	BOT	ZOO	Total
165.00	170.00	160.00	155.00	650.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 630.00/720.00 (87.50%)

Max Score: 660.00

Rank: 3

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 95.45

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	C	W	-1.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	C	W	-1.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 630.00/720.00 (87.50%)

Max Score: 660.00

Rank: 3

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 95.45

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 630.00/720.00 (87.50%)

Max Score: 660.00

Rank: 3

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 95.45

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 630.00/720.00 (87.50%)

Max Score: 660.00

Rank: 3

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 95.45

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00

Total Question: 200 **Attempted:** 178 (**Correct:** 160 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 630.00

Total Positive Marks: 648.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
150.00	140.00	165.00	175.00	630.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 625.00/720.00 (86.81%)

Max Score: 660.00

Rank: 4

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 94.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	B	R	4.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 625.00/720.00 (86.81%)

Max Score: 660.00

Rank: 4

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 94.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 625.00/720.00 (86.81%)

Max Score: 660.00

Rank: 4

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 94.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARVARI MANGESH MOHARIL (ID No. 46084)

Your Score: 625.00/720.00 (86.81%)

Max Score: 660.00

Rank: 4

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 94.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00

Total Question: 200 **Attempted:** 168 (**Correct:** 157 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 625.00

Total Positive Marks: 636.00 **Total Negative Marks:** 11.00

PHY	CHEM	BOT	ZOO	Total
147.00	152.00	165.00	161.00	625.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 618.00/720.00 (85.83%)

Max Score: 660.00

Rank: 5

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 93.64

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	BD	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	B	R	4.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A		L	0.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	D	W	-1.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 618.00/720.00 (85.83%)

Max Score: 660.00

Rank: 5

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 93.64

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 618.00/720.00 (85.83%)

Max Score: 660.00

Rank: 5

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 93.64

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 618.00/720.00 (85.83%)

Max Score: 660.00

Rank: 5

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 93.64

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00

Total Question: 200 **Attempted:** 175 (**Correct:** 157 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 618.00

Total Positive Marks: 636.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
127.00	151.00	170.00	170.00	618.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 606.00/720.00 (84.17%)

Max Score: 660.00

Rank: 6

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 91.82

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	C	W	-1.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	A	W	-1.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 606.00/720.00 (84.17%)

Max Score: 660.00

Rank: 6

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 91.82

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A		L	0.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 606.00/720.00 (84.17%)

Max Score: 660.00

Rank: 6

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 91.82

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 606.00/720.00 (84.17%)

Max Score: 660.00

Rank: 6

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 91.82

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D		L	0.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	L	0.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 172 (**Correct:** 154 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 606.00

Total Positive Marks: 624.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
129.00	155.00	160.00	162.00	606.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 592.00/720.00 (82.22%)

Max Score: 660.00

Rank: 7

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 89.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B		L	0.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 592.00/720.00 (82.22%)

Max Score: 660.00

Rank: 7

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 89.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A		L	0.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 592.00/720.00 (82.22%)

Max Score: 660.00

Rank: 7

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 89.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 592.00/720.00 (82.22%)

Max Score: 660.00

Rank: 7

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 89.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D		L	0.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 171 (**Correct:** 151 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 592.00

Total Positive Marks: 612.00 **Total Negative Marks:** 20.00

PHY	CHEM	BOT	ZOO	Total
149.00	140.00	147.00	156.00	592.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 564.00/720.00 (78.33%)

Max Score: 660.00

Rank: 8

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 85.45

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D	A	W	-1.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	B	R	4.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	A	W	-1.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B		L	0.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 564.00/720.00 (78.33%)

Max Score: 660.00

Rank: 8

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 85.45

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 564.00/720.00 (78.33%)

Max Score: 660.00

Rank: 8

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 85.45

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 564.00/720.00 (78.33%)

Max Score: 660.00

Rank: 8

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 85.45

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D		L	0.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 174 (**Correct:** 146 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 564.00

Total Positive Marks: 592.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
118.00	136.00	155.00	155.00	564.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 538.00/720.00 (74.72%)

Max Score: 660.00

Rank: 9

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 81.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	B	W	-1.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	B	R	4.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A		L	0.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 538.00/720.00 (74.72%)

Max Score: 660.00

Rank: 9

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 81.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A		L	0.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 538.00/720.00 (74.72%)

Max Score: 660.00

Rank: 9

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 81.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 538.00/720.00 (74.72%)

Max Score: 660.00

Rank: 9

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 81.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00

Total Question: 200 **Attempted:** 170 (**Correct:** 140 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 538.00

Total Positive Marks: 568.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
116.00	112.00	145.00	165.00	538.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 503.00/720.00 (69.86%)

Max Score: 660.00

Rank: 10

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 76.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	C	W	-1.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A		L	0.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 503.00/720.00 (69.86%)

Max Score: 660.00

Rank: 10

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 76.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 503.00/720.00 (69.86%)

Max Score: 660.00

Rank: 10

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 76.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	D	W	-1.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	D	W	-1.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 503.00/720.00 (69.86%)

Max Score: 660.00

Rank: 10

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 76.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00

Total Question: 200 **Attempted:** 150 (**Correct:** 129 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 503.00

Total Positive Marks: 524.00 **Total Negative Marks:** 21.00

PHY	CHEM	BOT	ZOO	Total
95.00	123.00	137.00	148.00	503.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 484.00/720.00 (67.22%)

Max Score: 660.00

Rank: 11

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 73.33

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	D	W	-1.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 484.00/720.00 (67.22%)

Max Score: 660.00

Rank: 11

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 73.33

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 484.00/720.00 (67.22%)

Max Score: 660.00

Rank: 11

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 73.33

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 484.00/720.00 (67.22%)

Max Score: 660.00

Rank: 11

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 73.33

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 154 (**Correct:** 126 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 484.00

Total Positive Marks: 512.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
91.00	147.00	123.00	123.00	484.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 470.00/720.00 (65.28%)

Max Score: 660.00

Rank: 12

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 71.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	D	W	-1.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	B	R	4.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	D	W	-1.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A		L	0.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 470.00/720.00 (65.28%)

Max Score: 660.00

Rank: 12

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 71.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 470.00/720.00 (65.28%)

Max Score: 660.00

Rank: 12

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 71.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	B	W	-1.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	L	0.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	C	L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 470.00/720.00 (65.28%)

Max Score: 660.00

Rank: 12

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 71.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 168 (**Correct:** 126 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 470.00

Total Positive Marks: 512.00 **Total Negative Marks:** 42.00

PHY	CHEM	BOT	ZOO	Total
99.00	114.00	120.00	137.00	470.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 466.00/720.00 (64.72%)

Max Score: 660.00

Rank: 13

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.61

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	B	R	4.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 466.00/720.00 (64.72%)

Max Score: 660.00

Rank: 13

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.61

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 466.00/720.00 (64.72%)

Max Score: 660.00

Rank: 13

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.61

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	D	W	-1.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	C	W	-1.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C		L	0.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 466.00/720.00 (64.72%)

Max Score: 660.00

Rank: 13

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.61

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 167 (**Correct:** 125 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 466.00

Total Positive Marks: 508.00 **Total Negative Marks:** 42.00

PHY	CHEM	BOT	ZOO	Total
111.00	122.00	113.00	120.00	466.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 464.00/720.00 (64.44%)

Max Score: 660.00

Rank: 14

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.30

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	C	W	-1.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	C	W	-1.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	B	W	-1.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 464.00/720.00 (64.44%)

Max Score: 660.00

Rank: 14

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.30

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 464.00/720.00 (64.44%)

Max Score: 660.00

Rank: 14

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.30

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	B	W	-1.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	C	W	-1.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA KISHOR INGLE (ID No. 47458)

Your Score: 464.00/720.00 (64.44%)

Max Score: 660.00

Rank: 14

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.30

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 164 (**Correct:** 124 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 464.00

Total Positive Marks: 504.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
79.00	99.00	141.00	145.00	464.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 463.00/720.00 (64.31%)

Max Score: 660.00

Rank: 15

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.15

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	B	R	4.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D		L	0.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 463.00/720.00 (64.31%)

Max Score: 660.00

Rank: 15

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.15

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	AB	W	-1.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 463.00/720.00 (64.31%)

Max Score: 660.00

Rank: 15

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.15

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	B	W	-1.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI AVINASH NALINDE (ID No. 47486)

Your Score: 463.00/720.00 (64.31%)

Max Score: 660.00

Rank: 15

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 70.15

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 165 (**Correct:** 124 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 463.00

Total Positive Marks: 504.00 **Total Negative Marks:** 41.00

PHY	CHEM	BOT	ZOO	Total
109.00	103.00	125.00	126.00	463.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 439.00/720.00 (60.97%)

Max Score: 660.00

Rank: 16

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C		L	0.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	C	W	-1.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 439.00/720.00 (60.97%)

Max Score: 660.00

Rank: 16

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 439.00/720.00 (60.97%)

Max Score: 660.00

Rank: 16

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	A	W	-1.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 439.00/720.00 (60.97%)

Max Score: 660.00

Rank: 16

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 Attempted: 144 (Correct: 115 Incorrect: 29) Score Rate: 0.00 Strike Rate: 0.00

Total: 439.00

Total Positive Marks: 468.00 Total Negative Marks: 29.00

PHY	CHEM	BOT	ZOO	Total
64.00	97.00	140.00	138.00	439.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	B	W	-1.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C		L	0.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D	B	W	-1.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A		L	0.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	A	W	-1.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 166 (**Correct:** 119 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 437.00

Total Positive Marks: 484.00 **Total Negative Marks:** 47.00

PHY	CHEM	BOT	ZOO	Total
99.00	94.00	132.00	112.00	437.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 437.00/720.00 (60.69%)

Max Score: 660.00

Rank: 17

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 66.21

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D		L	0.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00

Total Question: 200 **Attempted:** 131 (**Correct:** 112 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 437.00

Total Positive Marks: 456.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
84.00	113.00	117.00	123.00	437.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 428.00/720.00 (59.44%)

Max Score: 660.00

Rank: 18

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 64.85

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A	D	W	-1.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C		L	0.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	C	W	-1.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 428.00/720.00 (59.44%)

Max Score: 660.00

Rank: 18

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 64.85

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B		L	0.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 428.00/720.00 (59.44%)

Max Score: 660.00

Rank: 18

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 64.85

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	A	W	-1.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	D	W	-1.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 428.00/720.00 (59.44%)

Max Score: 660.00

Rank: 18

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 64.85

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A		L	0.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 160 (**Correct:** 116 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 428.00

Total Positive Marks: 472.00 **Total Negative Marks:** 44.00

PHY	CHEM	BOT	ZOO	Total
74.00	132.00	112.00	110.00	428.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 396.00/720.00 (55.00%)

Max Score: 660.00

Rank: 19

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 60.00

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		B	C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 396.00/720.00 (55.00%)

Max Score: 660.00

Rank: 19

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 60.00

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 396.00/720.00 (55.00%)

Max Score: 660.00

Rank: 19

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 60.00

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	A	W	-1.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	C	W	-1.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	C	W	-1.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 396.00/720.00 (55.00%)

Max Score: 660.00

Rank: 19

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 60.00

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 147 (**Correct:** 107 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 396.00

Total Positive Marks: 436.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
71.00	80.00	132.00	113.00	396.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 373.00/720.00 (51.81%)

Max Score: 660.00

Rank: 20

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 56.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	B	R	4.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	C	W	-1.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	B	W	-1.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D	D	R	4.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 373.00/720.00 (51.81%)

Max Score: 660.00

Rank: 20

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 56.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 373.00/720.00 (51.81%)

Max Score: 660.00

Rank: 20

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 56.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	A	W	-1.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 373.00/720.00 (51.81%)

Max Score: 660.00

Rank: 20

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 56.52

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A		L	0.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 155 (**Correct:** 104 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 373.00

Total Positive Marks: 424.00 **Total Negative Marks:** 51.00

PHY	CHEM	BOT	ZOO	Total
87.00	65.00	118.00	103.00	373.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 354.00/720.00 (49.17%)

Max Score: 660.00

Rank: 21

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 53.64

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	B	W	-1.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	B	W	-1.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 354.00/720.00 (49.17%)

Max Score: 660.00

Rank: 21

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 53.64

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 354.00/720.00 (49.17%)

Max Score: 660.00

Rank: 21

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 53.64

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYEE DILIP MORE (ID No. 47492)

Your Score: 354.00/720.00 (49.17%)

Max Score: 660.00

Rank: 21

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 53.64

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 129 (**Correct:** 95 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 354.00

Total Positive Marks: 388.00 **Total Negative Marks:** 34.00

PHY	CHEM	BOT	ZOO	Total
58.00	71.00	93.00	132.00	354.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 335.00/720.00 (46.53%)

Max Score: 660.00

Rank: 22

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 50.76

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C		L	0.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	C	W	-1.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A		L	0.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B		L	0.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 335.00/720.00 (46.53%)

Max Score: 660.00

Rank: 22

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 50.76

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B		L	0.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A		L	0.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 335.00/720.00 (46.53%)

Max Score: 660.00

Rank: 22

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 50.76

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	A	W	-1.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 335.00/720.00 (46.53%)

Max Score: 660.00

Rank: 22

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 50.76

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C	C	R	4.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 118 (**Correct:** 89 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 335.00

Total Positive Marks: 364.00 **Total Negative Marks:** 29.00

PHY	CHEM	BOT	ZOO	Total
36.00	70.00	125.00	104.00	335.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 331.00/720.00 (45.97%)

Max Score: 660.00

Rank: 23

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 50.15

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C		L	0.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D	B	W	-1.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 331.00/720.00 (45.97%)

Max Score: 660.00

Rank: 23

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 50.15

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A		L	0.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 331.00/720.00 (45.97%)

Max Score: 660.00

Rank: 23

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 50.15

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	A	W	-1.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B	B	R	4.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	A	R	4.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SOMESH AJAY MANKAR (ID No. 47498)

Your Score: 331.00/720.00 (45.97%)

Max Score: 660.00

Rank: 23

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 50.15

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A		L	0.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 122 (**Correct:** 89 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 331.00

Total Positive Marks: 364.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
64.00	74.00	102.00	91.00	331.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 312.00/720.00 (43.33%)

Max Score: 660.00

Rank: 24

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 47.27

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	A	W	-1.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D		L	0.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	C	W	-1.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A	C	W	-1.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 312.00/720.00 (43.33%)

Max Score: 660.00

Rank: 24

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 47.27

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B		L	0.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 312.00/720.00 (43.33%)

Max Score: 660.00

Rank: 24

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 47.27

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C		L	0.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	D	W	-1.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 312.00/720.00 (43.33%)

Max Score: 660.00

Rank: 24

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 47.27

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A		L	0.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	L	0.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 136 (**Correct:** 88 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 312.00

Total Positive Marks: 360.00 **Total Negative Marks:** 48.00

PHY	CHEM	BOT	ZOO	Total
29.00	121.00	51.00	111.00	312.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 291.00/720.00 (40.42%)

Max Score: 660.00

Rank: 25

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 44.09

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	D	W	-1.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	A	W	-1.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 291.00/720.00 (40.42%)

Max Score: 660.00

Rank: 25

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 44.09

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B		L	0.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	A	R	4.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 291.00/720.00 (40.42%)

Max Score: 660.00

Rank: 25

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 44.09

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VARAD VILAS NIMBALKAR (ID No. 47512)

Your Score: 291.00/720.00 (40.42%)

Max Score: 660.00

Rank: 25

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 44.09

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 102 (**Correct:** 77 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 291.00

Total Positive Marks: 316.00 **Total Negative Marks:** 25.00

PHY	CHEM	BOT	ZOO	Total
38.00	43.00	102.00	108.00	291.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 283.00/720.00 (39.31%)

Max Score: 660.00

Rank: 26

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 42.88

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D	A	W	-1.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	B	W	-1.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	A	W	-1.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	C	W	-1.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	B	W	-1.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A		L	0.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	A	W	-1.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 283.00/720.00 (39.31%)

Max Score: 660.00

Rank: 26

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 42.88

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	CD	W	-1.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 283.00/720.00 (39.31%)

Max Score: 660.00

Rank: 26

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 42.88

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI NIRANJAN KHANDARE (ID No. 47509)

Your Score: 283.00/720.00 (39.31%)

Max Score: 660.00

Rank: 26

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 42.88

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D		L	0.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A	A	L	0.00

Total Question: 200 **Attempted:** 155 (**Correct:** 86 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 283.00

Total Positive Marks: 352.00 **Total Negative Marks:** 69.00

PHY	CHEM	BOT	ZOO	Total
51.00	40.00	114.00	78.00	283.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 280.00/720.00 (38.89%)

Max Score: 660.00

Rank: 27

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 42.42

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D		L	0.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 280.00/720.00 (38.89%)

Max Score: 660.00

Rank: 27

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 42.42

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A		L	0.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 280.00/720.00 (38.89%)

Max Score: 660.00

Rank: 27

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 42.42

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	B	W	-1.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C		L	0.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C	B	W	-1.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	D	R	4.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 280.00/720.00 (38.89%)

Max Score: 660.00

Rank: 27

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 42.42

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 93 (**Correct:** 73 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 280.00

Total Positive Marks: 300.00 **Total Negative Marks:** 20.00

PHY	CHEM	BOT	ZOO	Total
70.00	38.00	81.00	91.00	280.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 262.00/720.00 (36.39%)

Max Score: 660.00

Rank: 28

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 39.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C		L	0.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B		L	0.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 262.00/720.00 (36.39%)

Max Score: 660.00

Rank: 28

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 39.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 262.00/720.00 (36.39%)

Max Score: 660.00

Rank: 28

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 39.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B	B	R	4.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C	A	W	-1.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	A	R	4.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C	C	R	4.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 262.00/720.00 (36.39%)

Max Score: 660.00

Rank: 28

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 39.70

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 121 (**Correct:** 75 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 262.00

Total Positive Marks: 308.00 **Total Negative Marks:** 46.00

PHY	CHEM	BOT	ZOO	Total
43.00	50.00	96.00	73.00	262.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 253.00/720.00 (35.14%)

Max Score: 660.00

Rank: 29

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 38.33

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C		L	0.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C		L	0.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B		L	0.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D		L	0.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B		L	0.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 253.00/720.00 (35.14%)

Max Score: 660.00

Rank: 29

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 38.33

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A		L	0.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B		L	0.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C		L	0.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C		L	0.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A		L	0.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 253.00/720.00 (35.14%)

Max Score: 660.00

Rank: 29

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 38.33

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A	C	W	-1.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C		L	0.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A	B	W	-1.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK SAHEBRAO ROTHKAR (ID No. 47490)

Your Score: 253.00/720.00 (35.14%)

Max Score: 660.00

Rank: 29

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 38.33

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B	B	R	4.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A		L	0.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A	A	R	4.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C	C	R	4.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B	B	L	0.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 85 (**Correct:** 66 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 253.00

Total Positive Marks: 272.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
42.00	47.00	51.00	113.00	253.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 152.00/720.00 (21.11%)

Max Score: 660.00

Rank: 30

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 23.03

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	96.77	74.19	22.58	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	70.97	19.35	51.61	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
3	74.19	45.16	29.03	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
4	61.29	48.39	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	83.87	77.42	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	87.10	80.65	6.45	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	90.32	80.65	9.68	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
8	51.61	45.16	6.45	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	61.29	19.35	41.94	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	90.32	87.10	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	64.52	51.61	12.90	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	67.74	54.84	12.90	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
14	80.65	74.19	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	32.26	25.81	6.45	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
16	93.55	70.97	22.58	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	45.16	22.58	22.58	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.97	58.06	12.90	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	83.87	54.84	29.03	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
20	90.32	45.16	45.16	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
21	32.26	6.45	25.81	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	87.10	83.87	3.23	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
23	22.58	6.45	16.13	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
25	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
26	67.74	45.16	22.58	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	35.48	22.58	12.90	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
28	87.10	67.74	19.35	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
29	77.42	22.58	54.84	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
30	61.29	29.03	32.26	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
31	32.26	32.26	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
32	48.39	48.39	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
33	70.97	45.16	25.81	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
34	54.84	35.48	19.35	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
35	58.06	51.61	6.45	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
36	22.58	9.68	12.90	PHY	TOP10	4.00	1.00	D		L	0.00
37	12.90	9.68	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
38	67.74	41.94	25.81	PHY	TOP10	4.00	1.00	C	B	W	-1.00
39	77.42	74.19	3.23	PHY	TOP10	4.00	1.00	C	C	R	4.00
40	48.39	29.03	19.35	PHY	TOP10	4.00	1.00	B	B	R	4.00
41	87.10	74.19	12.90	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	87.10	67.74	19.35	PHY	TOP10	4.00	1.00	D	D	R	4.00
43	67.74	67.74	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
44	45.16	16.13	29.03	PHY	TOP10	4.00	1.00	C		L	0.00
45	16.13	9.68	6.45	PHY	TOP10	4.00	1.00	D		L	0.00
46	90.32	83.87	6.45	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	80.65	70.97	9.68	PHY	TOP10	4.00	1.00	B		L	0.00
48	83.87	83.87	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	16.13	12.90	3.23	PHY	TOP10	4.00	1.00	A		L	0.00
50	41.94	38.71	3.23	PHY	TOP10	4.00	1.00	B		L	0.00
51	90.32	74.19	16.13	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	83.87	74.19	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	93.55	87.10	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 152.00/720.00 (21.11%)

Max Score: 660.00

Rank: 30

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 23.03

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	80.65	70.97	9.68	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
55	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
56	74.19	48.39	25.81	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	80.65	48.39	32.26	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
58	83.87	77.42	6.45	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	70.97	48.39	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
60	87.10	77.42	9.68	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
61	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
62	90.32	67.74	22.58	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
63	58.06	48.39	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
64	41.94	12.90	29.03	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	96.77	93.55	3.23	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	83.87	16.13	67.74	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	67.74	64.52	3.23	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
68	87.10	64.52	22.58	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	64.52	41.94	22.58	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
70	87.10	61.29	25.81	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	61.29	51.61	9.68	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
72	80.65	54.84	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	93.55	77.42	16.13	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
74	64.52	38.71	25.81	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	67.74	48.39	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	90.32	70.97	19.35	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
77	67.74	32.26	35.48	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	77.42	74.19	3.23	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	77.42	32.26	45.16	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
80	77.42	58.06	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
81	64.52	64.52	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	54.84	25.81	29.03	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	83.87	64.52	19.35	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	96.77	96.77	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	70.97	45.16	25.81	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	32.26	16.13	16.13	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	58.06	48.39	9.68	CHEM	TOP10	4.00	1.00	C		L	0.00
88	58.06	41.94	16.13	CHEM	TOP10	4.00	1.00	C		L	0.00
89	70.97	54.84	16.13	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	83.87	77.42	6.45	CHEM	TOP10	4.00	1.00	B	B	R	4.00
91	64.52	45.16	19.35	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	80.65	77.42	3.23	CHEM	TOP10	4.00	1.00	D	D	R	4.00
93	67.74	41.94	25.81	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
94	70.97	48.39	22.58	CHEM	TOP10	4.00	1.00	A		L	0.00
95	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
96	48.39	45.16	3.23	CHEM	TOP10	4.00	1.00	C		L	0.00
97	80.65	80.65	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
98	70.97	70.97	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
99	3.23	3.23	0.00	CHEM	TOP10	4.00	1.00	A		L	0.00
100	35.48	32.26	3.23	CHEM	TOP10	4.00	1.00	D		L	0.00
101	90.32	54.84	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
102	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
103	83.87	45.16	38.71	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
104	87.10	45.16	41.94	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
105	93.55	64.52	29.03	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
106	83.87	64.52	19.35	BOT	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 152.00/720.00 (21.11%)

Max Score: 660.00

Rank: 30

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 23.03

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	83.87	77.42	6.45	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
109	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
110	87.10	67.74	19.35	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	87.10	87.10	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
112	61.29	25.81	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
113	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
114	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
115	70.97	54.84	16.13	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
116	96.77	90.32	6.45	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	96.77	93.55	3.23	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
118	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
119	83.87	70.97	12.90	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
120	90.32	87.10	3.23	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
121	70.97	25.81	45.16	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
122	80.65	70.97	9.68	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	93.55	93.55	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	74.19	61.29	12.90	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
125	83.87	80.65	3.23	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	96.77	83.87	12.90	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
128	87.10	51.61	35.48	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	83.87	29.03	54.84	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	93.55	87.10	6.45	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	90.32	90.32	0.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
132	90.32	61.29	29.03	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	93.55	90.32	3.23	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
134	83.87	38.71	45.16	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
135	80.65	58.06	22.58	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
136	54.84	35.48	19.35	BOT	TOP10	4.00	1.00	B		L	0.00
137	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	B		L	0.00
138	58.06	54.84	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
139	58.06	35.48	22.58	BOT	TOP10	4.00	1.00	C		L	0.00
140	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
141	45.16	35.48	9.68	BOT	TOP10	4.00	1.00	B		L	0.00
142	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
143	90.32	90.32	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
144	48.39	12.90	35.48	BOT	TOP10	4.00	1.00	A		L	0.00
145	83.87	77.42	6.45	BOT	TOP10	4.00	1.00	C		L	0.00
146	80.65	77.42	3.23	BOT	TOP10	4.00	1.00	C		L	0.00
147	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	D		L	0.00
148	51.61	25.81	25.81	BOT	TOP10	4.00	1.00	A		L	0.00
149	51.61	48.39	3.23	BOT	TOP10	4.00	1.00	A		L	0.00
150	64.52	54.84	9.68	BOT	TOP10	4.00	1.00	A		L	0.00
151	83.87	70.97	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
152	83.87	61.29	22.58	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
153	90.32	61.29	29.03	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
154	80.65	41.94	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
155	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
157	93.55	93.55	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	77.42	38.71	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
159	67.74	25.81	41.94	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 152.00/720.00 (21.11%)

Max Score: 660.00

Rank: 30

Min Score: 152.00

TEST: MMT-09 (NB-15 NEET) (ID: 735 DT: 07-Sep-2023)

Percentile: 23.03

Avg Score: 441.81

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
161	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
162	83.87	38.71	45.16	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	90.32	51.61	38.71	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
164	93.55	67.74	25.81	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
165	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	93.55	70.97	22.58	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
168	90.32	54.84	35.48	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
169	96.77	93.55	3.23	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
170	90.32	67.74	22.58	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
171	90.32	77.42	12.90	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
172	96.77	70.97	25.81	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	93.55	90.32	3.23	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
174	96.77	83.87	12.90	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
175	96.77	90.32	6.45	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
176	90.32	90.32	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
177	87.10	51.61	35.48	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	93.55	74.19	19.35	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
179	96.77	96.77	0.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
180	87.10	70.97	16.13	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	96.77	87.10	9.68	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
182	96.77	77.42	19.35	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	80.65	51.61	29.03	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
184	87.10	80.65	6.45	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	90.32	70.97	19.35	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	48.39	41.94	6.45	ZOO	TOP10	4.00	1.00	B		L	0.00
187	32.26	22.58	9.68	ZOO	TOP10	4.00	1.00	D		L	0.00
188	93.55	90.32	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
189	64.52	48.39	16.13	ZOO	TOP10	4.00	1.00	D		L	0.00
190	80.65	77.42	3.23	ZOO	TOP10	4.00	1.00	A		L	0.00
191	90.32	90.32	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
192	61.29	51.61	9.68	ZOO	TOP10	4.00	1.00	C		L	0.00
193	67.74	58.06	9.68	ZOO	TOP10	4.00	1.00	A		L	0.00
194	22.58	6.45	16.13	ZOO	TOP10	4.00	1.00	C		L	0.00
195	80.65	74.19	6.45	ZOO	TOP10	4.00	1.00	D		L	0.00
196	48.39	45.16	3.23	ZOO	TOP10	4.00	1.00	D		L	0.00
197	93.55	93.55	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
198	61.29	58.06	3.23	ZOO	TOP10	4.00	1.00	C		L	0.00
199	77.42	77.42	0.00	ZOO	TOP10	4.00	1.00	B		L	0.00
200	19.35	19.35	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00

Total Question: 200 **Attempted:** 56 (**Correct:** 40 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 152.00

Total Positive Marks: 168.00 **Total Negative Marks:** 16.00

PHY	CHEM	BOT	ZOO	Total
89.00	59.00	4.00	0.00	152.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%