

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 665.00/720.00 (92.36%)

Max Score: 665.00

Rank: 1

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 100.00

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 665.00/720.00 (92.36%)

Max Score: 665.00

Rank: 1

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 100.00

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 665.00/720.00 (92.36%)

Max Score: 665.00

Rank: 1

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 100.00

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHAITANYA KIRIT KADHI (ID No. 47253)

Your Score: 665.00/720.00 (92.36%)

Max Score: 665.00

Rank: 1

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 100.00

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 180 (**Correct:** 169 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 665.00

Total Positive Marks: 676.00 **Total Negative Marks:** 11.00

PHY	CHEM	BIO	Total
160.00	160.00	345.00	665.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 650.00/720.00 (90.28%)

Max Score: 665.00

Rank: 2

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 97.74

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	A	W	-1.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D		L	0.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 650.00/720.00 (90.28%)

Max Score: 665.00

Rank: 2

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 97.74

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A		L	0.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 650.00/720.00 (90.28%)

Max Score: 665.00

Rank: 2

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 97.74

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT SHANKAR ISHWARKAR (ID No. 46024)

Your Score: 650.00/720.00 (90.28%)

Max Score: 665.00

Rank: 2

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 97.74

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 180 (**Correct:** 166 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 650.00

Total Positive Marks: 664.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
160.00	160.00	330.00	650.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 643.00/720.00 (89.31%)

Max Score: 665.00

Rank: 3

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 96.69

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	D	W	-1.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D	D	R	4.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 643.00/720.00 (89.31%)

Max Score: 665.00

Rank: 3

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 96.69

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D		L	0.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 643.00/720.00 (89.31%)

Max Score: 665.00

Rank: 3

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 96.69

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYA ANIL RATHOD (ID No. 46094)

Your Score: 643.00/720.00 (89.31%)

Max Score: 665.00

Rank: 3

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 96.69

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D	D	R	4.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	R	4.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 Attempted: 177 (Correct: 164 Incorrect: 13) Score Rate: 0.00 Strike Rate: 0.00

Total: 643.00

Total Positive Marks: 656.00 Total Negative Marks: 13.00

PHY	CHEM	BIO	Total
165.00	141.00	337.00	643.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 634.00/720.00 (88.06%)

Max Score: 665.00

Rank: 4

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 95.34

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D	D	R	4.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B		L	0.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	B	W	-1.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 634.00/720.00 (88.06%)

Max Score: 665.00

Rank: 4

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 95.34

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 634.00/720.00 (88.06%)

Max Score: 665.00

Rank: 4

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 95.34

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A	A	R	4.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUCHA RAVINDRA YEUL (ID No. 47481)

Your Score: 634.00/720.00 (88.06%)

Max Score: 665.00

Rank: 4

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 95.34

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	R	4.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 **Attempted:** 176 (**Correct:** 162 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 634.00

Total Positive Marks: 648.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
129.00	165.00	340.00	634.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 622.00/720.00 (86.39%)

Max Score: 665.00

Rank: 5

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 93.53

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	A	W	-1.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C	B	W	-1.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 622.00/720.00 (86.39%)

Max Score: 665.00

Rank: 5

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 93.53

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A		L	0.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 622.00/720.00 (86.39%)

Max Score: 665.00

Rank: 5

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 93.53

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D		L	0.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASHMI VIVEK AGRAWAL (ID No. 47131)

Your Score: 622.00/720.00 (86.39%)

Max Score: 665.00

Rank: 5

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 93.53

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 173 (**Correct:** 159 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 622.00

Total Positive Marks: 636.00 **Total Negative Marks:** 14.00

PHY	CHEM	BIO	Total
139.00	156.00	327.00	622.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 622.00/720.00 (86.39%)

Max Score: 665.00

Rank: 5

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 93.53

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D	D	R	4.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 622.00/720.00 (86.39%)

Max Score: 665.00

Rank: 5

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 93.53

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 622.00/720.00 (86.39%)

Max Score: 665.00

Rank: 5

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 93.53

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A	D	W	-1.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARANG GANESH INGALE (ID No. 47397)

Your Score: 622.00/720.00 (86.39%)

Max Score: 665.00

Rank: 5

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 93.53

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	R	4.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 **Attempted:** 178 (**Correct:** 160 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 622.00

Total Positive Marks: 640.00 **Total Negative Marks:** 18.00

PHY	CHEM	BIO	Total
146.00	160.00	316.00	622.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 609.00/720.00 (84.58%)

Max Score: 665.00

Rank: 6

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 91.58

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 609.00/720.00 (84.58%)

Max Score: 665.00

Rank: 6

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 91.58

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B		L	0.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 609.00/720.00 (84.58%)

Max Score: 665.00

Rank: 6

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 91.58

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D		L	0.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A		L	0.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A		L	0.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAHEK JITENDRA CHANDWANI (ID No. 47681)

Your Score: 609.00/720.00 (84.58%)

Max Score: 665.00

Rank: 6

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 91.58

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 166 (**Correct:** 155 **Incorrect:** 11) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 609.00

Total Positive Marks: 620.00 **Total Negative Marks:** 11.00

PHY	CHEM	BIO	Total
129.00	162.00	318.00	609.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 571.00/720.00 (79.31%)

Max Score: 665.00

Rank: 7

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 85.86

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D	D	R	4.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 571.00/720.00 (79.31%)

Max Score: 665.00

Rank: 7

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 85.86

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 571.00/720.00 (79.31%)

Max Score: 665.00

Rank: 7

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 85.86

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C		L	0.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVANSH SANJAY DAGA (ID No. 47443)

Your Score: 571.00/720.00 (79.31%)

Max Score: 665.00

Rank: 7

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 85.86

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D	D	R	4.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	R	4.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 174 (**Correct:** 149 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 571.00

Total Positive Marks: 596.00 **Total Negative Marks:** 25.00

PHY	CHEM	BIO	Total
130.00	160.00	281.00	571.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 562.00/720.00 (78.06%)

Max Score: 665.00

Rank: 8

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 84.51

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	A	W	-1.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D		L	0.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	D	W	-1.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 562.00/720.00 (78.06%)

Max Score: 665.00

Rank: 8

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 84.51

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C		L	0.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C		L	0.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A		L	0.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D		L	0.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 562.00/720.00 (78.06%)

Max Score: 665.00

Rank: 8

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 84.51

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	A	W	-1.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	C	W	-1.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKAR VIJAY POTE (ID No. 47488)

Your Score: 562.00/720.00 (78.06%)

Max Score: 665.00

Rank: 8

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 84.51

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B	D	W	-1.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D	C	W	-1.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B		L	0.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	D	W	-1.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	A	W	-1.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	A	W	-1.00

Total Question: 200 **Attempted:** 173 (**Correct:** 147 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 562.00

Total Positive Marks: 588.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
137.00	120.00	305.00	562.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 549.00/720.00 (76.25%)

Max Score: 665.00

Rank: 9

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 82.56

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D		L	0.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 549.00/720.00 (76.25%)

Max Score: 665.00

Rank: 9

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 82.56

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D		L	0.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D		L	0.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C		L	0.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C		L	0.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 549.00/720.00 (76.25%)

Max Score: 665.00

Rank: 9

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 82.56

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C		L	0.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A		L	0.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B		L	0.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A		L	0.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D		R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANCHI PRAVIN CHONDIKAR (ID No. 47483)

Your Score: 549.00/720.00 (76.25%)

Max Score: 665.00

Rank: 9

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 82.56

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	R	4.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 **Attempted:** 156 (**Correct:** 141 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 549.00

Total Positive Marks: 564.00 **Total Negative Marks:** 15.00

PHY	CHEM	BIO	Total
126.00	124.00	299.00	549.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 547.00/720.00 (75.97%)

Max Score: 665.00

Rank: 10

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 82.26

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	A	W	-1.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	B	W	-1.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	B	W	-1.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	D	W	-1.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	D	W	-1.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 547.00/720.00 (75.97%)

Max Score: 665.00

Rank: 10

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 82.26

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C		L	0.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C		L	0.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A		L	0.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 547.00/720.00 (75.97%)

Max Score: 665.00

Rank: 10

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 82.26

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	C	W	-1.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	B	W	-1.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A		L	0.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	B	W	-1.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	B	W	-1.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL KAILAS DUDHARKAR (ID No. 47482)

Your Score: 547.00/720.00 (75.97%)

Max Score: 665.00

Rank: 10

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 82.26

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	C	W	-1.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 **Attempted:** 173 (**Correct:** 144 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 547.00

Total Positive Marks: 576.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
125.00	115.00	307.00	547.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 543.00/720.00 (75.42%)

Max Score: 665.00

Rank: 11

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 81.65

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	B	W	-1.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D	D	R	4.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	B	L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	L	0.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 543.00/720.00 (75.42%)

Max Score: 665.00

Rank: 11

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 81.65

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 543.00/720.00 (75.42%)

Max Score: 665.00

Rank: 11

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 81.65

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A		L	0.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHAL NITINKUMAR NIMODIA (ID No. 47454)

Your Score: 543.00/720.00 (75.42%)

Max Score: 665.00

Rank: 11

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 81.65

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A		L	0.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	L	0.00

Total Question: 200 **Attempted:** 172 (**Correct:** 143 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 543.00

Total Positive Marks: 572.00 **Total Negative Marks:** 29.00

PHY	CHEM	BIO	Total
100.00	136.00	307.00	543.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 508.00/720.00 (70.56%)

Max Score: 665.00

Rank: 12

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 76.39

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D	C	W	-1.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 508.00/720.00 (70.56%)

Max Score: 665.00

Rank: 12

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 76.39

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	CD	W	-1.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C		L	0.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 508.00/720.00 (70.56%)

Max Score: 665.00

Rank: 12

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 76.39

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C		L	0.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAKSHATRA PRASHANT KHIRODKAR (ID No. 47453)

Your Score: 508.00/720.00 (70.56%)

Max Score: 665.00

Rank: 12

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 76.39

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A		L	0.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		R	4.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	L	0.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 177 (**Correct:** 137 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 508.00

Total Positive Marks: 548.00 **Total Negative Marks:** 40.00

PHY	CHEM	BIO	Total
125.00	116.00	267.00	508.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 500.00/720.00 (69.44%)

Max Score: 665.00

Rank: 13

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 75.19

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	C	R	4.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D	D	R	4.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	B	W	-1.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	C	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 500.00/720.00 (69.44%)

Max Score: 665.00

Rank: 13

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 75.19

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C		L	0.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	AB	W	-1.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 500.00/720.00 (69.44%)

Max Score: 665.00

Rank: 13

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 75.19

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH UMESH TIWARI (ID No. 47433)

Your Score: 500.00/720.00 (69.44%)

Max Score: 665.00

Rank: 13

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 75.19

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D	A	W	-1.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 **Attempted:** 170 (**Correct:** 134 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 500.00

Total Positive Marks: 536.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
99.00	132.00	269.00	500.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 496.00/720.00 (68.89%)

Max Score: 665.00

Rank: 14

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 74.59

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C		L	0.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B		L	0.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B		L	0.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A		L	0.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	B	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 496.00/720.00 (68.89%)

Max Score: 665.00

Rank: 14

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 74.59

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 496.00/720.00 (68.89%)

Max Score: 665.00

Rank: 14

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 74.59

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	B	W	-1.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	C	W	-1.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A		L	0.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	A	W	-1.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	C	W	-1.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	B	W	-1.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	C	W	-1.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA PANKAJ SEHGAL (ID No. 47435)

Your Score: 496.00/720.00 (68.89%)

Max Score: 665.00

Rank: 14

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 74.59

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 149 (**Correct:** 129 **Incorrect:** 20) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 496.00

Total Positive Marks: 516.00 **Total Negative Marks:** 20.00

PHY	CHEM	BIO	Total
64.00	160.00	272.00	496.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 488.00/720.00 (67.78%)

Max Score: 665.00

Rank: 15

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 73.38

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	C	W	-1.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	B	R	4.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 488.00/720.00 (67.78%)

Max Score: 665.00

Rank: 15

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 73.38

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	B	R	4.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C		L	0.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	D	R	4.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D		L	0.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 488.00/720.00 (67.78%)

Max Score: 665.00

Rank: 15

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 73.38

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C		L	0.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A		L	0.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B		L	0.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B		L	0.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	A	W	-1.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A	A	R	4.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAMBHAVI VISHNU GHOGALE (ID No. 47494)

Your Score: 488.00/720.00 (67.78%)

Max Score: 665.00

Rank: 15

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 73.38

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	L	0.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	L	0.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B	D	L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	L	0.00

Total Question: 200 **Attempted:** 167 (**Correct:** 131 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 488.00

Total Positive Marks: 524.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
114.00	133.00	241.00	488.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 486.00/720.00 (67.50%)

Max Score: 665.00

Rank: 16

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 73.08

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B		L	0.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	A	W	-1.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 486.00/720.00 (67.50%)

Max Score: 665.00

Rank: 16

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 73.08

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C		L	0.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B		L	0.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 486.00/720.00 (67.50%)

Max Score: 665.00

Rank: 16

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 73.08

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A		L	0.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREEYA VIJAY KHETAN (ID No. 47496)

Your Score: 486.00/720.00 (67.50%)

Max Score: 665.00

Rank: 16

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 73.08

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 159 (**Correct:** 129 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 486.00

Total Positive Marks: 516.00 **Total Negative Marks:** 30.00

PHY	CHEM	BIO	Total
86.00	130.00	270.00	486.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 470.00/720.00 (65.28%)

Max Score: 665.00

Rank: 17

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 70.68

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	B	W	-1.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	B	R	4.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	D	W	-1.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	B	W	-1.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 470.00/720.00 (65.28%)

Max Score: 665.00

Rank: 17

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 70.68

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C		L	0.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C		L	0.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D		L	0.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	AD	W	-1.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 470.00/720.00 (65.28%)

Max Score: 665.00

Rank: 17

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 70.68

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B		L	0.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWANANDI PRAMOD GAWANDE (ID No. 47506)

Your Score: 470.00/720.00 (65.28%)

Max Score: 665.00

Rank: 17

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 70.68

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D	D	R	4.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B		L	0.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 165 (**Correct:** 127 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 470.00

Total Positive Marks: 508.00 **Total Negative Marks:** 38.00

PHY	CHEM	BIO	Total
84.00	107.00	279.00	470.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 466.00/720.00 (64.72%)

Max Score: 665.00

Rank: 18

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 70.08

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C		L	0.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B		L	0.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	B	W	-1.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 466.00/720.00 (64.72%)

Max Score: 665.00

Rank: 18

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 70.08

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 466.00/720.00 (64.72%)

Max Score: 665.00

Rank: 18

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 70.08

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A		L	0.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SEHAL ANIL HIRALKAR (ID No. 47493)

Your Score: 466.00/720.00 (64.72%)

Max Score: 665.00

Rank: 18

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 70.08

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D	D	R	4.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 149 (**Correct:** 123 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 466.00

Total Positive Marks: 492.00 **Total Negative Marks:** 26.00

PHY	CHEM	BIO	Total
61.00	102.00	303.00	466.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 444.00/720.00 (61.67%)

Max Score: 665.00

Rank: 19

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 66.77

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	A	W	-1.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	B	R	4.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	A	W	-1.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B		L	0.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 444.00/720.00 (61.67%)

Max Score: 665.00

Rank: 19

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 66.77

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	A	R	4.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C		L	0.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C		L	0.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D		L	0.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D		L	0.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A		L	0.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 444.00/720.00 (61.67%)

Max Score: 665.00

Rank: 19

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 66.77

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D		L	0.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B		L	0.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A		L	0.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D		L	0.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D		L	0.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C		L	0.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D		L	0.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	D	W	-1.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A	D	W	-1.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	A	W	-1.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV RAJENDRA CHOTHAVE (ID No. 47434)

Your Score: 444.00/720.00 (61.67%)

Max Score: 665.00

Rank: 19

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 66.77

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B	D	W	-1.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 **Attempted:** 156 (**Correct:** 120 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 444.00

Total Positive Marks: 480.00 **Total Negative Marks:** 36.00

PHY	CHEM	BIO	Total
104.00	120.00	220.00	444.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 376.00/720.00 (52.22%)

Max Score: 665.00

Rank: 20

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 56.54

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C		L	0.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B		L	0.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D	D	R	4.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B		L	0.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C	C	R	4.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D		L	0.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D		L	0.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	C	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D	D	R	4.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 376.00/720.00 (52.22%)

Max Score: 665.00

Rank: 20

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 56.54

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A		L	0.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A		L	0.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D		L	0.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	C	R	4.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 376.00/720.00 (52.22%)

Max Score: 665.00

Rank: 20

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 56.54

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C		L	0.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A	D	W	-1.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAM RAJESH DASHWANTRAO (ID No. 47497)

Your Score: 376.00/720.00 (52.22%)

Max Score: 665.00

Rank: 20

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 56.54

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	C	W	-1.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	B	W	-1.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	C	W	-1.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	R	4.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 134 (**Correct:** 102 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 376.00

Total Positive Marks: 408.00 **Total Negative Marks:** 32.00

PHY	CHEM	BIO	Total
66.00	52.00	258.00	376.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 361.00/720.00 (50.14%)

Max Score: 665.00

Rank: 21

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 54.29

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	B	R	4.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A		L	0.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D		L	0.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	B	R	4.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	A	W	-1.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	B	W	-1.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D	B	W	-1.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D	D	R	4.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 361.00/720.00 (50.14%)

Max Score: 665.00

Rank: 21

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 54.29

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D	D	R	4.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A		L	0.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	D	L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 361.00/720.00 (50.14%)

Max Score: 665.00

Rank: 21

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 54.29

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B		L	0.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D		L	0.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A		L	0.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KETAKI OMNATH PATHAK (ID No. 47449)

Your Score: 361.00/720.00 (50.14%)

Max Score: 665.00

Rank: 21

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 54.29

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B	A	W	-1.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 Attempted: 159 (Correct: 104 Incorrect: 55) Score Rate: 0.00 Strike Rate: 0.00

Total: 361.00

Total Positive Marks: 416.00 Total Negative Marks: 55.00

PHY	CHEM	BIO	Total
51.00	56.00	254.00	361.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YOZA RAMIN SHAIKH (ID No. 59594)

Your Score: 349.00/720.00 (48.47%)

Max Score: 665.00

Rank: 22

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 52.48

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B		L	0.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	A	R	4.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	B	W	-1.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	B	W	-1.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D	D	R	4.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D	C	W	-1.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B	A	W	-1.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B	A	W	-1.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A		L	0.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YOZA RAMIN SHAIKH (ID No. 59594)

Your Score: 349.00/720.00 (48.47%)

Max Score: 665.00

Rank: 22

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 52.48

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	A	W	-1.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C		L	0.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A		L	0.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	C	R	4.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	D	R	4.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D		L	0.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YOZA RAMIN SHAIKH (ID No. 59594)

Your Score: 349.00/720.00 (48.47%)

Max Score: 665.00

Rank: 22

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 52.48

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A		L	0.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B		L	0.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	D	R	4.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	B	W	-1.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	A	W	-1.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	B	W	-1.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A	A	R	4.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YOZA RAMIN SHAIKH (ID No. 59594)

Your Score: 349.00/720.00 (48.47%)

Max Score: 665.00

Rank: 22

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 52.48

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	C	W	-1.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	B	L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B	B	L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D	D	L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D	D	L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	L	0.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00

Total Question: 200 **Attempted:** 141 (**Correct:** 98 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 349.00

Total Positive Marks: 392.00 **Total Negative Marks:** 43.00

PHY	CHEM	BIO	Total
50.00	71.00	228.00	349.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 281.00/720.00 (39.03%)

Max Score: 665.00

Rank: 23

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 42.26

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	C	R	4.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B		L	0.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A	A	R	4.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B	B	R	4.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C	C	R	4.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	A	R	4.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D	D	R	4.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	D	W	-1.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D	D	R	4.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	D	R	4.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	D	R	4.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D	B	W	-1.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B		L	0.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 281.00/720.00 (39.03%)

Max Score: 665.00

Rank: 23

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 42.26

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	B	W	-1.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A		L	0.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	C	W	-1.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	C	W	-1.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C		L	0.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C		L	0.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C		L	0.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A		L	0.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D		L	0.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	D	R	4.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D		L	0.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A		L	0.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A		L	0.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C		L	0.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D		L	0.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 281.00/720.00 (39.03%)

Max Score: 665.00

Rank: 23

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 42.26

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C		L	0.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A		L	0.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B		L	0.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C		L	0.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D		L	0.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D		L	0.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A		L	0.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A		L	0.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C	C	R	4.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A		L	0.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JUVERIYA VIQAR PARVEZ (ID No. 48837)

Your Score: 281.00/720.00 (39.03%)

Max Score: 665.00

Rank: 23

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 42.26

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	C	W	-1.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	B	W	-1.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D		L	0.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B		L	0.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A		L	0.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 **Attempted:** 109 (**Correct:** 78 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 281.00

Total Positive Marks: 312.00 **Total Negative Marks:** 31.00

PHY	CHEM	BIO	Total
54.00	29.00	198.00	281.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 278.00/720.00 (38.61%)

Max Score: 665.00

Rank: 24

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 41.80

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C		L	0.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B		L	0.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B		L	0.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B		L	0.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B	A	W	-1.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D		L	0.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C		L	0.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A		L	0.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A		L	0.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C	C	R	4.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D		L	0.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D		L	0.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C		L	0.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D		L	0.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C		L	0.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D		L	0.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B		L	0.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D	D	R	4.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B		L	0.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C		L	0.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 278.00/720.00 (38.61%)

Max Score: 665.00

Rank: 24

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 41.80

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C		L	0.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A		L	0.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B		L	0.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B		L	0.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D		L	0.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B		L	0.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A		L	0.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A		L	0.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B		L	0.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D		L	0.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C		L	0.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C		L	0.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C		L	0.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A		L	0.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D		L	0.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B		L	0.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	D	R	4.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C		L	0.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C		L	0.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	A	R	4.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	A	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 278.00/720.00 (38.61%)

Max Score: 665.00

Rank: 24

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 41.80

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B		L	0.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	C	R	4.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	A	R	4.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D	D	R	4.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	B	R	4.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	C	R	4.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B		L	0.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D		L	0.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C		L	0.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D		L	0.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C		L	0.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	A	W	-1.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A		L	0.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C	C	R	4.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A	D	W	-1.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT MANISH LALWANI (ID No. 47452)

Your Score: 278.00/720.00 (38.61%)

Max Score: 665.00

Rank: 24

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 41.80

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	A	R	4.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C	A	W	-1.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D	D	R	4.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B		L	0.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A	A	R	4.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B	B	R	4.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	R	4.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 Attempted: 97 (Correct: 75 Incorrect: 22) Score Rate: 0.00 Strike Rate: 0.00

Total: 278.00

Total Positive Marks: 300.00 Total Negative Marks: 22.00

PHY	CHEM	BIO	Total
11.00	32.00	235.00	278.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 246.00/720.00 (34.17%)

Max Score: 665.00

Rank: 25

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 36.99

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	88.46	76.92	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
2	84.62	46.15	38.46	PHY	NTA REG	4.00	1.00	C	A	W	-1.00
3	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	C	D	W	-1.00
4	65.38	42.31	23.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
5	88.46	88.46	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
6	80.77	50.00	30.77	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
7	76.92	65.38	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
8	46.15	46.15	0.00	PHY	NTA REG	4.00	1.00	B	B	R	4.00
9	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	A		L	0.00
10	42.31	30.77	11.54	PHY	NTA REG	4.00	1.00	D		L	0.00
11	46.15	26.92	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
12	38.46	34.62	3.85	PHY	NTA REG	4.00	1.00	D		L	0.00
13	84.62	42.31	42.31	PHY	NTA REG	4.00	1.00	B	D	W	-1.00
14	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
15	80.77	73.08	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
16	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	B		L	0.00
17	80.77	76.92	3.85	PHY	NTA REG	4.00	1.00	A		L	0.00
18	76.92	69.23	7.69	PHY	NTA REG	4.00	1.00	C		L	0.00
19	92.31	92.31	0.00	PHY	NTA REG	4.00	1.00	D	D	R	4.00
20	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
21	92.31	88.46	3.85	PHY	NTA REG	4.00	1.00	A	C	W	-1.00
22	69.23	46.15	23.08	PHY	NTA REG	4.00	1.00	C		L	0.00
23	53.85	23.08	30.77	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
24	84.62	73.08	11.54	PHY	NTA REG	4.00	1.00	B	B	R	4.00
25	84.62	76.92	7.69	PHY	NTA REG	4.00	1.00	C	B	W	-1.00
26	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	A		L	0.00
27	65.38	57.69	7.69	PHY	NTA REG	4.00	1.00	B		L	0.00
28	84.62	65.38	19.23	PHY	NTA REG	4.00	1.00	D		L	0.00
29	76.92	61.54	15.38	PHY	NTA REG	4.00	1.00	A	A	R	4.00
30	69.23	53.85	15.38	PHY	NTA REG	4.00	1.00	C		L	0.00
31	73.08	61.54	11.54	PHY	NTA REG	4.00	1.00	B		L	0.00
32	80.77	65.38	15.38	PHY	NTA REG	4.00	1.00	D		L	0.00
33	80.77	57.69	23.08	PHY	NTA REG	4.00	1.00	D	C	W	-1.00
34	61.54	42.31	19.23	PHY	NTA REG	4.00	1.00	B		L	0.00
35	88.46	80.77	7.69	PHY	NTA REG	4.00	1.00	B	C	W	-1.00
36	96.15	61.54	34.62	PHY	TOP10	4.00	1.00	C	D	W	-1.00
37	84.62	57.69	26.92	PHY	TOP10	4.00	1.00	D	A	W	-1.00
38	34.62	23.08	11.54	PHY	TOP10	4.00	1.00	D		L	0.00
39	26.92	7.69	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
40	15.38	7.69	7.69	PHY	TOP10	4.00	1.00	D	B	W	-1.00
41	61.54	38.46	23.08	PHY	TOP10	4.00	1.00	B		L	0.00
42	53.85	0.00	53.85	PHY	TOP10	4.00	1.00	B		L	0.00
43	84.62	65.38	19.23	PHY	TOP10	4.00	1.00	D		L	0.00
44	30.77	23.08	7.69	PHY	TOP10	4.00	1.00	C	A	W	-1.00
45	61.54	61.54	0.00	PHY	TOP10	4.00	1.00	A		L	0.00
46	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	D		L	0.00
47	53.85	50.00	3.85	PHY	TOP10	4.00	1.00	A		L	0.00
48	53.85	53.85	0.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	80.77	50.00	30.77	PHY	TOP10	4.00	1.00	B	C	W	-1.00
50	61.54	53.85	7.69	PHY	TOP10	4.00	1.00	D		L	0.00
51	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
52	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
53	100.00	80.77	19.23	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
54	96.15	80.77	15.38	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
55	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
56	88.46	80.77	7.69	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
57	73.08	26.92	46.15	CHEM	NTA REG	4.00	1.00	C	D	W	-1.00
58	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
59	80.77	69.23	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
60	88.46	69.23	19.23	CHEM	NTA REG	4.00	1.00	A		L	0.00
61	73.08	57.69	15.38	CHEM	NTA REG	4.00	1.00	D		L	0.00
62	88.46	84.62	3.85	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
63	57.69	46.15	11.54	CHEM	NTA REG	4.00	1.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 246.00/720.00 (34.17%)

Max Score: 665.00

Rank: 25

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 36.99

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	84.62	69.23	15.38	CHEM	NTA REG	4.00	1.00	B	C	W	-1.00
65	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
66	96.15	65.38	30.77	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
67	100.00	96.15	3.85	CHEM	NTA REG	4.00	1.00	D	A	W	-1.00
68	92.31	53.85	38.46	CHEM	NTA REG	4.00	1.00	A	B	W	-1.00
69	92.31	73.08	19.23	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
70	96.15	69.23	26.92	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
71	88.46	73.08	15.38	CHEM	NTA REG	4.00	1.00	C	B	W	-1.00
72	88.46	50.00	38.46	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
73	96.15	92.31	3.85	CHEM	NTA REG	4.00	1.00	A	A	R	4.00
74	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C	C	R	4.00
75	76.92	61.54	15.38	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
76	92.31	88.46	3.85	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
77	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
78	92.31	84.62	7.69	CHEM	NTA REG	4.00	1.00	B	B	R	4.00
79	50.00	30.77	19.23	CHEM	NTA REG	4.00	1.00	D	D	R	4.00
80	80.77	73.08	7.69	CHEM	NTA REG	4.00	1.00	C		L	0.00
81	92.31	80.77	11.54	CHEM	NTA REG	4.00	1.00	D		L	0.00
82	80.77	53.85	26.92	CHEM	NTA REG	4.00	1.00	B	A	W	-1.00
83	84.62	73.08	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
84	73.08	61.54	11.54	CHEM	NTA REG	4.00	1.00	A		L	0.00
85	84.62	53.85	30.77	CHEM	NTA REG	4.00	1.00	A	D	W	-1.00
86	50.00	19.23	30.77	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
87	42.31	19.23	23.08	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
88	92.31	84.62	7.69	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	34.62	7.69	26.92	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
90	84.62	61.54	23.08	CHEM	TOP10	4.00	1.00	C		L	0.00
91	53.85	46.15	7.69	CHEM	TOP10	4.00	1.00	C		L	0.00
92	53.85	42.31	11.54	CHEM	TOP10	4.00	1.00	C		L	0.00
93	69.23	65.38	3.85	CHEM	TOP10	4.00	1.00	C	C	R	4.00
94	69.23	30.77	38.46	CHEM	TOP10	4.00	1.00	C	C	R	4.00
95	42.31	15.38	26.92	CHEM	TOP10	4.00	1.00	D		L	0.00
96	69.23	57.69	11.54	CHEM	TOP10	4.00	1.00	A	A	R	4.00
97	80.77	80.77	0.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	61.54	57.69	3.85	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	61.54	61.54	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
100	46.15	30.77	15.38	CHEM	TOP10	4.00	1.00	C		L	0.00
101	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	B		L	0.00
102	100.00	65.38	34.62	BIO	NTA REG	4.00	1.00	D	C	W	-1.00
103	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
104	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
105	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
106	84.62	34.62	50.00	BIO	NTA REG	4.00	1.00	C		L	0.00
107	80.77	80.77	0.00	BIO	NTA REG	4.00	1.00	D		L	0.00
108	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	B	B	R	4.00
109	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
110	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
111	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
112	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
113	80.77	42.31	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
114	92.31	61.54	30.77	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
115	92.31	76.92	15.38	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
116	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	B	R	4.00
117	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
118	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	A	C	W	-1.00
119	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
120	92.31	73.08	19.23	BIO	NTA REG	4.00	1.00	D	D	R	4.00
121	88.46	69.23	19.23	BIO	NTA REG	4.00	1.00	A		L	0.00
122	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
123	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
124	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	D	R	4.00
125	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	A	W	-1.00
126	96.15	61.54	34.62	BIO	NTA REG	4.00	1.00	A	C	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 246.00/720.00 (34.17%)

Max Score: 665.00

Rank: 25

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 36.99

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
127	92.31	92.31	0.00	BIO	NTA REG	4.00	1.00	B	B	R	4.00
128	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
129	100.00	80.77	19.23	BIO	NTA REG	4.00	1.00	A	B	W	-1.00
130	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	A	D	W	-1.00
131	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
132	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
133	100.00	84.62	15.38	BIO	NTA REG	4.00	1.00	C	C	R	4.00
134	88.46	50.00	38.46	BIO	NTA REG	4.00	1.00	D		L	0.00
135	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
136	100.00	76.92	23.08	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
137	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	B	B	R	4.00
138	96.15	84.62	11.54	BIO	NTA REG	4.00	1.00	A	A	R	4.00
139	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	B	B	R	4.00
140	100.00	96.15	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
141	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C		L	0.00
142	88.46	80.77	7.69	BIO	NTA REG	4.00	1.00	C	D	W	-1.00
143	76.92	38.46	38.46	BIO	NTA REG	4.00	1.00	A	A	R	4.00
144	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
145	73.08	34.62	38.46	BIO	NTA REG	4.00	1.00	C		L	0.00
146	92.31	88.46	3.85	BIO	NTA REG	4.00	1.00	C	C	R	4.00
147	96.15	53.85	42.31	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
148	88.46	46.15	42.31	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
149	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	C	C	R	4.00
150	96.15	96.15	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
151	96.15	69.23	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
152	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
153	96.15	76.92	19.23	BIO	NTA REG	4.00	1.00	B	B	R	4.00
154	88.46	65.38	23.08	BIO	NTA REG	4.00	1.00	D	B	W	-1.00
155	88.46	61.54	26.92	BIO	NTA REG	4.00	1.00	C	B	W	-1.00
156	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	A	A	R	4.00
157	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	C	C	R	4.00
158	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
159	92.31	84.62	7.69	BIO	NTA REG	4.00	1.00	B	C	W	-1.00
160	100.00	88.46	11.54	BIO	NTA REG	4.00	1.00	B	A	W	-1.00
161	92.31	65.38	26.92	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
162	100.00	100.00	0.00	BIO	NTA REG	4.00	1.00	D	D	R	4.00
163	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	D	R	4.00
164	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	B	B	R	4.00
165	100.00	92.31	7.69	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
166	96.15	92.31	3.85	BIO	NTA REG	4.00	1.00	D	D	R	4.00
167	80.77	73.08	7.69	BIO	NTA REG	4.00	1.00	A	A	R	4.00
168	96.15	80.77	15.38	BIO	NTA REG	4.00	1.00	B	B	R	4.00
169	96.15	88.46	7.69	BIO	NTA REG	4.00	1.00	D	A	W	-1.00
170	61.54	53.85	7.69	BIO	NTA REG	4.00	1.00	B	D	W	-1.00
171	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	C	C	R	4.00
172	84.62	76.92	7.69	BIO	TOP20	4.00	1.00	C	A	W	-1.00
173	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
174	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00
175	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	D	D	R	4.00
176	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
177	80.77	73.08	7.69	BIO	TOP20	4.00	1.00	A	A	R	4.00
178	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	C		L	0.00
179	57.69	53.85	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
180	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
181	73.08	65.38	7.69	BIO	TOP20	4.00	1.00	B	C	W	-1.00
182	61.54	50.00	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
183	92.31	88.46	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
184	61.54	61.54	0.00	BIO	TOP20	4.00	1.00	C		L	0.00
185	30.77	15.38	15.38	BIO	TOP20	4.00	1.00	A	A	R	4.00
186	88.46	88.46	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
187	96.15	92.31	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
188	100.00	100.00	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00
189	80.77	80.77	0.00	BIO	TOP20	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100% **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SRUSHTI RAJENDRA DESHPANDE (ID No. 47499)

Your Score: 246.00/720.00 (34.17%)

Max Score: 665.00

Rank: 25

Min Score: 246.00

TEST: MOCK TEST 9 (NEET) (ID: 42 DT: 21-Apr-2024)

Percentile: 36.99

Avg Score: 498.69

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
190	92.31	73.08	19.23	BIO	TOP20	4.00	1.00	A	C	W	-1.00
191	38.46	26.92	11.54	BIO	TOP20	4.00	1.00	C		L	0.00
192	19.23	15.38	3.85	BIO	TOP20	4.00	1.00	B		L	0.00
193	38.46	34.62	3.85	BIO	TOP20	4.00	1.00	D		L	0.00
194	34.62	26.92	7.69	BIO	TOP20	4.00	1.00	D	D	R	4.00
195	76.92	76.92	0.00	BIO	TOP20	4.00	1.00	B	B	R	4.00
196	73.08	69.23	3.85	BIO	TOP20	4.00	1.00	A		L	0.00
197	84.62	80.77	3.85	BIO	TOP20	4.00	1.00	B	B	R	4.00
198	19.23	11.54	7.69	BIO	TOP20	4.00	1.00	B		L	0.00
199	30.77	30.77	0.00	BIO	TOP20	4.00	1.00	A	A	R	4.00
200	42.31	38.46	3.85	BIO	TOP20	4.00	1.00	D	D	R	4.00

Total Question: 200 **Attempted:** 139 (**Correct:** 77 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 246.00

Total Positive Marks: 308.00 **Total Negative Marks:** 62.00

PHY	CHEM	BIO	Total
9.00	63.00	174.00	246.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%