

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VEDEANT NARENDRA LAKHADE ( ID No. 052142 )

**Your Score:** 595.00/720.00 (82.64%)

**Max Score:** 595.00

**Rank:** 1

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 100.00

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B		L	0.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C	C	R	4.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C		L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VEDEANT NARENDRA LAKHADE ( ID No. 052142 )

**Your Score:** 595.00/720.00 (82.64%)

**Max Score:** 595.00

**Rank:** 1

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 100.00

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	A	R	4.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C		L	0.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VEDEANT NARENDRA LAKHADE ( ID No. 052142 )

**Your Score:** 595.00/720.00 (82.64%)

**Max Score:** 595.00

**Rank:** 1

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 100.00

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D		L	0.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	A	W	-1.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VEDEANT NARENDRA LAKHADE ( ID No. 052142 )

**Your Score:** 595.00/720.00 (82.64%)

**Max Score:** 595.00

**Rank:** 1

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 100.00

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D		L	0.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B		L	0.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 165 (**Correct:** 152 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 595.00

**Total Positive Marks:** 608.00 **Total Negative Marks:** 13.00

PHY	CHEM	BOT	ZOO	Total
119.00	135.00	170.00	171.00	595.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AMISH NARENDRA PATHAK ( ID No. 051963 )

**Your Score:** 504.00/720.00 (70.00%)

**Max Score:** 595.00

**Rank:** 2

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 84.71

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D		L	0.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AMISH NARENDRA PATHAK ( ID No. 051963 )

**Your Score:** 504.00/720.00 (70.00%)

**Max Score:** 595.00

**Rank:** 2

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 84.71

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D		L	0.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AMISH NARENDRA PATHAK ( ID No. 051963 )

**Your Score:** 504.00/720.00 (70.00%)

**Max Score:** 595.00

**Rank:** 2

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 84.71

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C		L	0.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D		L	0.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A	C	W	-1.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	B	L	0.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AMISH NARENDRA PATHAK ( ID No. 051963 )

**Your Score:** 504.00/720.00 (70.00%)

**Max Score:** 595.00

**Rank:** 2

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 84.71

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D		L	0.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B	D	W	-1.00

**Total Question:** 200 **Attempted:** 156 (**Correct:** 132 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 504.00

**Total Positive Marks:** 528.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
94.00	111.00	163.00	136.00	504.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA RAJESH RAUT ( ID No. 053032 )

**Your Score:** 465.00/720.00 (64.58%)

**Max Score:** 595.00

**Rank:** 3

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 78.15

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C		L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA RAJESH RAUT ( ID No. 053032 )

**Your Score:** 465.00/720.00 (64.58%)

**Max Score:** 595.00

**Rank:** 3

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 78.15

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A		L	0.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA RAJESH RAUT ( ID No. 053032 )

**Your Score:** 465.00/720.00 (64.58%)

**Max Score:** 595.00

**Rank:** 3

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 78.15

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C		L	0.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA RAJESH RAUT ( ID No. 053032 )

**Your Score:** 465.00/720.00 (64.58%)

**Max Score:** 595.00

**Rank:** 3

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 78.15

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D		L	0.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B		L	0.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00

**Total Question:** 200 **Attempted:** 180 (**Correct:** 129 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 465.00

**Total Positive Marks:** 516.00 **Total Negative Marks:** 51.00

PHY	CHEM	BOT	ZOO	Total
95.00	95.00	150.00	125.00	465.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANIKA ARUN GHOGALE ( ID No. 052532 )

**Your Score:** 458.00/720.00 (63.61%)

**Max Score:** 595.00

**Rank:** 4

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 76.97

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	B	W	-1.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C		L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANIKA ARUN GHOGALE ( ID No. 052532 )

**Your Score:** 458.00/720.00 (63.61%)

**Max Score:** 595.00

**Rank:** 4

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 76.97

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	A	R	4.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANIKA ARUN GHOGALE ( ID No. 052532 )

**Your Score:** 458.00/720.00 (63.61%)

**Max Score:** 595.00

**Rank:** 4

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 76.97

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D		L	0.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANIKA ARUN GHOGALE ( ID No. 052532 )

**Your Score:** 458.00/720.00 (63.61%)

**Max Score:** 595.00

**Rank:** 4

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 76.97

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C	C	R	4.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B		L	0.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 167 (**Correct:** 125 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 458.00

**Total Positive Marks:** 500.00 **Total Negative Marks:** 42.00

PHY	CHEM	BOT	ZOO	Total
60.00	97.00	145.00	156.00	458.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GARGI PARAG JOSHI ( ID No. 052263 )

**Your Score:** 446.00/720.00 (61.94%)

**Max Score:** 595.00

**Rank:** 5

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 74.96

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D		L	0.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	B	W	-1.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C		L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GARGI PARAG JOSHI ( ID No. 052263 )

**Your Score:** 446.00/720.00 (61.94%)

**Max Score:** 595.00

**Rank:** 5

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 74.96

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	A	R	4.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D		L	0.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GARGI PARAG JOSHI ( ID No. 052263 )

**Your Score:** 446.00/720.00 (61.94%)

**Max Score:** 595.00

**Rank:** 5

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 74.96

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C		L	0.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GARGI PARAG JOSHI ( ID No. 052263 )

**Your Score:** 446.00/720.00 (61.94%)

**Max Score:** 595.00

**Rank:** 5

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 74.96

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 154 (**Correct:** 120 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 446.00

**Total Positive Marks:** 480.00 **Total Negative Marks:** 34.00

PHY	CHEM	BOT	ZOO	Total
50.00	88.00	162.00	146.00	446.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASI PAWAN PATURKAR ( ID No. 052637 )

**Your Score:** 403.00/720.00 (55.97%)

**Max Score:** 595.00

**Rank:** 6

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 67.73

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	A	W	-1.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B		L	0.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A		L	0.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C	A	W	-1.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B	A	W	-1.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C		L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASI PAWAN PATURKAR ( ID No. 052637 )

**Your Score:** 403.00/720.00 (55.97%)

**Max Score:** 595.00

**Rank:** 6

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 67.73

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A		L	0.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASI PAWAN PATURKAR ( ID No. 052637 )

**Your Score:** 403.00/720.00 (55.97%)

**Max Score:** 595.00

**Rank:** 6

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 67.73

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D	B	W	-1.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B		L	0.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASI PAWAN PATURKAR ( ID No. 052637 )

**Your Score:** 403.00/720.00 (55.97%)

**Max Score:** 595.00

**Rank:** 6

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 67.73

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B	A	L	0.00

**Total Question:** 200 **Attempted:** 157 (**Correct:** 112 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 403.00

**Total Positive Marks:** 448.00 **Total Negative Marks:** 45.00

PHY	CHEM	BOT	ZOO	Total
39.00	101.00	141.00	122.00	403.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASWI SUSHIL RAUT ( ID No. 053034 )

**Your Score:** 384.00/720.00 (53.33%)

**Max Score:** 595.00

**Rank:** 7

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 64.54

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	B	W	-1.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	C	W	-1.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B		L	0.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	C	W	-1.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	C	W	-1.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C		L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASWI SUSHIL RAUT ( ID No. 053034 )

**Your Score:** 384.00/720.00 (53.33%)

**Max Score:** 595.00

**Rank:** 7

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 64.54

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D		L	0.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASWI SUSHIL RAUT ( ID No. 053034 )

**Your Score:** 384.00/720.00 (53.33%)

**Max Score:** 595.00

**Rank:** 7

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 64.54

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D		L	0.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B	B	L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	C	L	0.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANASWI SUSHIL RAUT ( ID No. 053034 )

**Your Score:** 384.00/720.00 (53.33%)

**Max Score:** 595.00

**Rank:** 7

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 64.54

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	BC	W	-1.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B	C	W	-1.00

**Total Question:** 200 **Attempted:** 146 (**Correct:** 106 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 384.00

**Total Positive Marks:** 424.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
56.00	62.00	141.00	125.00	<b>384.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRUTI SHANKAR GHUGE ( ID No. 053039 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 595.00

**Rank:** 8

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 54.79

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	D	W	-1.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C	B	W	-1.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A	C	L	0.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	A	L	0.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C	A	L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRUTI SHANKAR GHUGE ( ID No. 053039 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 595.00

**Rank:** 8

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 54.79

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	A	R	4.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	D	L	0.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C	C	L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D	A	L	0.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B	B	L	0.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B	D	L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRUTI SHANKAR GHUGE ( ID No. 053039 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 595.00

**Rank:** 8

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 54.79

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	A	W	-1.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	L	0.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A	C	L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B	C	L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	C	L	0.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRUTI SHANKAR GHUGE ( ID No. 053039 )

**Your Score:** 326.00/720.00 (45.28%)

**Max Score:** 595.00

**Rank:** 8

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 54.79

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	L	0.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	C	L	0.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B	B	L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B	A	L	0.00

**Total Question:** 200 **Attempted:** 154 (**Correct:** 96 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 326.00

**Total Positive Marks:** 384.00 **Total Negative Marks:** 58.00

PHY	CHEM	BOT	ZOO	Total
26.00	62.00	126.00	112.00	326.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEELAKSHI MILIND DESHPANDE ( ID No. 053480 )

**Your Score:** 322.00/720.00 (44.72%)

**Max Score:** 595.00

**Rank:** 9

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 54.12

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	A	W	-1.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A		L	0.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A		L	0.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C		L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEELAKSHI MILIND DESHPANDE ( ID No. 053480 )

**Your Score:** 322.00/720.00 (44.72%)

**Max Score:** 595.00

**Rank:** 9

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 54.12

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	A	R	4.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B	B	L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEELAKSHI MILIND DESHPANDE ( ID No. 053480 )

**Your Score:** 322.00/720.00 (44.72%)

**Max Score:** 595.00

**Rank:** 9

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 54.12

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	D	L	0.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEELAKSHI MILIND DESHPANDE ( ID No. 053480 )

**Your Score:** 322.00/720.00 (44.72%)

**Max Score:** 595.00

**Rank:** 9

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 54.12

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	B	L	0.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B	B	L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B	B	L	0.00

**Total Question:** 200 **Attempted:** 138 (**Correct:** 92 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 322.00

**Total Positive Marks:** 368.00 **Total Negative Marks:** 46.00

PHY	CHEM	BOT	ZOO	Total
22.00	52.00	125.00	123.00	322.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RIYA RAJESH YADAV ( ID No. 053036 )

**Your Score:** 306.00/720.00 (42.50%)

**Max Score:** 595.00

**Rank:** 10

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 51.43

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	C	W	-1.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A		L	0.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A		L	0.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C		L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RIYA RAJESH YADAV ( ID No. 053036 )

**Your Score:** 306.00/720.00 (42.50%)

**Max Score:** 595.00

**Rank:** 10

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 51.43

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C		L	0.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RIYA RAJESH YADAV ( ID No. 053036 )

**Your Score:** 306.00/720.00 (42.50%)

**Max Score:** 595.00

**Rank:** 10

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 51.43

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C		L	0.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D		L	0.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	A	W	-1.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	C	L	0.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RIYA RAJESH YADAV ( ID No. 053036 )

**Your Score:** 306.00/720.00 (42.50%)

**Max Score:** 595.00

**Rank:** 10

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 51.43

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B	B	L	0.00

**Total Question:** 200 **Attempted:** 139 (**Correct:** 89 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 306.00

**Total Positive Marks:** 356.00 **Total Negative Marks:** 50.00

PHY	CHEM	BOT	ZOO	Total
25.00	23.00	127.00	131.00	306.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AAYUSHI PRASAD AMBULKAR ( ID No. 053030 )

**Your Score:** 304.00/720.00 (42.22%)

**Max Score:** 595.00

**Rank:** 11

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 51.09

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	D	R	4.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	C	W	-1.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A	B	W	-1.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A		L	0.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C	B	W	-1.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AAYUSHI PRASAD AMBULKAR ( ID No. 053030 )

**Your Score:** 304.00/720.00 (42.22%)

**Max Score:** 595.00

**Rank:** 11

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 51.09

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	A	R	4.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D		L	0.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AAYUSHI PRASAD AMBULKAR ( ID No. 053030 )

**Your Score:** 304.00/720.00 (42.22%)

**Max Score:** 595.00

**Rank:** 11

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 51.09

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C		L	0.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D		L	0.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A	D	W	-1.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	B	W	-1.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AAYUSHI PRASAD AMBULKAR ( ID No. 053030 )

**Your Score:** 304.00/720.00 (42.22%)

**Max Score:** 595.00

**Rank:** 11

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 51.09

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	B	L	0.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 166 (**Correct:** 94 **Incorrect:** 72) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 304.00

**Total Positive Marks:** 376.00 **Total Negative Marks:** 72.00

PHY	CHEM	BOT	ZOO	Total
35.00	31.00	150.00	88.00	304.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ISHWARI SATISH RAUT ( ID No. 052422 )

**Your Score:** 284.00/720.00 (39.44%)

**Max Score:** 595.00

**Rank:** 12

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 47.73

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D		L	0.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D		L	0.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C		L	0.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A	C	W	-1.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ISHWARI SATISH RAUT ( ID No. 052422 )

**Your Score:** 284.00/720.00 (39.44%)

**Max Score:** 595.00

**Rank:** 12

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 47.73

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	A	R	4.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D		L	0.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ISHWARI SATISH RAUT ( ID No. 052422 )

**Your Score:** 284.00/720.00 (39.44%)

**Max Score:** 595.00

**Rank:** 12

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 47.73

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C	D	W	-1.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	C	W	-1.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D		L	0.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D		L	0.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	D	W	-1.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ISHWARI SATISH RAUT ( ID No. 052422 )

**Your Score:** 284.00/720.00 (39.44%)

**Max Score:** 595.00

**Rank:** 12

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 47.73

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	C	L	0.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B	B	L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B	A	L	0.00

**Total Question:** 200 **Attempted:** 136 (**Correct:** 84 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 284.00

**Total Positive Marks:** 336.00 **Total Negative Marks:** 52.00

PHY	CHEM	BOT	ZOO	Total
39.00	55.00	102.00	88.00	284.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM MOHANDAS LOKHANDE ( ID No. 053035 )

**Your Score:** 271.00/720.00 (37.64%)

**Max Score:** 595.00

**Rank:** 13

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 45.55

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	C	W	-1.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	B	W	-1.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A		L	0.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C	A	W	-1.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D	A	W	-1.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM MOHANDAS LOKHANDE ( ID No. 053035 )

**Your Score:** 271.00/720.00 (37.64%)

**Max Score:** 595.00

**Rank:** 13

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 45.55

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C		L	0.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	D	W	-1.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D		L	0.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B		L	0.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM MOHANDAS LOKHANDE ( ID No. 053035 )

**Your Score:** 271.00/720.00 (37.64%)

**Max Score:** 595.00

**Rank:** 13

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 45.55

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B		L	0.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	A	W	-1.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B		L	0.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM MOHANDAS LOKHANDE ( ID No. 053035 )

**Your Score:** 271.00/720.00 (37.64%)

**Max Score:** 595.00

**Rank:** 13

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 45.55

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 109 (**Correct:** 76 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 271.00

**Total Positive Marks:** 304.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
32.00	36.00	90.00	113.00	271.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRIYASH VINAYAK GAWANDE ( ID No. 053501 )

**Your Score:** 258.00/720.00 (35.83%)

**Max Score:** 595.00

**Rank:** 14

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 43.36

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D	ABD	W	-1.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D	C	W	-1.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	B	W	-1.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B		L	0.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A		L	0.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A	C	W	-1.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C	A	W	-1.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D	B	W	-1.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRIYASH VINAYAK GAWANDE ( ID No. 053501 )

**Your Score:** 258.00/720.00 (35.83%)

**Max Score:** 595.00

**Rank:** 14

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 43.36

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B	B	R	4.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C		L	0.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C		L	0.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRIYASH VINAYAK GAWANDE ( ID No. 053501 )

**Your Score:** 258.00/720.00 (35.83%)

**Max Score:** 595.00

**Rank:** 14

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 43.36

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	CD	W	-1.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	CD	W	-1.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B		L	0.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D		L	0.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D	C	W	-1.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C	A	W	-1.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHRIYASH VINAYAK GAWANDE ( ID No. 053501 )

**Your Score:** 258.00/720.00 (35.83%)

**Max Score:** 595.00

**Rank:** 14

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 43.36

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D		L	0.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B	D	L	0.00

**Total Question:** 200 **Attempted:** 142 (**Correct:** 80 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 258.00

**Total Positive Marks:** 320.00 **Total Negative Marks:** 62.00

PHY	CHEM	BOT	ZOO	Total
16.00	31.00	107.00	104.00	258.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMIKSHA MAHENDRA GHUGARE ( ID No. 053037 )

**Your Score:** 211.00/720.00 (29.31%)

**Max Score:** 595.00

**Rank:** 15

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 35.46

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	60.00	40.00	20.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	80.00	26.67	53.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
3	66.67	33.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	100.00	60.00	40.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
7	66.67	46.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	93.33	60.00	33.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	73.33	20.00	53.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
10	100.00	93.33	6.67	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
11	6.67	6.67	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
12	53.33	40.00	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
13	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
14	13.33	6.67	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
15	100.00	53.33	46.67	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
16	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
17	73.33	33.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
18	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	46.67	46.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	66.67	40.00	26.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	66.67	26.67	40.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	46.67	0.00	46.67	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
24	66.67	66.67	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
25	80.00	40.00	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
26	26.67	6.67	20.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
27	20.00	13.33	6.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	6.67	0.00	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	60.00	33.33	26.67	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
30	46.67	13.33	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
32	26.67	13.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
33	40.00	6.67	33.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	100.00	26.67	73.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
35	80.00	53.33	26.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
36	80.00	40.00	40.00	PHY	TOP10	4.00	1.00	D		L	0.00
37	100.00	80.00	20.00	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	73.33	13.33	60.00	PHY	TOP10	4.00	1.00	B	A	W	-1.00
39	100.00	26.67	73.33	PHY	TOP10	4.00	1.00	A	C	W	-1.00
40	80.00	26.67	53.33	PHY	TOP10	4.00	1.00	D		L	0.00
41	86.67	20.00	66.67	PHY	TOP10	4.00	1.00	A		L	0.00
42	60.00	53.33	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
43	53.33	40.00	13.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	20.00	6.67	13.33	PHY	TOP10	4.00	1.00	C		L	0.00
45	40.00	33.33	6.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	53.33	0.00	53.33	PHY	TOP10	4.00	1.00	A		L	0.00
47	73.33	53.33	20.00	PHY	TOP10	4.00	1.00	A		L	0.00
48	33.33	13.33	20.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
49	13.33	0.00	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
50	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	73.33	73.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
52	33.33	20.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
53	93.33	40.00	53.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMIKSHA MAHENDRA GHUGARE ( ID No. 053037 )

**Your Score:** 211.00/720.00 (29.31%)

**Max Score:** 595.00

**Rank:** 15

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 35.46

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	73.33	20.00	53.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	60.00	40.00	20.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	66.67	40.00	26.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
57	26.67	6.67	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	80.00	26.67	53.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	66.67	33.33	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	73.33	13.33	60.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
61	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
62	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	100.00	93.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
64	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
65	73.33	53.33	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	86.67	80.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
67	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	86.67	60.00	26.67	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
69	60.00	33.33	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
70	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
71	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
72	40.00	13.33	26.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
73	86.67	73.33	13.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	66.67	53.33	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
75	93.33	46.67	46.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
76	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
77	93.33	60.00	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
78	73.33	66.67	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
79	80.00	60.00	20.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
80	33.33	6.67	26.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	80.00	33.33	46.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
82	93.33	73.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	86.67	33.33	53.33	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
84	80.00	40.00	40.00	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
85	80.00	6.67	73.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
86	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
87	86.67	80.00	6.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
88	80.00	46.67	33.33	CHEM	TOP10	4.00	1.00	A		L	0.00
89	73.33	60.00	13.33	CHEM	TOP10	4.00	1.00	C		L	0.00
90	26.67	0.00	26.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	40.00	20.00	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
92	60.00	13.33	46.67	CHEM	TOP10	4.00	1.00	B		L	0.00
93	40.00	0.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
94	33.33	13.33	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	80.00	40.00	40.00	CHEM	TOP10	4.00	1.00	C		L	0.00
96	86.67	26.67	60.00	CHEM	TOP10	4.00	1.00	C		L	0.00
97	26.67	6.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
98	53.33	20.00	33.33	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
99	40.00	33.33	6.67	CHEM	TOP10	4.00	1.00	B		L	0.00
100	46.67	13.33	33.33	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
101	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
103	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
104	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	93.33	53.33	40.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
106	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMIKSHA MAHENDRA GHUGARE ( ID No. 053037 )

**Your Score:** 211.00/720.00 (29.31%)

**Max Score:** 595.00

**Rank:** 15

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 35.46

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	80.00	40.00	40.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
108	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	86.67	80.00	6.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
110	86.67	13.33	73.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
111	73.33	26.67	46.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
112	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
115	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	93.33	66.67	26.67	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	80.00	60.00	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
119	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	93.33	60.00	33.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
122	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	86.67	33.33	53.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	93.33	80.00	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	86.67	73.33	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
127	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
128	100.00	93.33	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
129	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
130	60.00	60.00	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
131	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
133	93.33	93.33	0.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
134	93.33	86.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
135	86.67	53.33	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	100.00	100.00	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
137	40.00	33.33	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
138	86.67	80.00	6.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	60.00	46.67	13.33	BOT	TOP10	4.00	1.00	C		L	0.00
140	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
141	93.33	86.67	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
142	66.67	60.00	6.67	BOT	TOP10	4.00	1.00	C		L	0.00
143	100.00	86.67	13.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	86.67	86.67	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
145	60.00	53.33	6.67	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	80.00	66.67	13.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
147	26.67	0.00	26.67	BOT	TOP10	4.00	1.00	D		L	0.00
148	20.00	0.00	20.00	BOT	TOP10	4.00	1.00	A		L	0.00
149	26.67	26.67	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
150	46.67	13.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
151	73.33	46.67	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
152	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	60.00	33.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
156	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	80.00	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	86.67	33.33	53.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMIKSHA MAHENDRA GHUGARE ( ID No. 053037 )

**Your Score:** 211.00/720.00 (29.31%)

**Max Score:** 595.00

**Rank:** 15

**Min Score:** 211.00

**TEST:** MAJOR TEST-01 (NB-16 NEET) ( ID: 725 DT: 26-Jul-2023 )

**Percentile:** 35.46

**Avg Score:** 369.13

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
161	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
162	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	93.33	33.33	60.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
165	53.33	33.33	20.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
166	80.00	46.67	33.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
167	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
168	100.00	86.67	13.33	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
169	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	86.67	86.67	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
171	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	80.00	33.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
174	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	93.33	93.33	0.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
176	100.00	53.33	46.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
177	73.33	53.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
178	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	93.33	46.67	46.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
180	26.67	26.67	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
181	86.67	53.33	33.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	80.00	60.00	20.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
183	100.00	73.33	26.67	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
184	93.33	80.00	13.33	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	33.33	13.33	20.00	ZOO	TOP10	4.00	1.00	C		L	0.00
187	46.67	40.00	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
188	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
189	40.00	33.33	6.67	ZOO	TOP10	4.00	1.00	A		L	0.00
190	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	D		L	0.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	86.67	86.67	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	86.67	73.33	13.33	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
195	73.33	40.00	33.33	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
196	80.00	73.33	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
197	93.33	86.67	6.67	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	53.33	40.00	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
199	26.67	13.33	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
200	20.00	6.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00

**Total Question:** 200 **Attempted:** 94 (**Correct:** 61 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 211.00

**Total Positive Marks:** 244.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
15.00	12.00	115.00	69.00	211.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%